



Waterproof flexible LED light strip, with SMD2835 LEDs, 60LEDs/meter, 14,4W/meter. Supplied in 5 meters roll.

No adhesive tape.

Can be cut every 10cm (7-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions

Cut every 10cm
(6-LED segment)



Gallery



Accessories



7827



7827A

Related items




20030

Physical Specification

Item Group	09 LED Strips & Profiles
Family	The 14,4W/m Outdoor 24V
Order Code	7835AW/D
Material	Silicone
Shape	Rectangular
Length	5000mm
Width	12mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes
Outdoor	Yes

Electrical Characteristics

Fitting	
Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	14,4W/m
IP Rating	IP68
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar

LED Number	60Leds/m
Illumination Data	
Colour Temperature	6000K
Lumen Output	1030lm/m
Light Efficiency	71,5lm/W
CRI	80
Illumination Diagram	

Packing Info	
Box Length	22cm
Box Width	21,5cm
Box Height	2,5cm
Box Weight	0,52kg
Pcs/Carton	40
Barcode	5291889056676
HS Code	9405409989

Certification & Warranty	
Warranty	2 Years
Weee Directive	Yes