

09 LED Strips & Profiles>The Vertical Light Range 24V

7835V/C



Vertical light Flexible LED light strip, with SMD3014 LEDs, 120LEDs/meter, 14,4W/meter.Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 5cm (6-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



Gallery



Accessories





2

Related items



20030

Physical Specification

Item Group	09 LED Strips & Profiles
Family	The Vertical Light Range 24V
Order Code	7835V/C
Shape	Rectangular
Length	5m
Width	8mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

Electrical Characteristics


Fitting	
Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	<u> </u>
Power(Watts)	14,4W/m
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 3014
LED Brand	Refond
LED Number	120LEDS/m

Colour Temperature Lumen Output 1300lm/m Light Efficiency 90,27lm/W CRI 90 Illumination Diagram

Packing Info	
Box Length	24cm
Box Width	21,5cm
Box Height	2cm
Pcs/Carton	40
Barcode	5291889058809
HS Code	9405409989

Energy Label

Illumination Data



Certification & Warranty

Warranty	5 Years
Weee Directive	Yes