



Vertical light Flexible LED light strip, with SMD3014 LEDs, 120LEDs/meter, 14,4W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 5cm (6-LED segment).

Requires 24V DC constant voltage LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads




Dimensions




Gallery



Accessories



7822



7824

Related items



20030

Physical Specification

| | |
|----------------------|------------------------------|
| Item Group | 09 LED Strips & Profiles |
| Family | The Vertical Light Range 24V |
| Order Code | 7835V/W |
| Shape | Rectangular |
| Length | 5m |
| Width | 8mm |
| Surface Ceiling | Yes |
| Surface Wall | Yes |
| Surface Floor/Ground | Yes |
| Indoor | Yes |

Electrical Characteristics

Fitting

| | |
|---------------|------------------|
| Input Type | Constant Voltage |
| Input Voltage | 24V DC |
| Safety Class | III |
| Power(Watts) | 14,4W/m |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | SMD 3014 |
| LED Brand | Refond |
| LED Number | 120LEDS/m |


Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 3000K |
| Lumen Output | 1152lm/m |
| Light Efficiency | 80lm/W |
| CRI | 90 |
| Illumination Diagram |  |

Packing Info

| | |
|------------|---------------|
| Box Length | 24cm |
| Box Width | 21,5cm |
| Box Height | 2cm |
| Pcs/Carton | 40 |
| Barcode | 5291889058793 |
| HS Code | 9405409989 |

Energy Label



Certification & Warranty

Warranty

5 Years

Weee Directive

Yes
