

09 LED Strips & Profiles>Modules for Signs & Backlit Applications

7840C/D



3x 0,5W/7,5W/m LED module, IP65.

Supplied in 50pcs chain total length 10m.

Requires 12V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.




Downloads





Dimensions



Physical Specification

Item Group	09 LED Strips & Profiles
Family	Modules for Signs & Backlit Applications
Order Code	7840C/D
Material	Plastic
Shape	Rectangular
Length	75mm
Width	18mm
Height	10mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

Electrical Characteristics

Fitting	
Input Type	Constant Voltage
Input Voltage	12V DC
Safety Class	
Power(Watts)	3x0,5W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar
LED Number	3
F Mark	F

Illumination Data

Colour Temperature	6000K
Lumen Output	135lm
Light Efficiency	90lm/W
Illumination Diagram	

Packing Info

Pcs/Carton	20
1 00/04/1011	
Barcode	5291889065623
HS Code	8539500000

Warranty	3 Years
Weee Directive	Yes

Certification & Warranty