

09 LED Strips & Profiles>Modules for signs

7842/BL



 $4 \times 0,36W$ LED module, IP65.

Supplied in 10pcs chain total length 1,25m.

Requires 12V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads





Dimensions



Gallery



Physical Specification

Item Group	09 LED Strips & Profiles
Family	Modules for signs
Order Code	7842/BL
Shape	Rectangular
Length	45mm
Width	36mm
Height	5mm

Surface Ploor/Ground Yes Indoor Yes Outdoor Yes Fitting Lipnut Type Constant Voltage Input Voltage 12V DC Safety Class 0.72W Power(Watts) 0.72W Light Source LED built in LED Number LED built in unination Data LED built in colour Temperature Blue lillumination Diagram LED substantion acking Info 100 Barcodo 8291889026631 HS Code 9405403990	Surface Ceiling	Yes
Indoor Outdoor Outdoor Pitting Input Type Input Voltage	Surface Wall	Yes
Outdoor Fitting Fitting Input Type Input Voltage Safety Class Power(Watts) IP Rating LED Number LED Number Colour Temperature Illumination Data Colour Temperature Illumination Diagram Pea(Carton Barcode Barcode Fitting Colour Service LED Service	Surface Floor/Ground	Yes
Fitting Input Type Input Voltage Ity DC Safety Class Power(Watts) IP Rating IP 65 LED built in LED Number Colour Temperature Illumination Diagram Blue Pcs/Carton Pcs/Carton In 00 5291889026631	Indoor	Yes
Fitting Input Type Input Voltage Safety Class Power(Watts) IP Rating LED Number Colour Temperature Illumination Diagram Pes/Carton Barcode Input Voltage Constant Voltage Constant Voltage I2V DC (72W I2V DC (72W IP65 LED built in 3 Leds IP65 LED built in 3 Leds IRV IRV IRV IRV IRV IRV IRV IR	Outdoor	Yes
Fitting Input Type Input Voltage Safety Class Power(Watts) IP Rating LED Number Colour Temperature Illumination Diagram Pes/Carton Barcode Input Voltage Constant Voltage Constant Voltage I2V DC (72W I2V DC (72W IP65 LED built in 3 Leds IP65 LED built in 3 Leds IRV IRV IRV IRV IRV IRV IRV IR		
Input Type Input Voltage Inpu	lectrical Characteristics	
Input Type Input Voltage Inpu		
Input Voltage Safety Class Power(Watts) IP Rating Light Source LED Number Colour Temperature Illumination Diagram Pes/Carton Pes/Carton Barcode 12V DC 12	Fitting	
Safety Class Power(Watts) IP Rating Light Source LED Number Colour Temperature Illumination Diagram Pes/Carton Barcode In Diagram In Diagram	Input Type	Constant Voltage
Power(Watts) IP Rating Light Source LED built in LED Number Colour Temperature Illumination Diagram Pcs/Carton Barcode Barcode O,72W LED built in LED built in Blue 100 5291889026631	Input Voltage	12V DC
IP Rating Light Source LED Number Colour Temperature Illumination Diagram Pcs/Carton Barcode IP65 LED built in BIUB BIUB	Safety Class	(III)
LED Number LED Number Sumination Data Colour Temperature Illumination Diagram Pes/Carton Barcode ED built in BLED built in BLED built in Blue Blue 100 5291889026631	Power(Watts)	0,72W
LED Number LED Number LED Number LED Number LID Number Acking Info Pes/Carton Barcode Selve 100 5291889026631	IP Rating	IP65
umination Data Colour Temperature Illumination Diagram Bue Acking Info Pcs/Carton Barcode 5291889026631	Light Source	LED built in
Colour Temperature Illumination Diagram acking Info Pcs/Carton Barcode Blue 100 5291889026631	LED Number	3Leds
Colour Temperature Illumination Diagram acking Info Pcs/Carton Barcode Blue 100 5291889026631		
Pcs/Carton 100 Barcode 5291889026631	umination Data	
Pcs/Carton 100 Barcode 5291889026631	Colour Temperature	Blue
Pcs/Carton 100 Barcode 5291889026631	Illumination Diagram	
Pcs/Carton 100 Barcode 5291889026631		
Pcs/Carton 100 Barcode 5291889026631	acking Info	
Barcode 5291889026631		
	Pcs/Carton	100
HS Code 9405403990	Barcode	5291889026631 —
	HS Code	9405403990

Warranty	3 Years
Weee Directive	Yes

Certification & Warranty