

08 Strips & Profiles>The 19,2W/m Indoor 24V

7875/W



Flexible LED light strip, with SMD2216 LEDs, 240LEDs/meter, 19,2W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 5cm (12-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.




Downloads



Dimensions



Gallery





Physical Specification

Item Group	08 Strips & Profiles
Family	The 19,2W/m Indoor 24V
Order Code	7875/W
Shape	Rectangular
Length	5000mm
Width	16mm
Surface Ceiling	Yes

Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

## Electrical Characteristics

### Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	19,2W/m
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2216
LED Brand	Refond
LED Number	240LEDs/m
F Mark	

## Illumination Data

Colour Temperature	3000K
Lumen Output	1500lm/m
Light Efficiency	78,12lm/W
CRI	90
Illumination Diagram	

## Packing Info

Box Length	26cm
Box Width	25cm
Box Height	2cm
Box Weight	0,27kg

Pcs/Carton

40

Barcode

5291889040460

HS Code

9405409989

## Energy Label



Energy Class

F

## Certification & Warranty

Warranty

5 Years

Weee Directive

Yes