## Soybeans: P42A84E\* (E3)



| Relative Maturity:4.2   | Positioning For: | SUITABILITY RATINGS               |     |   |                      |
|---|------------------|-----------------------------------|-----|---|----------------------|
| · · · · · · · · · · · · · · · · · · ·   |                  | KEY ENVIRONMENTS                  |     |   |                      |
|   |                  | Field Prone to Lodging            |     | F   | lighly Suitable      |
|   |                  | SUITABILITY                       |     |   |                      |
|   |                  | SCN-Prone Environments            |     | ŀ   | lighly Suitable      |
|   |                  | SDS Prone Environments            |     |   | Suitable             |
| MANAGEMENT COMMENTS   |                  | High Residue                      |     | Ν   | Ianage Appropriately |
|   |                  | Wide Rows Greater than 30 in.     |     | S   | Suitable             |
|   |                  | Double Crop                       |     | S   | Suitable             |
| <ul> <li>Widely adapted Enlist E3 v</li> <li>Cood Suddon Dooth Synd</li> </ul>  |                  | SOILS                             |     |   |                      |
| <ul> <li>Good Sudden Death Syndrom and charcoal<br/>rot tolerance.</li> <li>Taller plant type with reliable harvest<br/>standability works well on productive and<br/>tougher acres.</li> </ul> |                  | Early Planting/Cool Soils (w/SDS) |     | F   | lighly Suitable      |
|   |                  | Drought-Prone Soils               |     |   | Suitable             |
|   |                  | Poorly Drained Soils              |     | F   | Poor Suitability     |
|   |                  | High PH Soils                     |     | F   | lighly Suitable      |
|   |                  | CHARACTERISTIC SCORES             |     | DISEASE SCORES  |                      |
|   |                  | Harvest Standability              | 7   | Sudden Death Syndrome   | 6*                   |
|   |                  | Field Emergence                   | 7   | Charcoal Rot  | 6*                   |
|   |                  | Iron Def. Chlorosis               | 5   | Frogeye Leaf Spot   | 7**                  |
|   |                  | Plant Height for Maturity         | 6   |   |                      |
|   |                  | Relative Maturity                 | 4.2 | TRAIT SCORE RATINGS: 9 = Excellent; 1 = Poor. Canopy Width:<br>= Extremely Bushy; 1 = Very Narrow. Plant Height: 9 = Tall; 1<br>Short. Blank = Insufficient Data. ** Ratings denoted with a doubl<br>asterisk (**) reflect preliminary data subject to change whe |                      |
|   |                  | Technology Segment                | E3  |   |                      |
|   |                  | Phytoph. Resist. Gene             | -   |   |                      |

5\*\*

4\*\*

additional data becomes available.

Pioneer® brand products are provided subject to the terms and conditions of purchase which are part of the labeling and purchase documents. TM ® Trademarks of Corteva Agriscience and its affiliated companies. © 2022 Corteva. 11CH Updated as of 02/2022

Phytoph. Field Tol.

Canopy Width Shattering

\* Introductory product. Quantities may be limited.

IMPORTANT: Trait rating scores provide key information useful in selection and management of Pioneer® brand products in your area. Information and ratings are based on comparisons with other Pioneer brand products, not competitive products. Information and scores are assigned by Pioneer Research Managers. Scores are based on period-of-years testing through 2021 harvest and were the latest available at time of printing. Some scores may change after 2022 harvest. Scores represent an average of performance data across areas of adaptation, multiple growing conditions, and a wide range of both climate and soil types, and may not predict future results. All products within a hybrid family receive the same score unless observations indicate a significant difference. Individual product responses are variable and subject to a variety of environmental, disease and pest pressures. Please use this information as only one component of your product positioning decision. Refer to www.pioneer.com or contact a Pioneer sales professional for the latest and most complete listing of traits and scores for each Pioneer brand product and for product placement and management suggestions specific to your operation and local conditions.



Always follow stewardship practices in accordance with the Product Use Guide (PUG) or other product-specific stewardship requirements including grain marketing and pesticide label directions. Varieties with BOLT® technology provide excellent plant-back flexibility for soybeans following application of sulfonylurea (SU) herbicides such as DuPont(TM) LeadOff® or DuPont(TM) Basis® Blend as a component of a burndown program or for double-crop soybeans following SU herbicides such as DuPont(TM) Finesse® applied to wheat the previous fall. Always follow grain marketing, stewardship practices and pesticide label directions. Varieties with the Glyphosate Tolerant trait (including those designated by the letter R in the product number) contain genes that confer tolerance to glyphosate herbicides. Glyphosate herbicides will kill crops that are not tolerant to glyphosate. Varieties with the Roundup Ready 2 Yield® (RR2Y) trait: ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. Roundup Ready® technology contains genes that confer tolerance to glyphosate, an active ingredient in Roundup® brand agricultural herbicides. Agricultural herbicides containing glyphosate will kill crops that are not tolerant to glyphosate. Roundup Ready 2 Yield® is a trademark of Bayer Group. Varieties with the STS® trait are tolerant to certain sulfonylurea (SU) herbicides. This technology allows post-emergent applications of DuPont(TM) Synchrony® XP and DuPont(TM) Classic® herbicides without crop injury or stress (see herbicide product labels). NOTE: A soybean variety with a herbicide tolerant trait does not confer tolerance to all herbicides. Spraying herbicides not labeled for a specific soybean variety will result in severe plant injury or plant death. Always read and follow herbicide label directions and precautions for use. Varieties with the LibertyLink® (LL) gene are resistant to Liberty® herbicide. Liberty®, LibertyLink® and the Water Droplet Design are registered trademarks of BASF. DO NOT APPLY DICAMBA HERBICIDE IN-CROP TO SOYBEANS WITH Roundup Ready 2 Xtend® (RR2X) technology unless you use a dicamba herbicide product that is specifically labeled for that use in the location where you intend to make the application. IT IS A VIOLATION OF FEDERAL AND STATE LAW TO MAKE AN IN-CROP APPLICATION OF ANY DICAMBA HERBICIDE PRODUCT ON SOYBEANS WITH Roundup Ready 2 Xtend® technology, OR ANY OTHER PESTICIDE APPLICATION, UNLESS THE PRODUCT LABELING SPECIFICALLY AUTHORIZES THE USE. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with soybeans with Roundup Ready 2 Xtend® technology. ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. Soybeans with Roundup Ready 2 Xtend® technology contain genes that confer tolerance to glyphosate and dicamba. Glyphosate herbicides will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Roundup Ready 2 Xtend® is a registered trademark of Monsanto Technology LLC used under license. Varieties with Enlist E3® technology (E3): The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies L.L.C. Plenish® (P) high oleic soybeans have an enhanced oil profile and are produced and channeled under contract to specific grain markets. Growers should refer to the Pioneer Product Use Guide on www.pioneer.com/us/stewardship for more information. (-) = Variety does not contain a herbicide resistant gene.