


Resolve[®] Q

HERBICIDE

A clear advantage for early postemergence



Resolve[®] Q herbicide delivers:

- Better, more consistent postemergence control of many grass and broadleaf weeds, such as morningglory, common lambsquarters and velvetleaf, when tank mixed with glyphosate.
- Residual control of several grass and broadleaf weeds that can emerge later in the season, which means cleaner fields with fewer resprays.
- An additional mode of action to help minimize the occurrence of certain herbicide-tolerant weeds.
- Built-in safener technology, represented by the “Q,” that provides corn growers with the flexibility to confidently apply Resolve Q herbicide under more diverse weather conditions, across more hybrids and with a wider range of adjuvants.

Application information

- Make postemergence application(s) of Resolve Q plus glyphosate-containing products to glyphosate-tolerant field corn that is up to 20 inches tall or up to and including 6 leaf-collar.
- Adequate soil moisture is required for optimum activity. Rainfall within 5 to 7 days after application will enhance Resolve Q residual activity.
- May be used in combination with non-ionic surfactant, crop oil concentrate or methylated seed oil.
- Refer to the glyphosate manufacturer's label for specific ammonium sulfate and surfactant recommendation.

Rate recommendation

Resolve Q ¹	1.25 oz/A
+ Abundit [®] Edge herbicide (for use on glyphosate-tolerant crops only)	
+ atrazine	

¹When making applications of Resolve Q, do not apply more than 1 oz active ingredient rimsulfuron/A during the crop year.



Glyphosate alone 32 oz/A. Weeds present include lambsquarters and wild proso millet. Applied May 30, 2007. Photo taken June 12, 2007.

Weeds controlled by Resolve Q herbicide + glyphosate

When used in a tank mixture with a glyphosate herbicide, 1.25 ounces of Resolve Q will add improved burndown and/or residual activity on the following weeds:

Alfalfa, volunteer	Filaree, redstem	Mustard: birdsrape, black, wild	Ragweed, common
Barley, volunteer	Foxtail: bristly, giant, green, yellow	Nightshade, hairy	Ryegrass, Italian
Barnyardgrass	Henbit	Nutsedge, yellow	Sandbur: field, longspine
Bluegrass, annual	Johnsongrass, seedling	Oat, wild	Shepherd's-purse
Buckwheat, wild	Kochia	Panicum, fall	Signalgrass, broadleaf
Chamomile, false	Lambsquarters, common	Pigweed: prostrate, redroot, smooth	Smartweed, Pennsylvania
Chickweed, common	Millet, wild proso	Purslane, common	Stinkgrass
Cocklebur	Morningglory, ivyleaf	Quackgrass	Thistle, Canada
Crabgrass		Radish, wild	Velvetleaf
Dandelion (6" diameter)			Wheat, volunteer



Resolve Q 1.25 oz/A. Predominant weeds controlled were lambsquarters and wild proso millet. Applied May 30, 2007. Photo taken June 12, 2007.

For more information, please contact your local Corteva Agriscience territory manager or call **1-833-Corteva**.

Visit us at corteva.us

®/™Trademarks of Corteva Agriscience and its affiliated companies.

Atrazine is a restricted-use pesticide.

This reference guide is not intended as a substitute for the product label for the product(s) referenced herein. Product labels for the above product(s) contain important precautions, directions for use, and product warranty and liability limitations, which must be read before using the product(s). Applicators must be in possession of the product label(s) at the time of application. Always read and follow all label direction and precautions for use when using any pesticide alone or in tank-mix combinations.

Not all products are registered for sale or use in all states. Contact your state pesticide regulatory agency to determine if a product is registered for sale or use in your state. Always read and follow label directions.

©2021 Corteva. CA01-630-020 COR (05/21)