

Corn herbicide offer

Cinch® ATZ

HERBICIDE

- Pre and post emerge residual herbicide controls annual grasses and broadleaf weeds.
- Flexibility to used in all production systems and tank-mix with many post herbicides.
- Active Ingredients: s-metalochlor (15) + atrazine (5)
- Timing: Pre-emerge to 12" tall corn Rate: 1.6 qt/ac – 2.0 qt/ac

FulTime® NXT

HERBICIDE

- Excellent control of annual grasses; broad-spectrum control of broadleaf weeds.
- Time release formulation designed for high-residue corn production systems.
- Can be used alone or in combination with many pre- and postemergence corn herbicides.
- Active Ingredients: acetochlor [encapsulated] (15) + atrazine (5)
- Timing: Pre-emerge to 11" tall corn Rate: 2.0 qt/ac – 3.0 qt/ac

Keystone® NXT

HERBICIDE

- Residual herbicide that provides early season control of grasses and broadleaf weeds.
- Requires only ¼ inch of rain for activation, excellent first pass residual herbicide.
- Active Ingredients: acetochlor (15) + atrazine (5)
- Timing: Pre-emerge to 11" tall corn Rate: 1.5 qt/ac – 2.5 qt/ac

SureStart® II

HERBICIDE

- Effectively manages weed resistance through three non-glyphosate modes of action.
- Ideal tank-mix partner, easily mixing with commonly used fertilizers and herbicides.
- Active Ingredients: acetochlor (15) + clopyralid (4) + flumetsulam (2)
- Timing: Pre-emerge to 11" tall corn Rate: 2.0 pt/ac – 3.0 pt/ac

Resicore®

HERBICIDE

- Provides knockdown and residual control that lasts deep into the growing season
- Is versatile to fit a variety of agronomic programs including pre-, post- or split applications
- Has a novel formulation of three leading active ingredients together for the first time
- Active Ingredients: acetochlor (15) + clopyralid (4) + mesotrione (27)
- Timing: Pre-emerge to 11" tall corn Rate: 1.25 qt/ac – 2.75 qt/ac

Realm® Q

HERBICIDE

- Provides excellent postemergent and residual control of weeds with built in safener.
- Its convenient dry formulation boosts productivity with its low use rate.
- Active Ingredients: mesotrione (27) + rimsulfuron (2)
- Timing: up to V6 corn Rate: 4.0 oz/ac

ALWAYS READ AND FOLLOW LABEL DIRECTIONS

For more information, please contact: *Brent Goss - brent.w.goss@corteva.com – 785-472-7359*

Visit us at corteva.com



Agriculture Division of DowDuPont

*™ Trademark of The Dow Chemical Company ("Dow") or E. I. du Pont de Nemours and Company ("DuPont") or affiliated companies of Dow or DuPont. Cinch ATZ, Cinch ATZ Lite, FulTime NXT, Keystone NXT and Keystone LA NXT are federally Restricted Use Pesticides. This reference guide is not intended as a substitute for the product label for the product(s) referenced herein. Product labels for the above product(s) contain important precautions, directions for use, and product warranty and liability limitations, which must be read before using the product(s). Applicators must be in possession of the product label(s) at the time of application. Enlist herbicides are the only 2,4-D products authorized for use on Enlist crops. DuPont™ FeXapan™ herbicide plus VaporGrip® Technology is not registered for sale or use in all states. Contact your DuPont retailer or representative for details and availability in your state. IT IS A VIOLATION OF FEDERAL AND STATE LAW TO MAKE AN IN-CROP APPLICATION OF ANY DICAMBA HERBICIDE PRODUCT ON SOYBEANS WITH Roundup Ready 2 Xtend® technology, OR ANY OTHER PESTICIDE APPLICATION, UNLESS THE PRODUCT LABELING SPECIFICALLY AUTHORIZES THE USE. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with soybeans with Roundup Ready 2 Xtend® technology and follow all pesticide product labeling. Glyphosate herbicides will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Always read and follow all label direction and precautions for use when using any pesticide alone or in tank-mix combinations. Some products may not be available for sale or use in all states. FulTime NXT, Keystone LA NXT, Keystone NXT, Resicore, SureStart II and Surpass NXT are not available for sale, distribution or use in Nassau and Suffolk counties in the state of New York. Consult the label before purchase or use for full details. Contact your state pesticide regulatory agency to determine if a product is registered for sale or use in your state. Always read and follow all label directions and precautions for use.

Additional Offerings

Afforia®

HERBICIDE

- Strong burndown and residual on winter annual weed spectrum
- 2 MOA's with strong residual for control into the spring
- Ability to rotate to corn or soybeans next spring
- Active Ingredients: Thifensulfuron (2) + Tribenuron (2) + Flumioxazin (14)
- Rates: 2.5/oz/A, 1 pt/ 2,4-D, 1% v/v MSO
- Rotation restrictions: 0 soybeans, 14 days corn, 30 days sorghum and cotton, 45 days sunflowers

Enlist Duo®

COLEX-D® technology

HERBICIDE

- Convenient blend of 2,4-D Choline and glyphosate for two modes of action on weeds
- Contains Colex-D technology for increased consistency while reducing off target movement
- Near zero volatility and 90% less physical drift when compared to 2,4-D amine
- Active Ingredients: 2,4-D Choline (4) + glyphosate (9)
- Rates: 4.75 pint/ac

Basis® Blend

HERBICIDE

- Reliable broad-spectrum burndown of tough winter annual weeds
- Early season grass and broadleaf residual control
- Do NOT plant soybeans within 10 months after an application of Basis Blend unless soybeans are an STS or Bolt variety
- Active Ingredients: Rimsulfuron (2) + Thifensulfuron-methyl (2)
- Rates: 1.25 oz/ac, 1 pt/a 2,40D or Enlist One, 1% v/v COC, 22-24 oz Durango/Abundit Edge

N-Serve®

Optinyte™ technology

NITROGEN STABILIZER

- For use with anhydrous ammonia
- Works up to eight weeks below ground where up to 70 percent of nitrogen loss occurs
- Extends time nitrogen is in the root zone
- Can withstand early season moisture events by keeping nitrogen in the ideal ammonium form longer
- Active ingredients: Nitrapyrin
- Rates: 1 qt/ac fall, or spring applied anhydrous ammonia

Instinct NXTGEN™

Optinyte™ technology

NITROGEN STABILIZER

- For use with urea, UAN, or liquid manure in enhanced formulation
- Works up to eight weeks below ground where up to 70 percent of nitrogen loss occurs
- Includes exclusive Optinyte technology, reducing denitrification
- Maximize profitability by keeping nitrogen available during key growth stages
- Active ingredients: Nitrapyrin
- Rates: Fall 24-48 oz/ac, Spring 24 oz/ac, Sidedress 12-24 oz/ac

ALWAYS READ AND FOLLOW LABEL DIRECTIONS

For more information, please contact: *Brent Goss - brent.w.goss@corteva.com – 785-472-7359*

Visit us at corteva.com



Agriculture Division of DowDuPont

*™ Trademark of The Dow Chemical Company ("Dow") or E. I. du Pont de Nemours and Company ("DuPont") or affiliated companies of Dow or DuPont. Cinch ATZ, Cinch ATZ Lite, FullTime NXT, Keystone NXT and Keystone LA NXT are federally Restricted Use Pesticides. This reference guide is not intended as a substitute for the product label for the product(s) referenced herein. Product labels for the above product(s) contain important precautions, directions for use, and product warranty and liability limitations, which must be read before using the product(s). Applicators must be in possession of the product label(s) at the time of application. Enlist herbicides are the only 2,4-D products authorized for use on Enlist crops. DuPont™ FeXapan™ herbicide plus VaporGrip® Technology is not registered for sale or use in all states. Contact your DuPont retailer or representative for details and availability in your state. IT IS A VIOLATION OF FEDERAL AND STATE LAW TO MAKE AN IN-CROP APPLICATION OF ANY DICAMBA HERBICIDE PRODUCT ON SOYBEANS WITH Roundup Ready 2 Xtend® technology, OR ANY OTHER PESTICIDE APPLICATION, UNLESS THE PRODUCT LABELING SPECIFICALLY AUTHORIZES THE USE. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with soybeans with Roundup Ready 2 Xtend® technology and follow all pesticide product labeling. Glyphosate herbicides will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Always read and follow all label direction and precautions for use when using any pesticide alone or in tank-mix combinations. Some products may not be available for sale or use in all states. FullTime NXT, Keystone LA NXT, Keystone NXT, Resicore, SureStart II and Surpass NXT are not available for sale, distribution or use in Nassau and Suffolk counties in the state of New York. Consult the label before purchase or use for full details. Contact your state pesticide regulatory agency to determine if a product is registered for sale or use in your state. Always read and follow all label directions and precautions for use.

Soybean residuals

Trivence[®]

HERBICIDE

- Three modes of action for strong burndown and extended residual control of resistant weeds in soybeans.
- Consistent control and improved weed-resistance management of tough weeds, including Palmer amaranth, marestail,* waterhemp , giant ragweed, morningglory, lambsquarters* and other broadleaf weeds.
- Rate: 8 oz/ac when composite soil PH is 7.0 or less. Must apply before soybeans are cracking.
- Active Ingredients: flumioxazin (14) + clorimuron-ethyl (2) + metribuzin (5)

Sonic[®]

HERBICIDE

- Sonic[®] herbicide provides long-lasting residual control of today's toughest broadleaf weeds in soybeans — including marestail, ragweed, waterhemp and Palmer amaranth — before they have a chance to rob yield.
- Contains two non-glyphosate modes of action to control weeds multiple ways and effectively manage weed resistance to protect soybean yield potential.
- Rate: 5 - 6.4 oz/ac. Must apply before soybeans are cracking.
- Active Ingredients: sulfentrazone (14) + cloransulam-methyl (2)

Envive[®]

HERBICIDE

- Consistent residual and contact control that allows growers to spray early and plant into a cleaner seedbed.
- Two modes of action help manage waterhemp, marestail, Palmer amaranth, lambsquarters, winter annuals and other tough weeds.
- Rate: 3.5 – 4.0 oz/ac when soil PH is 7.0 or less. Must apply before soybeans are cracking.
- Active Ingredients: flumioxazin (14) + clorimuron-ethyl (2) + thifensulfuron (2)

Surveil[®]

HERBICIDE

- Best in class premix formulation with superior mixing and handling characteristics, so it is easy for soybean growers and custom applicators to use.
- Features a powerful double barrier of protection effective on today's most high anxiety weeds in soybeans including waterhemp, Palmer amaranth, marestail and morningglory.
- Rate: 3.0 – 4.0 oz/ac. No PH or organic matter restrictions. Must apply before soybeans crack.
- Active Ingredients: flumioxazin (14) + cloransulam-methyl (2)

EverpreX[™]

HERBICIDE

- New product to provide an extended layered residual control of tough weeds, including waterhemp, lambsquarters, many grass species and other glyphosate-and ALS-tolerant weeds.
- Easy-to-use formulation compatible with many other soybean herbicides.
- Rate: 1.0 – 1.33 pts/ac. Can be applied to soybeans preemergence or postemergence.
- Active Ingredient: s-metolachlor (15)

ALWAYS READ AND FOLLOW LABEL DIRECTIONS

For more information, please contact: *Brent Goss - brent.w.goss@corteva.com – 785-472-7359*

Visit us at corteva.com



[®]™ Trademark of The Dow Chemical Company ("Dow") or E. I. du Pont de Nemours and Company ("DuPont") or affiliated companies of Dow or DuPont. Cinch ATZ, Cinch ATZ Lite, FullTime NXT, Keystone NXT and Keystone LA NXT are federally Restricted Use Pesticides. This reference guide is not intended as a substitute for the product label for the product(s) referenced herein. Product labels for the above product(s) contain important precautions, directions for use, and product warranty and liability limitations, which must be read before using the product(s). Applicators must be in possession of the product label(s) at the time of application. Enlist herbicides are the only 2,4-D products authorized for use on Enlist crops. DuPont™ FeXapan™ herbicide plus VaporGrip® Technology is not registered for sale or use in all states. Contact your DuPont retailer or representative for details and availability in your state. IT IS A VIOLATION OF FEDERAL AND STATE LAW TO MAKE AN IN-CROP APPLICATION OF ANY DICAMBA HERBICIDE PRODUCT ON SOYBEANS WITH Roundup Ready 2 Xtend® technology, OR ANY OTHER PESTICIDE APPLICATION, UNLESS THE PRODUCT LABELING SPECIFICALLY AUTHORIZES THE USE. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with soybeans with Roundup Ready 2 Xtend® technology and follow all pesticide product labeling. Glyphosate herbicides will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Always read and follow all label direction and precautions for use when using any pesticide alone or in tank-mix combinations. Some products may not be available for sale or use in all states. FullTime NXT, Keystone LA NXT, Keystone NXT, Resicore, SureStart II and Surpass NXT are not available for sale, distribution or use in Nassau and Suffolk counties in the state of New York. Consult the label before purchase or use for full details. Contact your state pesticide regulatory agency to determine if a product is registered for sale or use in your state. Always read and follow all label directions and precautions for use.

Soybean herbicide offer

Elevore[®]

Arylex™ active

HERBICIDE

- Elevore™ herbicide is a new burndown herbicide designed to elevate growers' weed control programs.
- Will be labeled for burndown applications in multiple crops, including soybeans, corn and cotton.
- When added to a burndown program, Elevore will offer thorough control of labeled broadleaf weeds, including glyphosate- and ALS-resistant species such as henbit, chickweed and marestail up to 8-inches tall.
- Active Ingredient: New Arylex active (4)
- Rate: 1 oz/ac

Canopy[®]

HERBICIDE

- Provides effective burndown of winter annual and perennial weeds, including glyphosate-resistant marestail, even under cool temperatures.
- Can be applied anytime after harvest before ground freeze-up. Its burndown and longer-lasting residual control will keep fields free of marestail, henbit and other winter annuals until planting, so you can plant as soon as field conditions allow.
- Residual control to keep your fields clean until planting so you can plant soybeans as soon as spring weather/ field conditions allow.
- Active Ingredients: Metribuzin (5) + Chorimuron ethyl (2)
- Rate: 4-6 oz/ac

Enlite[®]

HERBICIDE

- Highly effective control through preemergence applications for more consistent control of challenging weeds in soybean fields.
- Two modes of action help manage waterhemp, marestail, Palmer amaranth, lambsquarters, winter annuals and other tough weeds.
- Long-lasting contact plus residual activity allows for subsequent postemergence application closer to canopy.
- Reliable burndown of winter annuals and perennial weeds, even in cool fall or spring conditions.
- Active Ingredients: Chlorimuron ethyl (2) + Thifensulfuron-methyl (2) + Flumioxazin (14)
- Rate: 2.8-4.25 oz/ac

Enlist One[®]

COLEX-D[®] technology

HERBICIDE

- Straight goods 2,4-D choline with Colex-D technology for added tank mix flexibility
- Added safety with 96% less volatility and 90% less physical drift when compared with 2,4-D ester
- Strong control of broadleaf weeds including Marestail, Waterhemp, Palmer Amaranth, and Giant Ragweed
- Extended application window through R2 in soybeans with 2 approved in crop applications
- Active ingredient: 2,4-D Choline (4)
- Rates: 2 pints/ac

ALWAYS READ AND FOLLOW LABEL DIRECTIONS

For more information, please contact: *Brent Goss - brent.w.goss@corteva.com – 785-472-7359*

Visit us at corteva.com



Agriculture Division of DowDuPont

*™ Trademark of The Dow Chemical Company ("Dow") or E. I. du Pont de Nemours and Company ("DuPont") or affiliated companies of Dow or DuPont. Cinch ATZ, Cinch ATZ Lite, FullTime NXT, Keystone NXT and Keystone LA NXT are federally Restricted Use Pesticides. This reference guide is not intended as a substitute for the product label for the product(s) referenced herein. Product labels for the above product(s) contain important precautions, directions for use, and product warranty and liability limitations, which must be read before using the product(s). Applicators must be in possession of the product label(s) at the time of application. Enlist herbicides are the only 2,4-D products authorized for use on Enlist crops. DuPont™ FeXapan™ herbicide plus VaporGrip® Technology is not registered for sale or use in all states. Contact your DuPont retailer or representative for details and availability in your state. IT IS A VIOLATION OF FEDERAL AND STATE LAW TO MAKE AN IN-CROP APPLICATION OF ANY DICAMBA HERBICIDE PRODUCT ON SOYBEANS WITH Roundup Ready 2 Xtend® technology, OR ANY OTHER PESTICIDE APPLICATION, UNLESS THE PRODUCT LABELING SPECIFICALLY AUTHORIZES THE USE. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with soybeans with Roundup Ready 2 Xtend® technology and follow all pesticide product labeling. Glyphosate herbicides will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Always read and follow all label direction and precautions for use when using any pesticide alone or in tank-mix combinations. Some products may not be available for sale or use in all states. FullTime NXT, Keystone LA NXT, Keystone NXT, Resicore, SureStart II and Surpass NXT are not available for sale, distribution or use in Nassau and Suffolk counties in the state of New York. Consult the label before purchase or use for full details. Contact your state pesticide regulatory agency to determine if a product is registered for sale or use in your state. Always read and follow all label directions and precautions for use.

Additional Offerings

PowerFlex[®] HL

HERBICIDE

- Provides excellent control of tough broadleaf and grassy weeds in winter wheat
- Short rotation interval offers growers more flexibility than most winter wheat herbicides
- Tank-mix compatible with common insecticides, fungicides, and broadleaf herbicides.
- Active Ingredients: Pyroxsulam (2)
- Rates: 2 oz/ac

Quelex[®]

Arylex[™] active

HERBICIDE

- Combines new Arylex[®] active with florasulam for battling weed resistance
- Controls broadleaf weeds including henbit, shepherdspurse, mustards, pigweed, lambsquarters and marestail
- Crop rotation flexibility and broad range of application options
- Active Ingredients: Arylex (4) + Florasulam (2)
- Rates: .75 oz/ac

Approach[®]

FUNGICIDE

- Offers unique movement properties for fast and complete coverage
- Controls diseases like soybean white mold when used as a part of an integrated pest management program
- Tank-mix compatible with various insecticides and herbicides
- Active Ingredients: Picoxystrobin (11)
- Rates: 6-12 oz/ac

Approach[®] Prima

FUNGICIDE

- Contains Picoxystrobin (11) and Cyproconazole (3) for preventative and curative control
- Compatible tank mix partner with herbicides and insecticides
- Four movement properties to quickly surround, penetrate, and protect leaves and stems
- Rates: 6.8 oz at brown silk or 3.4 oz at V5-V7

ALWAYS READ AND FOLLOW LABEL DIRECTIONS

For more information, please contact: *Brent Goss - brent.w.goss@corteva.com – 785-472-7359*

Visit us at corteva.com



Agriculture Division of DowDuPont

*™ Trademark of The Dow Chemical Company ("Dow") or E. I. du Pont de Nemours and Company ("DuPont") or affiliated companies of Dow or DuPont. Cinch ATZ, Cinch ATZ Lite, FullTime NXT, Keystone NXT and Keystone LA NXT are federally Restricted Use Pesticides. This reference guide is not intended as a substitute for the product label for the product(s) referenced herein. Product labels for the above product(s) contain important precautions, directions for use, and product warranty and liability limitations, which must be read before using the product(s). Applicators must be in possession of the product label(s) at the time of application. Enlist herbicides are the only 2,4-D products authorized for use on Enlist crops. DuPont™ FeXapan™ herbicide plus VaporGrip® Technology is not registered for sale or use in all states. Contact your DuPont retailer or representative for details and availability in your state. IT IS A VIOLATION OF FEDERAL AND STATE LAW TO MAKE AN IN-CROP APPLICATION OF ANY DICAMBA HERBICIDE PRODUCT ON SOYBEANS WITH Roundup Ready 2 Xtend® technology, OR ANY OTHER PESTICIDE APPLICATION, UNLESS THE PRODUCT LABELING SPECIFICALLY AUTHORIZES THE USE. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with soybeans with Roundup Ready 2 Xtend® technology and follow all pesticide product labeling. Glyphosate herbicides will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Always read and follow all label direction and precautions for use when using any pesticide alone or in tank-mix combinations. Some products may not be available for sale or use in all states. FullTime NXT, Keystone LA NXT, Keystone NXT, Resicore, SureStart II and Surpass NXT are not available for sale, distribution or use in Nassau and Suffolk counties in the state of New York. Consult the label before purchase or use for full details. Contact your state pesticide regulatory agency to determine if a product is registered for sale or use in your state. Always read and follow all label directions and precautions for use.