



TL3700 Series

Tubular Locksets



Product Catalog

Experience a safer
and more open world

Introduction

TL3700 Series

Table of Contents

Introduction.....	2
Functions.....	3
Muséo® Trim Designs.....	4
Roses.....	12
Strikes.....	13
Finishes.....	14
How to Order/Quick Codes.....	14
Architectural Specifications	16

Visit the Decorative Hardware online product selector at selector.corbinrusswin.com to mix and match door trim and finishes.

TL3700 Series Tubular Lock

Corbin Russwin is pleased to present the TL3700 Series of tubular locks. This series is designed to work with Corbin Russwin Muséo® levers. Engineered for ease of installation with the quality you expect from Corbin Russwin, the TL3700 Series will meet and exceed the expectations of the most demanding architects and design professionals. Ideal interior applications include high-end apartments and condos.









General Information

- For doors 1-3/8" (35mm) to 1-3/4" (44mm) thick standard
- 2-3/4" (70mm) backset standard
Optional: 2-3/8" (60mm); see quick codes; page 14
- Curved lip T-Strike
- Door prep conforms to ANSI/BHMA A156.115
- Latchbolt brass 1/2" (13mm) projection
- Specify hand of lock on order; easily field reversible
- UL-cUL - Fire listing is optional and must be specified FOR A label and lesser class doors, 4' (122cm) x 10' (305cm) single or 8' (244cm) x 10' (305cm) pair. Letter F and UL symbol on armored front indicate listing.
- One-year limited warranty

Functions

TL3700 Series

	Series/Function	Type	Description
	TL3710 TL3710A	Passage Passage 3 hour	<ul style="list-style-type: none"> Both levers retract latch Ideal for closets & bedrooms
	TL3720 TL3720A	Privacy Privacy 3 hour	<ul style="list-style-type: none"> Inside lever always retracts latch Outside lever retracts latch, except when locked by inside push button Closing door unlocks outside lever Includes emergency release Ideal for bathrooms & home offices
	TL3750	Half Dummy Trim-Through Bolted	<ul style="list-style-type: none"> Lever always rigid No latch included Ideal for pantries & closets <p>Note: Handing of door for dummy trim only depends on side of door lever trim installed.</p>
	TL3750S	Half Dummy Trim-Surface Mounted	<ul style="list-style-type: none"> Lever always rigid No latch included Ideal for pantries & closets <p>Note: Handing of door for dummy trim only depends on side of door lever trim installed.</p>
	TL3770	Full Dummy Trim-Through Bolted	<ul style="list-style-type: none"> Levers always rigid No latch included Ideal for sliding doors <p>Note: Handing of door for dummy trim only depends on side of door lever trim installed.</p>
	TL3780 TL3780A	Communicating Communicating 3 hour	<ul style="list-style-type: none"> Blank rose outside Lever retracts latch Ideal for adjoining rooms <p>Note: Hand door from outside of door.</p>

Muséo® Trim Designs

TL3700 Series


Jackson

Intuitive shapes, moving with the energetic rhythm of modern life.




105²

Lever: Cast
Non-Handed lever




117²

Lever: Cast
Non-Handed lever




119²

Lever: Cast
Handed - Specify hand
Non-Reversible




121²

Lever: Cast
Handed - Specify hand
Non-Reversible




126^{1,2}

Lever: Cast
Non-Handed lever



152

Lever: Cast
Non-Handed lever



1. Complies with codes requiring lever to return to within 1/2" (13mm) of door face.
2. Not available in 629 or 630 finish.

Muséo® Trim Designs

TL3700 Series


Salvador

Dreamlike beauty manifested in solid, familiar forms.




106

Lever: Cast
Non-handed lever




107

Lever: Cast
Non-handed lever




108

Lever: Cast
Non-handed lever




109¹

Lever: Cast
Non-Handed lever




110

Lever: Cast
Non-handed lever




123¹

Lever: Cast
Non-handed lever



128¹

Lever: Cast
Non-handed lever



1. Complies with codes requiring lever to return to within 1/2" (13mm) of door face.















Muséo® Trim Designs

TL3700 Series

Marc

Fluid lyricism expressed through whimsical lines and dynamic contours.



	111² Lever: Cast Handed - Specify hand Non-Reversible	
	112² Lever: Cast Handed - Specify hand Non-Reversible	
	114² Lever: Cast Handed - Specify hand Non-Reversible	
	115² Lever: Cast Handed - Specify hand Non-Reversible	
	116² Lever: Cast Handed - Specify hand Non-Reversible	
	131^{1,2} Lever: Cast Handed - Specify hand Non-Reversible	
	151 Lever: Cast Handed - Specify hand Non-Reversible	

1. Complies with codes requiring lever to return to within 1/2" (13mm) of door face.
2. Not available in 32D or 32 finish.

Muséo® Trim Designs

TL3700 Series


Georgia

Timeless elegance in forms inspired by the natural world.




102

Lever: Cast
Non-Handed lever




103

Lever: Cast
Non-Handed lever




104²

Lever: Cast
Non-Handed lever




124¹

Lever: Cast
Non-Handed lever



125¹

Lever: Cast
Non-Handed lever



1. Complies with codes requiring lever to return to within 1/2" (13mm) of door face.
2. Not available in 32D or 32 finish.

Muséo® Trim Designs

TL3700 Series


Laszlo

Fine art meets function through crafted lines and flowing curves.





147

Lever: Cast
Non-Handed lever




148¹

Lever: Cast
Non-Handed lever




149

Lever: Cast
Non-Handed lever



150

Lever: Cast
Non-Handed lever



1. Complies with codes requiring lever to return to within 1/2" (13mm) of door face.

Muséo® Trim Designs

TL3700 Series


Josef

Tribute to the square with beautifully simple, but equally dramatic forms.




133

Lever: Cast
Non-Handed lever




134¹

Lever: Cast
Non-Handed lever




135²

Lever: Cast
Non-Handed lever




136²

Lever: Cast
Non-Handed lever




137^{1,2}

Lever: Cast
Non-Handed lever



138^{1,2}

Lever: Cast
Non-Handed lever



1. Complies with codes requiring lever to return to within 1/2" (13mm) of door face.

2. 135-138 contain white or back polycarbonate insert

Muséo® Trim Designs

TL3700 Series


Georges

Enduring, contemporary pieces that evoke an emotional response with sophisticated design.





139

Lever: Cast
Non-Handed lever




140¹

Lever: Cast
Handed lever



143¹

Lever: Cast
Non-Handed lever



1. Not available with TL3720 or TL3720A

Muséo® Trim Designs

TL3700 Series

Piet

Striking levers with sleek, clean lines.




*Refer to page 15 for how to order the Piet Lever Collection.




21G

Grooved Insert
Lever: Stainless steel
Non-Handed Lever




21L

Leather Insert
Lever: Stainless steel
Non-Handed Lever




21M

Polished with Satin Insert
Lever: Stainless steel
Non-Handed Lever




21S

Santoprene™ Insert
Lever: Stainless steel
Non-Handed Lever




23M

With Raised Band
Lever: Stainless steel
Non-Handed Lever




25M

Plain
Lever: Stainless steel
Non-Handed Lever



27M

Plain with Two Grooves
Lever: Stainless steel
Non-Handed Lever




Only available in 629 & 630


Muséo® Trim Designs

TL3700 Series


Muséo Roses




V Rose



U Rose




T Rose



E2 Rose¹


Curved Lip "T" Strike (standard)

- Brass
- 2-3/4" x 1-1/8" x 1-1/4" lip to center
- Optional lip lengths: 1", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2", 2-3/4", 3"
- To order separately, specify 586L19 x Lip Length x Finish




ANSI Curved Lip

- Brass or stainless steel
- 4-7/8" x 1-1/4" x 1-1/4" lip to center
- Optional lip lengths: 1", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2", 2-3/4", 3"
- To order separately, specify 217L13 x Lip Length x Finish
- To order with lockset, specify quick code found on page 14




Full Lip Strike

- Brass or stainless steel
- 2-1/4" x 1-3/4" x 1-1/4" lip to center
- No optional lip lengths
- To order with lockset, specify quick code found on page 14
- To order separately specify 680L50M020 x Finish
- Anti-rattle tab




Full Lip Strike – 1/4" Radius Corners

- Brass or stainless steel
- Similar in dimension and function to L50 strike (above) but with radius corners for easy mortising by power tools
- To order with lockset, specify quick code found on page 14
- To order separately specify 680L51M020 x Finish
- Anti-rattle tab



ANSI Wrought Strike Box

- To order with lockset, specify quick code found on page 14. To order separately, specify 120F768.



How to Order/Quick Codes

TL3700 Series

Strikes

Lip to Center	ANSI Curved Lip, Specify	T-Strike Curved Lip Box, Specify	Full Lip Specify	Full Lip Radius Corner Specify
1" (25mm)	SA100	SC100	N/A	N/A
1-1/8" (29mm)	SA118	SC118	N/A	N/A
1-1/4" (32mm)	SA114	SC114 (std)	SF114	SFR114
1-3/8" (35mm)	SA138	SC138	N/A	N/A
1-1/2" (38mm)	SA112	SC112*	N/A	N/A
1-3/4" (44mm)	SA134	SC134	N/A	N/A
2" (51mm)	SA200	SC200	N/A	N/A
2-1/4" (57mm)	SA214	SC214	N/A	N/A
2-1/2" (64mm)	SA212	SC212	N/A	N/A
2-3/4" (70mm)	SA234	SC234	N/A	N/A
3" (76mm)	SA300	SC300	N/A	N/A

*Standard for D214

Door Thickness

Measurement	Specify
1-3/8" (35mm) up to 1-3/4" (44mm)	D138
1-3/4" (44mm) up to 2" (51mm)	(standard)
2" (51mm) up to 2-1/2" (64mm)	D214
(Consult factory if over 2-1/2" (64mm))	

Backset

Measurement	Specify
2-3/4" (70mm)	(standard)
2-3/8" (60mm)	B238†

†1" front supplied standard

Micellaneous Options

Description	Specify
Rounded corners on latch front	M13
1" (25mm) latch front, square corners	M14**
1" (25mm) latch front, rounded corners	M15
ANSI wrought strike box	M17
**Standard for 2-3/8" backset	

Finishes

Description	Specify
ANSI/BHMA 605 Bright Brass	605
ANSI/BHMA 606 Satin Brass	606
ANSI/BHMA 611 Bright Bronze	611
ANSI/BHMA 612 Satin Bronze	612
ANSI/BHMA 613 Dark Oxidized Satin Bronze, Oil Rubbed	613
613E Dark Oxidized Satin Bronze - equivalent	613E
ANSI/BHMA 613L Dark Oxidized Satin Bronze, Clear Coated	613L
ANSI/BHMA 618 Bright Nickel Plated	618
ANSI/BHMA 619 Satin Nickel Plated	619
ANSI/BHMA 625 Bright Chromium Plated	625
ANSI/BHMA 626 Satin Chromium Plated	626
ANSI/BHMA 629 Bright Stainless Steel	629
ANSI/BHMA 630 Satin Stainless Steel	630
ANSI/BHMA 722 Black Oxidized Bronze, Oil Rubbed	722
— Black Suede Powder Coat	BSP
— White Suede Powder Coat	WSP

NOTE: Piet only offered in stainless steel and BSP finishes only. See page 15 for finish codes.

Ordering Examples

TL3700 Series

Quantity	Series/Function	Trim	Finish
25	TL3710	102U	626

How to Order Piet Lever Collection

TL3700 Series

Lever Trim and Finish Options



**Grooved Insert
21G**



**Leather Insert
21L**



**Polished with
Satin Insert
21M**



**Santoprene™
Insert
21S**



**With Raised
Band
23M**



**Plain
25M**



**Plain with Two
Grooves
27M**

Piet Finish Codes

ANSI/BHMA & Corbin Russwin Finish Code	Piet Code*	Description
630	30	Satin Stainless Steel
629	29	Bright Stainless Steel
N/A	BK	Black (Santoprene™ or leather insert)
N/A	BN	Brown (leather insert)
N/A	00	No Insert
613E	E3	Dark Satin Bronze Equivalent
BSP	BS	Black Suede
WSP	WS	White Suede

*Code used to specify Piet Collection finishes only. Use available finishes list to specify desired finish when ordering.

Piet Lever Descriptions & Available Finishes

Lever Designation	Lever Description	Available Finishes (as ordered)
21G	Grooved Insert	303030, 292929, 293029, 302930, 3E003E, BP00BP, WS00WS
21L	Leather Insert	30BK30, 30BN30, 29BK29, 29BN29, 3EBK3E, BSBKBS, WSBKWS, 3EBN3E, BSNBBS, WSNBWS
21M	Metallic Insert	293029**
21S	Santoprene Insert	30BK30, 29BK29, 3E003E, BS00BS, WS00WS
23M	Raised Band	290030**, 290029, 300030, 300029***, 3E003E, BS00BS, WS00WS
25M	Plain	290029, 300030, 3E003E, BS00BS, WS00WS
27M	Two Grooves	290029, 300030, 3E003E, BS00BS, WS00WS

**Two-tone finish - grip of lever is 630, balance of lever is 629. Rose and lock finish will be 629.

***Two-tone finish - grip of lever is 629, balance of lever is 630. Rose and lock finish will be 630.

Ordering Examples

Rose Options: T, U, V, E2

Quantity	Series/ Function	Trim	Lever Finish	Lock Finish	Hand
2	TL3710	21LU	29BK29	629	RH
5	TL3710	25MT	290029	629	RH


Architectural Specifications

TL3700 Series

TL3700 Series Tubular Lock

1. Locksets shall be TL3700 Series as manufactured by Corbin Russwin Architectural Hardware, Berlin, CT.
2. Locks shall be non-handed with bi-directional lever operation.
3. Locks shall mount in a standard ANSI/BHMA door prep (2-1/8" dia.) without additional throughbolt preps.
4. Lockset levers shall be made of solid material with no plastic fillers.
5. Locks shall have a 2-3/4" (70mm) backset standard, with 2-3/8" (60mm) offered as an option.
6. Strikes shall be non-handed with a curved lip.
7. Locks shall have a one year limited warranty.

Exploded View



Notes

TL3700 Series

The ASSA ABLOY Group is the global leader in access solutions. Every day, we help billions of people experience a more open world.

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, mechanical and smart locks, access control and service.



For additional information, contact your
ASSA ABLOY Door Security Solutions
sales consultant or visit www.corbinrusswin.com.

In U.S.

Corbin Russwin
225 Episcopal Road
Berlin, CT 06037
Phone: 800-543-3658
Fax: 800-447-6714
www.corbinrusswin.com

In Canada

ASSA ABLOY Door
Security Solutions Canada
160 Four Valley Drive
Vaughan, Ontario
Canada L4K 4T9
Phone: 800-461-3007
Fax: 800-461-8989
www.assaabloydss.ca