


Door Rail and Vertical Stile Systems

ASSA ABLOY
Opening Solutions

Experience a safer
and more open world



- A. DRS-4PR Square 9.5" Patch Rail
- B. DRT-4PR Tapered 9.5" Patch Rail
- C. DRS-275 Square 2¾" Door Rail
- D. DRT-275 Tapered 2¾" Door Rail
- E. DRS-4 Square 4" Door Rail
- F. DRT-4 Tapered 4" Door Rail
- G. DRS-6 Square 6" Door Rail
- H. DRS-10 Square 10" Door Rail



NOTE: Component of ThermaGuard NFRC glass entrance system



Features

Door Rails Only

- Dry glaze pre-assembled mechanical rails
- 2³/₄" tapered, 4" tapered and 10" rail meet ADA requirements
- Matching sidelite rails offered
- Door indicator available on all bottom rails except DRT-275
- DRS-4, DRT-4 feature plastic wedges that do not delaminate over time

Door and Patch Rails

- One-piece compression system provides easy, fast installation
- Adjustable blocking for standard hardware provides left to right field alignment
- Locking option available on all styles

Technical Specifications

Door and Patch Rail Materials:

- Anodized aluminum body
- Bright or satin stainless steel cladding

Door Rail System:


- Specify -B for bottom rail, -T for top rail
- 35³/₄" and 35¹³/₁₆" standard lengths or any custom length available

Door Specifications:

- Glass thickness
 - Tapered 2³/₄" Rail (DRT-275): 1/2", 9/16", and 5/8"
 - Square 2³/₄" Rail (DRS-275): 3/8", 1/2" and 9/16"
 - Tapered 4" (DRT-4), Square 4" (DRS-4) Rails, 6" (DRS-6) and 10" (DRS-10) Rails: 3/8", 1/2", 9/16", 5/8", 11/16", 3/4" and 13/16"
 - Square (DRS-4PR) and Tapered (DRT-4PR) Patch Rail: 1/2" and 9/16"

Finish Options:


- Satin Stainless Steel (US32D/630)
- Bright Stainless Steel (US32/629)
- Clear Anodized Aluminum (US28/628)
- Extra Dark Bronze Anodized Aluminum (314)
- Extra Dark Bronze Anodized Equivalent (314E)
- Black Suede Powder Coat (BSP)
- White Suede Powder Coat (WSP)
- Stock Powder Coats



Door Rail Indicator*

*Compatible with all rails except DRT-275

Door Rail Exploded View (C-H):



Vertical Stile Systems





Features


- Seals door gaps on vertical sides of all glass door openings
 - Provides weatherization
 - Diminishes unwanted air flow
- Attaches to top and bottom door rails
 - 2-3/4", 4", 6" and 10"
- Dry glaze pre-assembled design
 - Gasketing: One side pre-fit, one side pressed in
- Easy and fast installation – one installer, under 10 minutes
- Cladding pre-installed at factory

Applications

- Conference Centers
- Sports Stadiums
- Universities
- Casinos
- Retail
- Transit Areas

NOTE: Component of ThermaGuard NFRC glass entrance system

Vertical Stile Systems






Technical Specifications

- Part Number: DRVS
- Max lengths of 120"
- Hardware preps available
- Dimensions:
 - Width: 2" with cladding, $1\frac{7}{8}$ " without cladding
 - Height profile: $1\frac{1}{16}$ " with cladding, 1" without cladding
- Material:
 - Bright or Satin Stainless Steel Cladding
 - Clear Anodized or Powder Coated Aluminum Cladding
 - Pile (Black): $\frac{3}{16}$ " and $\frac{3}{8}$ "
 - Flat Glazing Filler available
- Glass Thickness
 - $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{3}{4}$ ", and $1\frac{3}{16}$ "


Finish Options:

- Satin Stainless Steel (US32D/630)
- Bright Stainless Steel (US32/629)
- Clear Anodized Aluminum (US28/628)
- Extra Dark Bronze Anodized Equivalent (314E)
- Black Suede Powder Coat (BSP)
- White Suede Powder Coat (WSP)
- Stock Powder Coats

GLASS THICKNESS B - C



GLASS THICKNESS F - G



The ASSA ABLOY Group is the global leader in access solutions.
Every day, we help billions of people experience a more open world.

ASSA ABLOY Opening Solutions leads the development within
door openings and products for access solutions in homes, businesses
and institutions. Our offering includes doors, frames, door and window
hardware, mechanical and smart locks, access control and service.

ASSA ABLOY
Opening Solutions



ASSA ABLOY Opening Solutions
Glass Solutions
300 Main Street
Rockwood, PA 15557
www.assaabloyglass.us
855 594 6989

ASSA ABLOY Opening Solutions
Door Security Solutions Canada
160 Four Valley Drive
Vaughan, ON L4K 4T9
www.assaabloydss.ca
800 461 3007

Copyright © 2020-2025, ASSA ABLOY Sales and Marketing Group, Inc., an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Sales and Marketing Group, Inc. is prohibited.

3305E 46001 7/25