


Headers

ASSA ABLOY
Opening Solutions

Experience a safer
and more open world



Features

- Two-piece snap fit headers for standard hardware applications
 - No exposed fasteners provide easy access while maintaining clean aesthetics
- Solid tube headers fabricated for complex hardware applications
- Floating headers available
- All hardware mounting brackets and clips come pre-installed
- All headers prepped by machining centered
- Vinyl gasketing for all sidelite applications
- No additional charge for non-standard lengths
- Finishes: US32D/630, US32/629, US28/628, 314, and Powder Coats Available

Header Types

Overhead Closer Header



Pivot Header



Sidelite Header




Floating Header




Solid Headers


HDS-1750x4000




HDS-1750x4500



HDS-2000x2000




HDS-2000x6000




Pivot, Overhead Closer, Sidelite, and Floating Headers


HDR-1750x4000




HDF-1750x4000




HDR-1750x4500



HDF-1750x4500



HDF-2000x6000



Complete your glass door opening with our vertical jamb tubes. Designed to house locking hardware; jamb tubes also provide support for intermediate headers when the opening exceeds recommended door heights.

Product Features:

- Two-piece snap fit jambs for easy wall mounting without any exposed fasteners
- Solid jambs provide intermediate vertical framing with head and sill mounting brackets
- Mounting brackets can be pre-fabricated into the jamb tubes or sent separate for field flexibility
- Cladded jambs will have bent corners and hemmed meeting points for safety
- Vinyl gasketing supplied for all sidelite pockets and slots
- Solid jambs can be fabricated for locking device strikes
- Solid tubes can provide anchoring structure for intermediate headers when the opening is too tall for recommended door heights

NOTE:


144" maximum length for powder coat, US28/628, US32/629 and US32D/630 finishes (maximum length for continuous stainless cladding is 90", anything greater will require a splice).

EXCEPTIONS:


90" maximum length for 1-3/4" x 4" and 2" x 2" solid tubes in US28/628.

Jamb Tubes


HDSJ-2000x6000




HDSJ-2000x2000




HDSJ-1750x4500




HDSJ-1750x4000



HDRJ-1750x4500



HDRJ-1750x4000



The ASSA ABLOY Group is the global leader in access solutions.
Every day, we help billions of people experience a more open world.

ASSA ABLOY
Opening Solutions

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, mechanical and smart locks, access control and service.



ASSA ABLOY Opening Solutions
Glass Solutions
Rockwood, PA 15557
www.assaabloyglass.us
1 855 594 6989

ASSA ABLOY Opening Solutions
Door Security Solutions Canada
Vaughan, ON L4K 4T9
www.assaabloydss.ca
1 800 461 3007