

Locks and Dead Bolts

ASSA ABLOY

Experience a safer
and more open world



Center Lock Housing and Keeper with Universal Prep (CLH-CL, CLK-CL)


- Accepts cylindrical locks from Sargent, ASSA ABLOY ACCENTRA® (formerly Yale Commercial), Schlage, Arrow, and Corbin Russwin
- Single or double door applications
- 6-3/16" W x 6-3/16" H
- Available for 1/2" and 9/16" thick glass
- Glass cut-out required
- No cement or silicone required for installation
- Non-handed
- 2-year warranty
- Finishes: US32/629, US32D/630, 314E, 4E, BSP, WSP, Stock Powder Coats




CLH-CL



CLK-CL



Prep Layout




Glass Cut-Out Required for
both the CLH-CL & CLK-CL

ASSA ABLOY ACCENTRA® (formerly Yale Commercial) 8800 Series Mortise Locks

Features

- Works with Center Lock Patch
- 3 Mechanical Functions
- Field reversible
- Trim Options
 - 3 lever styles
 - Internal heavy-duty spring cartridge prevents lever sag
 - Through-bolted installation ensures positive alignment of trim with lock case
- 1 Rosette
- 10-year mechanical warranty



Technical Specifications

Materials:

- Solid investment cast stainless steel deadbolt
- Stainless steel latchbolt
- Solid steel hubs
- Wrought steel, zinc dichromated case
- Solid cast brass levers

System:

- Mortise Lock Functions
 - Passage (ANSI F01) (ML-PAS)
 - Entry (ANSI F04) (ML-ENT)
 - Office/Classroom (ML-OFF)
- Armor Front: 8" x 1 1/4"
- Latchbolt: 3/4" throw, one-Piece, anti-friction
- Backset: 2 3/4"
- Hubs: 3/8" fine-blanked and heat treated for additional strength
- Strike: 2815 curved lip, 1 1/4" long; non-handed
- Cylinders ordered separately
 - Standard cylinder - Para keyway or keyed random
 - Fixed core Schlage "C" keyway - keyed random

Approvals and Listings:

- ADA compliant – ANSI A117.1
- ANSI/BHMA A156.13, Series 1000, Operational Grade 1
- UL/cUL 3 Hour
- Windstorm Certified (refer to local codes)

Finish Options:


- Satin Nickel Plated, Clear Coated (US15/619)
- Bright Nickel Plated, Clear Coated (US14/618)
- Extra Dark Bronze Equivalent (314E)
- Black Suede Powder Coat (BSP)
- White Suede Powder Coat (WSP)
- Stock Powder Coats

Trim Options:

- Standard Levers



Door Handing



Center Lock Housings

Center Lock Patch

- Patch housing for ASSA ABLOY ACCENTRA™ (formerly Yale Commercial) Mortise Lock*
 - Entry (CLH-ENT)
 - Office (CLH-OFF)
 - Passage (CLH-PAS)
- $6\frac{3}{16}$ " W x $10\frac{3}{16}$ " H with cover plates
- Available for $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{11}{16}$ ", and $\frac{3}{4}$ " thick glass
- Glass cut-out required
- No cement or silicone required for installation
- 2-year warranty
- Finishes: US32/629, US32D/630, 314E, BSP, WSP, Stock Powder Coats




Entry/Office

Passage

*Custom preps for Corbin Russwin/Sargent available

Center Patch Keeper (CLK)

- Opposite center lock patch on sidelite and double door applications
- Holds strike plate for 8800 mortise lock
- $6\frac{3}{16}$ " W x $10\frac{3}{16}$ " H with cover plates
- Available for $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{11}{16}$ ", and $\frac{3}{4}$ " thick glass
- Glass cut-out required
- No cement or silicone required for installation
- 2-year warranty
- Finishes: US32/629, US32D/630, 314E, BSP, WSP, Stock Powder Coats



Glass Cut-Out Required
for both the CLH & CLK

Center Lock Housing, Keeper for Access Control Cylindrical Locks (CLH-CLE, CLK-CLE)

- Prepped for ASSA ABLOY ACCENTRA® nexTouch® and Centrios CEB100 cylindrical lock integration*
- Single or double door applications
- No cement or silicone required for installation
- Glass cut-out required
- Matching center lock keeper available to be paired with housing
- Available for 1/2" and 9/16" thick glass
- Non-handed
- Finishes: US32/629, US32D/630, 4E, 10BE, 314E, 315E, BSP, WSP, Stock Powder Coats
- 2-year warranty
- ASSA ABLOY ACCENTRA nexTouch cylindrical keypad lock also available for purchase (CL-NTB623-AU)**

*Centrios CEB100 cylindrical lock not available for purchase through Glass Solutions program



**Standalone version only, Data-on-Card technology must be purchased through ASSA ABLOY ACCENTRA



CLH-CLE with
CL-NTB623-AU



CLH-CLE with
CEB100



Glass Cut-Out Required for
both CLH-CLE & CLK-CLE

Center Lock Housing and Keeper for SARGENT IN100/IN120 Series (CLH-IN, CLK-IN)


- Prepped for SARGENT IN100 or IN120
- Single or double door applications
- No cement or silicone required for installation
- Glass cut-out required
- Prepped for select 10 Line cylindrical functions, 7900 and 8200 Series mortise functions
- Wireless application
- Matching 6-3/16" x 15-3/16" center lock keeper available to be paired with the housing
- Available for 1/2" and 9/16" thick glass
- Finishes: US32D/630, US32/629, 314E, 10BE, 4E, BSP, WSP, Stock Powder Coats
- 2-year warranty

**Cylinder, lock and lever purchased separately from SARGENT*

***Standard 6-3/16" x 10-3/16" center lock keeper available to be paired with IN Series housing*




CLH-IN



Glass Cut-Out Required
for CLH-IN



CLK-IN



Glass Cut-Out Required for
CLK-IN

Center Lock Keeper with Electric Strike (CLK-ESK)


- Works in conjunction with ASSA ABLOY ACCENTRA™ (formerly Yale Commercial) 8800 Series Mortise Lock
- HES1600 strike incorporated into keeper
 - Field selectable Fail Safe / Fail Secure
 - Dual voltage 12/24 VDC/VAC
 - For wiring raceway please see UWD-1000x1000
- ES100 wireless strike incorporated into keeper
 - Fail Secure
 - 2.4 GHz Aperio wireless technology
 - Battery operated for standalone operation
 - Requires access control
- $6\frac{3}{16}$ " W x $10\frac{3}{16}$ " H with cover plates
- Available for $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{11}{16}$ ", and $\frac{3}{4}$ " thick glass
- Keeper Finishes: US32D/630, US32/629, 314E, 4E, BSP, WSP, Stock Powder Coats
- Strike Finishes: US32D/630, US32/629, BSP, WSP, 314E, 4E, Stock Powder Coats
- Optional Lock Monitor (LM) available



CLK-ESK



CLK-ESK
with ES100-16



Hold glass back $\frac{1}{4}$ " at top
or bottom depending on
wiring direction.*

*Not required for ES100

Glass Cut-Out
Required CLK-ESK

Dead Bolts


Dead Bolt Lock (PF-DBLOCK) and Dead Bolt Strike (PF-DBSTRIKE)

- $2\frac{5}{8}$ " W x 6" H
- Available for $\frac{1}{2}$ " or $\frac{9}{16}$ " thick glass
- Glass cut-out required
- No cement or silicone required for installation
- 2-year warranty
- Finishes: US32D/630, US32/629, US28/628, 314, 314E, BSP, WSP, Stock Powder Coats





Dead Bolt Lock Cylinder, Thumturn and Cam


1" Cylinder with Collar
(PFD-LOCKCYL)



1" Thumturn with Collar (PFD-LOCKTT)



Cylinder Cam



The ASSA ABLOY Group is the global leader in access solutions.
Every day, we help billions of people experience a more open world.

ASSA ABLOY

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, mechanical and smart locks, access control and service.

BRUKEN Lock and Lever Set (PF-LSLOCK, PF-LSKEEPER)


- Cover material: stainless steel, inner material: aluminum
- Glass cut-out required for installation
- Non-handed
- Single or double door applications
- Available for 5/16" to 3/8" thick glass
- Finishes: US32D/630, BSP, WSP, 314E, Stock PCs



PF-LSLOCK



PF-LSKEEPER



Glass Cut-Out
Required

ASSA ABLOY Opening Solutions
Glass Solutions
300 Main Street
Rockwood, PA 15557
www.assaabloyglass.us
855 594 6989

ASSA ABLOY Opening Solutions
Door Security Solutions Canada
160 Four Valley Drive
Vaughan, ON L4K 4T
www.assaabloydss.ca
800 461 3007