

# Sliding Track Hardware Systems

**ASSA ABLOY**  
Opening Solutions

Experience a safer  
and more open world





## Glass Box Track Sliding System

Enhance the layout of your interior space with the box track sliding system. Sliding effortlessly across the door opening, this wall- or ceiling-mounted kit has an optional soft close device that gently closes the door, extending the life of the hardware and keeping noise to a minimum. Complete the look with compatible u-channels, and Rockwood decorative pulls in matching finishes.

### Features:

- Glass provides a sleek and elegant aesthetic as well as sound concealment
- For interior commercial applications
- Ideal for office spaces
- Versatile top hung mounting system
- System allows door to slide effortlessly
- Concealed roller hanger
- Optional soft close allows door to ease into opening and closed positions
- Easily applied glass clamps require no glass fabrication
- Sidelite option available

### Applications

- Offices
- Conference Rooms
- Sports Venues
- Casinos



## Technical Specifications:

**Weight Limits:** 200 lbs. with soft close,  
330 lbs. without soft close

**Door Width:** Min. = 24", Max = 60"

**Door Thickness:** For glass doors  $\frac{5}{16}$ " to  $\frac{9}{16}$ " thick\*

**Base Material:** Aluminum

**Mounting:** Wall or ceiling

\*Optional sidelite glass is  $\frac{1}{2}$ " thick

## Finishes:



US28/628



US32D/630



BSP






WSP

Stock Powder Coats also available








### SGS System Includes:

- 158" track with ends caps
- Roller clamps per panel (2)
- Tracks stops (2)
- Door bottom guide (1)
- 158" two-piece u-channel\*
- Push-in gasket\*


\*Included only with sidelite option

# Compatible Parts

Wet/Dry U-Channels  
UWD-1000x1000



UWD-2000x1000





Bottom Strikes  
S70



Dust Proof Strike  
Face Plate: 1 3/8 inch x 2 3/8 inch (35 mm x 73 mm)

# Locking Door Pull

DBD - Dead Bolt Down, Half-Height





## Stainless Steel Sliding Track Hardware System

**A. G60** Door Weight: up to 198 lbs.  
Hanger Height:  $3\frac{5}{8}"$

**B. G70** Door Weight: up to 240 lbs.  
Hanger Height:  $3\frac{11}{16}"$

### Features

- Nylon-coated wheels provide smooth, quiet operation
- Hangers contain anti-rise pin preventing door lifting from track
- For glass doors up to 240 lbs
- Two styles of door hangers that suite with Rockwood door pulls



## Technical Specifications

### Materials:

- Stainless steel track and hangers
- Nylon coated rollers

### System Includes:

- Stainless Steel Track (90" or 102") with End Caps
- Hangers (2)
- Wall Brackets
- Door Bottom Guide (1)
- Track Stops (2)
- Mounting and Installation Hardware

### Standards:

- Meets performance requirements of ANSI/BHMA 156.14 (Grade 1) for sliding doors by exceeding 100,000 cycles in operation)

### Mounting:

- Wall or transom

### Finish Options:



US32D/630



US32/629



BSP



WSP

\*Stock Powder Coats also available

### Door Specifications:

- Maximum door weight: 198 lbs. to 240 lbs. depending upon hanger style
- For glass doors  $\frac{3}{8}$ " to  $\frac{1}{2}$ " thick

*For custom track lengths, contact ASSA ABLOY Glass Solutions.*

The ASSA ABLOY Group is the global leader in access solutions.  
Every day, we help billions of people experience a more open world.

**ASSA ABLOY**  
Opening Solutions

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, mechanical and smart locks, access control and service.



ASSA ABLOY Opening Solutions  
Glass Solutions  
Rockwood, PA 15557  
[www.assaabloyglass.us](http://www.assaabloyglass.us)  
1 855 594 6989

ASSA ABLOY Opening Solutions  
Door Security Solutions Canada  
Vaughan, ON L4K 4T9  
[www.assaabloydss.ca](http://www.assaabloydss.ca)  
1 800 461 3007