


Glass Solutions West Coast Stocking Program



Introduction

The West Coast Stocking Program

In an effort to better serve you, we have expanded our hardware offering in our Ventura, California warehouse to now include Glass Solutions. Our West Coast Stocking Program includes a wide range of glass door hardware including rails, headers, patch fittings, sliding door hardware, closers, and electrified hardware. In this catalog you will find all of the items we stock in California as well as their finishes. If you do not see a product or specific finish that you need, be sure to reach out to us! We are happy to ship it to you from our Rockwood, Pennsylvania facility.

Sustainability

Sustainability is the natural translation of ASSA ABLOY's Corporate Cornerstones: vision, realism, courage, and ethics. These cornerstones have been central to the Group's development since its creation in 1994. The environment, business ethics, and social responsibility are critical issues and are an integral part of our ASSA ABLOY society. Our unconditional aim is to make sustainability a central part of our business philosophy and culture; and even more importantly, to integrate sustainability into our overall business strategy.



Daylighting

There are many attributes to a sustainable built environment such as daylighting. Daylighting is the process of bringing natural light and direct sunlight into a building through windows, skylights, and interior glass. Exposure to natural light helps improve occupant health, happiness, productivity, and well-being, while decreasing total building energy costs by almost a third.

Glass

Glass creates openness in a space. In an office environment, openness promotes happiness, creativity, and communication, which are important aspects of good design. In creating a modern atmosphere, glass never looks old or outdated. Being more durable than most materials, glass has longevity that offers an ideally cost-effective solution. Also, glass applications are easily configured, allowing flexibility in any design. At ASSA ABLOY, we believe good design is more than just tangible; good design is imperceptible.

Sales & Support

Customer Service/Technical Product Support

For Glass Solutions questions please contact us via phone or email,

Call: 855 594 6989

Email: CustomerService.GlassSolutions@assaabloy.com or

TechSupport.GlassSolutions@assaabloy.com

Hours of Operation

Customer Service and Technical Support: 8:00 am - 4:30 pm PST

Ordering

To place an order:

Fax: 844 851 8665

Email: Orders.GlassSolutions@assaabloy.com

Website: www.assaabloyglass.us

Part Number Structure

Our part numbers were designed to facilitate ease of ordering and ensure all products are tied to the coordinating job. Each part number specifies the product family, glass thickness (if applicable), and finish.



ASSA ABLOY

Experience a safer
and more open world

Glass Thickness Sizing Codes

Glass Thickness	Size Code
3/8"	A
1/2"	B
9/16"	C
5/8"	D*
11/16"	E*
3/4"	F*
13/16"	G*

*Available on select products.

Finishes

US Code	ANSI/BHMA Code	Description
28	628	Clear Anodized Aluminum
32D	630	Satin Stainless Steel
32	629	Bright Stainless Steel
314	N/A	Extra Dark Bronze Anodized Aluminum
314E	N/A	Extra Dark Bronze Anodized Aluminum Equivalent
BSP	N/A	Black Suede Powder Coat
WSP	N/A	White Suede Powder Coat
10BE	613E	Oxidized Equivalent


Glass Door Styles

There are four basic configurations of glass doors as established by the Glass Association of North America (GANA).

For the available variations of each style, refer to the Glass Door Configuration section.



Door Handing and Swing



ASSA ABLOY

Door Rails

Door Rails (24" to 48")



DRT-4AC

Part # (Add Finish)	Profile	Height	Glass Sizes	Finish
DRS-275AC	Square	2 3/4"	A-C	32D, 28, 10BE, WSP, BSP, 314E
DRT-275BD	Tapered	2 3/4"	B-D	32D, 28, 10BE, WSP, 314E
DRS-4AC	Square	4"	A-C	32D, 32, 28, 314, 10BE, WSP, BSP, 314E
DRS-4DF	Square	4"	D-F	32D, 28, 10BE, WSP, 314E
DRT-4AC	Tapered	4"	A-C	32D, 32, 28, 314, 10BE, WSP, BSP, 314E
DRT-4DF	Tapered	4"	D-F	32D, 28, 10BE, WSP, 314E
DRS-10AC	Square	10"	A-C	32D, 32, 28, 314, 10BE, WSP, BSP, 314E

Lengths available in 24" to 48". Order Example: Need: 4" square door rail with overhead closer arm. Order: DRS-4AC-TA 32D 35.75.

*Note: Panic Preps, Lock Preps, and Pull Preps available on all door rails.

9.5" Patch Rails

Part # (Add Finish)	Profile	Height	Glass Sizes	Finish
DRS-4PR	Square	4"	A-C	32D, 32, 28, 314, 10BE, WSP, BSP, 314E
DRT-4PR	Tapered	4"	A-C	32D, 32, 28, 314, 10BE, WSP, BSP, 314E

Door Rail Sub Assemblies

Part # (Add Finish)	Code	Description	Finish
OHC-609-ARM	A	OHC-609-ARM	N/A
PV-WALKBEAM	P	PV-WALKBEAM	32D, 32, 28, 314, 10BE, WSP, BSP, 314E
PV-ENDLOAD	P	Endload Bottom Pivot	N/A
PV-300ENDLOAD	P300	300 lb. End Load Bottom Pivot	N/A
FC-6275/6280-ARM	A	FC-6275/6280-ARM	N/A
DR-LOCK-CYL/TT		Cylinder, Thumbturn	32D, 32, 28, 314, 10BE, WSP, BSP, 314E
DR-LOCK-CYL/CYL		Cylinder, Cylinder	32D, 32, 28, 314, 10BE, WSP, BSP, 314E
DR-LOCK-CYL/CYL-275		Cylinder, Cylinder for 2 3/4" Rails	32D, 28, 10BE, WSP, BSP, 314E
DR-LOCK-CYL/TT-275		Cylinder, Thumbturn for 2 3/4" Rails	32D, 28, 10BE, WSP, BSP, 314E

Door Rail End Caps


Part # (Add Finish)	Profile	Height	Finish
ECDS-4AC	Square	4"	32D, 32, 28, 314, 10BE, WSP, BSP, 314E
ECDT-4AC	Tapered	4"	32D, 32, 28, 314, 10BE, WSP, BSP, 314E

ASSA ABLOY

Experience a safer
and more open world

Sidelite Glazing Hardware

Top Sidelite Rails with Gasket



Part # (Add Finish)	Profile	Height	Glass Sizes	Finish
SRS-275AC-T	Square	2 3/4"	A-C	32D, 28, 10BE, WSP, BSP, 314E
SRS-4AC-T	Square	4"	A-C	32D, 32, 28, 314, 10BE, WSP, BSP, 314E
SRT-4AC-T	Tapered	4"	A-C	32D, 32, 28, 314, 10BE, WSP, BSP, 314E
*SRS-275AC-B	Square	2 3/4"	A-C	32D, 28, 10BE, WSP, BSP, 314E
*SRS-4AC-B	Square	4"	A-C	32D, 32, 28, 10BE, WSP, BSP, 314E
*SRT-4AC-B	Tapered	4"	A-C	32D, 32, 28, 10BE, WSP, BSP, 314E

Saddles are included in sidelite rails. Heights available from 1/8" to 3/4", specify height when ordering.

**Setting blocks are included with bottom sidelite rails.*

Sidelite End Caps

Part # (Add Finish)	Profile	Height	Glass Sizes	Finish
ECSS-4AC	Square	4"	A-C	32D, 32, 28, 314, 10BE, WSP, BSP, 314E
ECST-4AC	Tapered	4"	A-C	32D, 32, 28, 314, 10BE, WSP, BSP, 314E
ECSS-275-AC	Square	2 3/4"	A-C	32D, 28, 10BE, WSP, BSP, 314E

Sidelite Compatible Parts

Part # (Add Finish)	Description	Finish
SBL-4PAD	4" Setting Block with Pad	N/A

Dry U-Channel

Part # (Add Finish)	Height	Width	Finish
UCD-1625X1875	1 5/8"	1 7/8"	32D, 32, 28, 10BE, WSP, BSP, 314E
UCD-0687X1625	1 1/16"	1 5/8"	32D, 32, 28, 10BE, WSP, BSP, 314E
UCD-1625X1625	1 5/8"	1 5/8"	32D, 32, 28, 10BE, WSP, BSP, 314E

Dry U-Channel End Caps

Part # (Add Finish)	Height	Width	Finish
ECU-0687X1625	1 1/16"	1 5/8"	32D, 32, 28, 10BE, WSP, BSP, 314E
ECU-1625X1625	1 5/8"	1 5/8"	32D, 32, 28, 10BE, WSP, BSP, 314E
ECU-1625X1875	1 5/8"	1 7/8"	32D, 32, 28, 10BE, WSP, BSP, 314E

Wet/Dry U-Channel

Part # (Add Finish)	Height	Width	Finish
UWD-1000X1000	1"	1"	32D, 32, 28, 10BE, WSP, BSP, 314E
UWD-1750X1000	1 3/4"	1"	32D, 32, 28, 10BE, WSP, BSP, 314E
UWD-2000X1000	2"	1"	32D, 32, 28, 10BE, WSP, BSP, 314E
UWD-1000x1250	1"	1 1/4"	32D, 32, 28, 10BE, WSP, BSP, 314E
UWD-2000x1250	2"	1 1/4"	32D, 32, 28, 10BE, WSP, BSP, 314E

Wet/Dry U-Channel End Caps


Part # (Add Finish)	Height	Width	Finish
ECU-1000X1000	1"	1"	32D, 32, 28, 10BE, WSP, BSP, 314E
ECU-1750X1000	1 3/4"	1"	32D, 32, 28, 10BE, WSP, BSP, 314E
ECU-2000X1000	2"	1"	32D, 32, 28, 10BE, WSP, BSP, 314E
ECU-1000x1250	1"	1 1/4"	32D, 32, 28, 10BE, WSP, BSP, 314E
ECU-2000x1250	2"	1 1/4"	32D, 32, 28, 10BE, WSP, BSP, 314E

ASSA ABLOY

Experience a safer
and more open world

Headers

2-Piece Headers



Part # (Add Finish)	Prep Type	Height	Width	Finish
HDR-1750X4000-OHC	1 Closer	1 3/4"	4"	32D, 28, 10BE, WSP, BSP, 314E
HDR-1750X4500-OHC	1 Closer	1 3/4"	4 1/2"	32D, 28, 10BE, WSP, BSP, 314E
HDR-1750X4000-PIV	1 Pivot	1 3/4"	4"	32D, 28, 10BE, WSP, BSP, 314E
HDR-1750X4500-PIV	1 Pivot	1 3/4"	4 1/2"	32D, 28, 10BE, WSP, BSP, 314E

Prepped for ESK-1600 and Manual Strike.

Solid Headers

Part # (Add Finish)	Prep Type	Strike Prep	Length	Height	Width	Finish
HDS-2000x6000-OHC-MSK*	OHC	Manual Strike	36", 72"	2"	6"	32D, 28
HDS-2000x6000-OHC-ESK*	OHC	Electric Strike	36", 72"	2"	6"	32D, 28

*Only used with panic devices.

Header Accessories

Part # (Add Finish)	Description	Length	Finish
ECH-1750x4000	1 3/4" x 4" End Cap		32D, 32, 28, 314, 10BE, WSP, BSP, 314E
ECH-1750x4500	1 3/4" x 4 1/2" End Cap		32D, 32, 28, 314, 10BE, WSP, BSP, 314E
DS-3000	Single Acting Door Stop (Single Dr)	3"	32D, 32, 28, 10BE, WSP, BSP, 314E
DS-6000	Single Acting Door Stop (Double Dr)	6"	32D, 32, 28, 10BE, WSP, BSP, 314E

Patch Fittings

Patch Fittings



Part # (Add Finish)	Where Used	Class Sizes	Incl Parts	Finish
PFD-10BC	Door Bottom	B, C	Pivot/ Closer Ins	32D, 32, 28, 10BE, WSP, BSP, 314E
PFD-20BC	Door Top	B, C	Pivot Ins	32D, 32, 28, 10BE, WSP, BSP, 314E
PFD-22BC	Door Top	B, C	OHC Ins	32D, 32, 28, 10BE, WSP, BSP, 314E
PFD-100LBC	Bottom Patch Lock	B, C		32D, 32, 28, 10BE, WSP, BSP, 314E
PFT-34BC-P	Transom Patch	B, C	Wall Bracket, Pivot	32D, 32, 28, 10BE, WSP, BSP, 314E
PFT-34BC-S	Transom Patch	B, C	Wall Bracket, Stop	32D, 32, 28, 10BE, WSP, BSP, 314E
PFT-34BC-B	Transom Patch	B, C	Wall Bracket, Blank	32D, 32, 28, 10BE, WSP, BSP, 314E
PFT-40BC-P	Transom S/L	B, C	Pivot Ins	32D, 32, 28, 10BE, WSP, BSP, 314E
PFT-40BC-S	Transom S/L	B, C	Stop Ins	32D, 32, 28, 10BE, WSP, BSP, 314E
PFT-40BC-B	Transom S/L	B, C	Blank Ins	32D, 32, 28, 10BE, WSP, BSP, 314E

Hydraulic Patch Fittings

Part # (Add Finish)	Description	Hold Open	Finish
PFD-HYD90HO	Hydraulic Patch Fitting 90° Hold Open	90	32D, 32, 10BE, WSP, BSP, 314E
PFD-HYD105HO	Hydraulic Patch Fitting 105° Hold Open	105	32D, 32, 10BE, WSP, BSP, 314E
PFD-HYDNHO	Hydraulic Patch Fitting Non Hold Open	N/A	32D, 32, 10BE, WSP, BSP, 314E

Misc. Parts

Part # (Add Finish)	Description	Finish
PFD-LOCKCYL	1" Cylinder with Collar	32D, 32, 28, 10BE, WSP, BSP, 314E
PFD-LOCKTT	1" Thumbturn with Collar	32D, 32, 28, 10BE, WSP, BSP, 314E
570	Dust Proof Strike	26D, 26, 10BE, WSP, BSP, 314E

ASSA ABLOY

Experience a safer
and more open world

Panic Devices

Panic Device



Part # (Add Finish)	Latches	Mating Handle Shape	Mating Handle Length	Finish
PDU8000	Up	None	None	32D, 10BE, WSP, BSP, 314E
PDU8000-1	Up	L-Shape	Full	32D, 10BE, WSP, BSP, 314E
PDU8000-2	Up	L-Shape	Half	32D, 10BE, WSP, BSP, 314E
PDU8000-3	Up	Vertical	Full	32D, 10BE, WSP, BSP, 314E
PDU8000-4	Up	Vertical	Half	32D, 10BE, WSP, BSP, 314E
PDU8000-5	Up	Vertical	Short	32D, 10BE, WSP, BSP, 314E
PDU8000-6	Up	Horizontal	Full	32D, 10BE, WSP, BSP, 314E

For available PDU8500 panic device models, please see [Rockwood West Cost Stocking Catalog](#).


Panic Strike Kits/Accessories (Strike, Adapter Plate, Cover)

Part # (Add Finish)	Description	Keeper Length	Voltage	Mode	Finish
ESK-SGL-24D	Single Door	3/4"	24V DC	Fail Secure	32D
ESK-DBL-24D	Double Door	3/4"	24V DC	Fail Secure	32D
ESK-SGL-12D	Single Door	3/4"	12V DC	Fail Secure	32D
ESK-DBL-12D	Double Door	3/4"	12V DC	Fail Secure	32D
ESK-SGL-24D-FS	Single Door	3/4"	24V DC	Fail Safe	32D
ESK-DBL-24D-FS	Double Door	3/4"	24V DC	Fail Safe	32D
ESK-SGL-12D-FS	Single Door	3/4"	12V DC	Fail Safe	32D
ESK-DBL-12D-FS	Double Door	3/4"	12V DC	Fail Safe	32D
MSK-SGL	Single Door				32D
MSK-DBL	Double Door				32D
SL100	Security Latch Adapter	Single Manual Strike			32D
SL100-2	Security Latch Adapter	Double Manual Strike			32D
AC-Rectifier	AC Converter for Electric Strike				
ESK-1600-SGL	Single Door	1"	12V/24V AC/DC	Fail Secure or Fail Safe	32D, BSP
ESK-1600-DBL	Double Door	1"	12V/24V AC/DC	Fail Secure or Fail Safe	32D, BSP
ESK-9100	Single Door	1"	12V/24V AC/DC	Fail Secure or Fail Safe	32D, BSP
ESK-9200	Double Door	1"	12V/24V AC/DC	Fail Secure or Fail Safe	32D, BSP
LM	Lock Monitor				

ASSA ABLOY

Door Pulls

Rockwood Decorative Door Pulls




Part # (Add Finish)	Material	Size	Finish
RM3301BTB1224	Stainless Steel	12" CTC, 24" Overall	32D
RM3301BTB1824	Stainless Steel	18" CTC, 24" Overall	32D, BSP
RM3301BTB2436	Stainless Steel	24" CTC, 36" Overall	32D, BSP
RM3301BTB3036	Stainless Steel	30" CTC, 36" Overall	BSP
RM3301BTB3648	Stainless Steel	36" CTC, 48" Overall	32D, BSP
RM3301BTB4860	Stainless Steel	48" CTC, 60" Overall	32D, BSP
RM3301BTB6072	Stainless Steel	60" CTC, 72" Overall	32D
RM3301BTB7284	Stainless Steel	72" CTC, 84" Overall	32D
RM3301BTB8496	Stainless Steel	84" CTC, 96" Overall	32D

Back to Back Mounting included for 1/2" glass doors.

Locking Pulls

PostMount Locking Pulls



Part # (Add Finish)	Description	OA	Finish
LP3301DBU48.32D	Half Height Pull - Bolts Up	48"	32D
LP3301DBU48.BSP	Half Height Pull - Bolts Up	48"	BSP
LP3301DBU60.32D	Half Height Pull - Bolts Up	60"	32D
LP3301DBU60.BSP	Half Height Pull - Bolts Up	60"	BSP
LP3301DBU51.32D	Half Height Pull - Bolts Down	51"	32D
LP3301DBD51.BSP	Half Height Pull - Bolts Down	51"	BSP

For 1/2" glass applications only.

48" and 60" overall locking up pulls include LPS12 Top Strike with Adjustable Stops, 51" overall locking down pulls include 570 Dust Proof Strike

09 Cylinder (7-Pin SFIC Housing with ASSA ABLOY ACCENTRA® Core) and ADA thumbturn are standard

Sliding Door Hardware

Sliding Hardware



Part # (Add Finish)	Profile	Height	Glass Sizes	Finish
STS-G60X36/42	90"	36" - 42"	198 lbs	32D, BSP
STS-G60X42/48	102"	42" - 48"	198 lbs	32D
STS-G70X36/42	90"	36" - 42"	240 lbs	32D
STS-G70X42/48	102"	42" - 48"	240 lbs	32D

ASSA ABLOY

Experience a safer
and more open world

Door Controls

Floor Closers



Part # (Add Finish)	Description	Hold Open	Spring
FC-6280	Standard Duty Floor Closer	80 to 175	3 - 6
FC-6275-90HO	Standard Duty Floor Closer, ADA	90	1 - 3
FC-6275-105HO	Standard Duty Floor Closer, ADA	105	1 - 3
FC-6275-NHO	Standard Duty Floor Closer, ADA	NHO	1 - 3
FC-PH28-90S	Norton Rixson Heavy Duty Floor Closer	90	5 lb/Force
FC-PH28-105S	Norton Rixson Heavy Duty Floor Closer	105	5 lb/Force

Floor Closer Accessories

Part # (Add Finish)	Description	Style	Finish
FC-6275/6280-CVR	Cover Plate for 6280	N/A	32D, 32, 10BE, WSP, BSP, 314E
FC-6275/6280-ARM	Centerhung Arm for 6275 & 6280	Standard	N/A
FC-SPIND-25	Spindle 1/4" (Use for 3/8" Clearance)	Standard	N/A
FC-SPIND-375	Spindle 3/8" (Use for 1/2" Clearance)	Standard	N/A
FC-SPIND-625	Spindle 5/8" (Use for 3/4" Clearance)	Standard	N/A
FC-SPIND-750	Spindle 3/4" (Use for 15/16" Clearance)	Standard	N/A
FC-OFFSPIND-375	3° Offset Spindle 3/8" (Use for 1/2" Clearance)	Standard	N/A
FC-OFFSPIND-625	3° Offset Spindle 5/8" (Use for 3/4" Clearance)	Standard	N/A
FC-OFFSPIND-750	3° Offset Spindle 3/4" (Use for 15/16" Clearance)	Standard	N/A

Overhead Concealed Closers and Accessories

Part # (Add Finish)	Description	Hold Open	Spring
OHC-609-90NHO	Medium-Duty, with Mounting Clips	NHO	1 - 3 Adj
OHC-609-105NHO	Medium-Duty, with Mounting Clips	NHO	1 - 3 Adj
OHC-609-90HO	Medium-Duty, with Mounting Clips	90°	1 - 3 Adj
OHC-609-105HO	Medium-Duty, with Mounting Clips	105°	1 - 3 Adj
OHC-304-105NHO	Heavy-Duty, with Mounting Clips	NHO	4
OHC-304-105HO	Heavy-Duty, with Mounting Clips	NHO	4
OHC-304-90NHO	Heavy-Duty, with Mounting Clips	90°	4
OHC-304-90HO	Heavy-Duty, with Mounting Clips	105°	4
OHC-609-ARM	End Load Overhead Closer Arm		

Use an auxiliary stop with OHC-304 and OHC-609.

Pivots

Part # (Add Finish)	Description	Min CLR	Max CLR	Finish
PF-FM-PIVOT	Floor Mount Pivot	7/16"	N/A	N/A
PF-SM-PIVOT	Surface Mount Pivot	1/8"	1/4"	N/A
PF-ADJ-PIVOT	Adjustable Pivot for Patch Fitting	5/16"	5/8"	32D

ASSA ABLOY

Mechanical Locking Hardware

Center Housing (only) Prepped ASSA ABLOY ACCENTRA® (formerly Yale Commercial) 8800 & Sargent 8200 Series Mortise Locks



Part # (Add Finish)	Housing Prep	Size	Handing	Glass Size	Finish
CLH-ENT-BC-LH	Entry	6 3/16" x 10 3/16"	LH	B, C	32D
CLH-ENT-BC-RH	Entry	6 3/16" x 10 3/16"	RH	B, C	32D
CLH-OFF-BC-LH	Office	6 3/16" x 10 3/16"	LH	B, C	32D
CLH-OFF-BC-RH	Office	6 3/16" x 10 3/16"	RH	B, C	32D
CLK-BC	Keeper for Latch	6 3/16" x 10 3/16"	N/A	B, C	32D

Centerlock Keeper with Electric Strike

Part # (Add Finish)	Description	Size	Handing	Glass Size	Finish
CLK-ESK	Centerlock Keeper with 1600 Strike	6 3/16" x 10 3/16"	N/A	B,C	32D

ASSA ABLOY ACCENTRA® (formerly Yale Commercial) 8807 Entry Mortise Locks (Less Cylinder)

Part # (Add Finish)	Lock Function	Lever Style	Rose	Finish
ML-ENT-CRR3-LC	Entry	CR	R3	15

ASSA ABLOY ACCENTRA® (formerly Yale Commercial) 8809 Office Mortise Locks (Less Cylinder)

Part # (Add Finish)	Lock Function	Lever Style	Rose	Finish
ML-OFF-CRR3-LC	Office	CR	R3	15

Mortise Cylinders

Part # (Add Finish)	Keyway	Cam	Cyl Length	Pins	Keyed	Finish
MC-PARA-250-KR	Para	2160	1 1/8"	6	Random	15

ASSA ABLOY

Experience a safer
and more open world

Electrified Hardware

Alarm Controls Magnetic Locks



Part # (Add Finish)	Description	Finish
MAG-600LB	Alarm Controls Mag Lock w/Sensor - 600 lbs Single	28
MAG-600DLB	Alarm Controls Mag Lock w/Sensor - 600 lbs Double	28
MAG-1200LB	Alarm Controls Mag Lock w/Sensor - 1200 lbs Single	28
MAG-1200DLB	Alarm Controls Mag Lock w/Sensor - 1200 lbs Double	28

M380E/M680E Magnalock

Part # (Add Finish)	Description	Finish
MAG-M380EBDX	M380E Magnalock w/REX - 600 lbs, 12/24VDC	32D, 28
MAG-M680EBDX	M680E EcoMag, Magnalock - 1200, 12/24VDC	32D, 28

Accessories

Part # (Add Finish)	Description	Finish
MAG-UHB-8	Universal Header Bracket 1" x 1 1/2" x 8"	28
MAG-UHB-12	Universal Header Bracket 1" x 1 1/2" x 12"	28
MAG-GDB	Glass Door Bracket	28
MAG-AKG	Adhesive Kit for GDB	
MAG-AM3325	Adjustable Mounting Bracket for Alarm Controls - 600 lbs Single	28, 10BE, BSP, 314E
MAG-AM3326	Mounting Bracket for Alarm Controls - 600 lbs Double	28, 10BE, BSP, 314E
MAG-AM6325	Adjustable Mounting Bracket for Alarm Controls - 1200 lbs Single	28, 10BE, BSP, 314E
MAG-AM6326	Mounting Bracket for Alarm Controls - 1200 lbs Double	28, 10BE, BSP, 314E
MAG-GDH	Glass Door Holder for Alarm Controls Mag Lock	28, 10BE, BSP, 314E
MAG-EEB2	Emergency Exit Button	32D
MAG-EEB3N	Narrow Emergency Exit Button	32D

Concealed Magnetic Locks

Part # (Add Finish)	Description	Finish
MAG-SAMBD	Shear Magnalock w/MBS/DPS - 12/24VDC, Self Aligning	N/A

ASSA ABLOY

The ASSA ABLOY Group is the global leader in access solutions.
Every day, we help billions of people experience a more open world.

ASSA ABLOY

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, mechanical and smart locks, access control and service.

ASSA ABLOY Opening Solutions
Glass Solutions
300 Main Street
Rockwood, PA 15557
www.assaabloyglass.us
855 594 6989

Copyright © 2020-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.