


791 STRIKE DETAIL



Inside Face of Door

Reinforcement for 791 Strike
(See Note 6)

Lock Edge

See Note 10

Door


2-3/4 (70)

Inside Face of Door

Vertical Reference
(Device,Rods & Strikes)

NOTES:

1. Do not scale drawing.
2. Dimensions are in inches (mm).
3. LHR door shown. Preparation is typical for both door hands.
4. Minimum door stile width: 4-1/2 (114).
5. Prepare mounting holes when installing the device.
6. Unreinforced frames require blind rivet nuts (by others) to mount the strike.
7. This hole MUST be field located using physical part as template, after installation is complete and device is fully operational.
8. For recommended door reinforcements see template 7400-0000. Unreinforced doors require SNB option to mount the device components.
9. Holes for optional SNB: 9/32 (7.00) dia., inside door face; 3/8 (9.50) dia., outside door face.
10. Provide door stiffeners, as needed to prevent door collapse due to installation with power tools, door use, or abuse.
11. Device mount to hinge stile (not shown) requires hole location and preparation during device installation.
12. For outside trim preparation see appropriate trim template.
13. Cutout, thru inside door face, only required when outside trim is used.



702 STRIKE DETAIL

RESPONSIBILITY
DOOR AND FRAME MANUFACTURERS ARE
RESPONSIBLE FOR PROVIDING ADEQUATE
CONSTRUCTION OR REINFORCEMENTS FOR
PROPER INSTALLATION OF HARDWARE SHOWN.
ALL ARCHITECTURAL BUILDERS HARDWARE MUST
BE INSTALLED ON PROPERLY REINFORCED
DOORS AND FRAMES, REGARDLESS OF TYPE,
MATERIAL, OR METHOD OF CONSTRUCTION.

1510 Surface Vertical Rod Panic Devices with Bottom Pullman Latch Option

Application for Exit with Metal Door and Frame
with 702 Floor Strike

1-855-557-5078 Ext. 2

www.accentra-assaabloy.com

Experience a safer
and more open world

Copyright © 1999, 2024, ASSA ABLOY ACCENTRA™ Access and Egress Hardware Group, Inc.
All rights reserved. Reproduction in whole or in part without the express written permission of
ASSA ABLOY Access and Egress Hardware Group, Inc. is prohibited.

SUPERSEDES		8/99	DO NOT SCALE DRAWING	
TEMPLATE NUMBER	7415-0015	SHEET	1 of 1	DATE

ACCENTRA
ASSA ABLOY

1/4 (6) Recommended
3/4 (19) Maximum