


#### Notes:

1. Do not scale drawing.
2. Dimensions are in inches (mm).
3. LHR door shown. Preparation is typical for both door hands.
4. Minimum door stile width: 4-1/2(114).
5. Prepare mounting holes when installing the device.
6. Unreinforced frames require blind rivet nuts (by others) to mount the strike.
7. Dimension from door face.
8. For outside trim preparation see appropriate trim template.
9. Provide adequate structural support to maintain door integrity after device installation with power tools, door use, or abuse.
10. Device mount to hinge stile (not shown) requires hole location and preparation during device installation. Door structural requirements are similar for both door stiles.
11. For electrical devices (suffixes "-B", "-G", "-O", "-P", "-S", MELR) also see template 7477-0001.
12. Wood screws (#14x1-1/4"RHWS, by others) permitted for solid core wood doors if pilot holes are used for installation. The hole should be a 3/8" thru-hole in two places for hex nuts and bolts only.



Strike Preparation Detail

#### MULLION NOTE:

FOR MULLION MODEL NUMBERS: M100(F) AND KRM100(F)  
REFER TO TEMPLATE NUMBER 7400-0100.  
FOR MULLION MODEL NUMBERS: M200(F) AND KRM200(F)  
REFER TO TEMPLATE NUMBER 7400-0200.  
FOR MULLION MODEL NUMBERS: M200FWS AND KRM200FWS  
REFER TO TEMPLATE NUMBER 7400-0210.

Finished Floor

**RESPONSIBILITY**  
DOOR AND FRAME MANUFACTURERS ARE  
RESPONSIBLE FOR PROVIDING ADEQUATE  
CONSTRUCTION OR REINFORCEMENTS FOR  
PROPER INSTALLATION OF HARDWARE SHOWN.  
ALL ARCHITECTURAL BUILDERS HARDWARE MUST  
BE INSTALLED ON PROPERLY REINFORCED  
DOORS AND FRAMES, REGARDLESS OF TYPE,  
MATERIAL, OR METHOD OF CONSTRUCTION.

**6100, 6105, 7100 & 7105**  
**Rim Panic Devices with 757 Strike**  
Application for Wood or Composite Door and H.M.  
Frame or Mullion (Not for Fire Labeled Devices)  
1-855-557-5078 Ext. 2  
[www.accentra-assaabloy.com](http://www.accentra-assaabloy.com)

**ACCENTRA®**  
**ASSA ABLOY**

Experience a safer  
and more open world

Copyright © 1999, 2015, 2024, 2025, ASSA ABLOY ACCENTRA™ Access and Egress Hardware Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Access and Egress Hardware Group, Inc. is prohibited.

SUPERSEDES	7470-1000 05/24	DO NOT SCALE DRAWING	
TEMPLATE NUMBER	7470-1000	SHEET	DATE
	1 of 1		09/25