



PEMKO
PLANET AUTOMATIC
DOOR BOTTOMS AND
ACCESSORIES

PEMKO
ASSA ABLOY

Experience a safer
and more open world


SHIELDING YOU FROM THE ELEMENTS

Automatic door bottoms offer greater protection against light, airflow, weather, and sound, by utilizing a high-grade, self-extinguishing silicone gasket. With low maintenance requirements, they provide years of sealing power. Additionally, accessories like our finger protection prevent finger-clamping injuries by safeguarding the closing edge of your swing door.

Table of Contents

Automatic Door Bottoms 2-6

Finger Protection 7





US-FHRD



KG-SM-SET-NRW



SN

Our Planet automatic door bottoms can be used on a variety of door types including wood, glass, and metal, with solutions for both swinging and sliding doors.

With adhesive or mortised mounting options, we've got your door bottom covered.

NARROW MORTISED PLANET AUTOMATIC DOOR BOTTOMS FOR WOOD DOORS

Features

- Narrow case – 5/16" thick
- For wood doors
- For use with narrow doors
- Ideal for use when edge-mounted flush bolts are installed
- Mortise can be placed anywhere within the doors thickness
- No bottom rail fasteners
- Can use two automatic door bottoms for better sound and energy protection
- Self-extinguishing silicone gasket
- Seals a maximum gap of 3/4"
- Effective gap coverage is 3/8" to 11/16"

US-FHRD

Available Finish: A


Available Length: 36



Offset Application Example



Application Example



End Plate Kit Contents:



Need more information? Contact ASSA ABLOY's Pemko Products
Customer Service Department: 800 824 3018

Available finishes for products shown on this page (see FULL LINE CATALOG or WEBSITE for finish chart)
A (Mill Finish Aluminum)

ADHESIVE PLANET AUTOMATIC DOOR BOTTOMS FOR GLASS AND WOOD DOORS

Features


- For use with glass, wood, or steel doors; any thickness
- Installed using adhesive tape
- Architectural, aesthetically-pleasing design
- Metallic tape provided for opposite side of glass panel to cover backside of automatic door bottom
- Self-extinguishing silicone gasket
- Seals a maximum gap $5/8"$
- Effective gap coverage is $3/8"$ to $9/16"$

KG-SM-SET-NRW

Available Finish: C

Available Length: 36


Glass




Wood



Application Example



End Plate Kit Contents:



Need more information? Contact ASSA ABLOY's Pemko Products
Customer Service Department: 800 824 3018

Available finishes for products shown on this page (see **FULL LINE CATALOG** or **WEBSITE** for finish chart)
C (Clear Anodized)

PLANET AUTOMATIC DOOR BOTTOMS FOR SLIDING DOORS

Features

- For use on sliding doors systems: barn door, pocket door, etc.
- Does not require a frame or wall to activate the drop bar mechanism
- Zero force operation
- Seals between 1/4" and 5/8" bottom gap
- Compensates for inclined floor
- Includes bottom guide to keep door aligned and actuate the drop bar mechanism
- Planet patent US20180320437A1

SN-RD

Available Finish: A
Available Length:
36, 42, 48


Planet SN installed



Planet SN profile



Application Example



Planet SN assembly set



Need more information? Contact ASSA ABLOY's Pemko Products
Customer Service Department: 800 824 3018

Available finishes for products shown on this page (see FULL LINE CATALOG or WEBSITE for finish chart)
A (Mill Finish Aluminum)

PLANET FINGER PROTECTION WITH MARKING AID

Features

- Safeguards the non-hinge side on the secondary closing edge of swing doors
- Prevents finger-clamping injuries
- Quick fit, easy clip-on system
- Synthetic fabric is washable, removable, and automatically maintains a constant tension
- Adjustable housing position
- No visible screws
- Suitable for almost all door types
- Marking aid (PMA6000) included, also sold separately
- 2,000,000 test cycles
- Available in a clear or black matte anodized case, with black fabric cover
- Applications: Schools, daycares, restaurant bathrooms, assisted living facilities, and more

FSR6000

Available Lengths:
82", 94"


Planet Marking Aid (PMA6000)



Planet Roller Protector (FSR6000)



Application Example



The ASSA ABLOY Group is the global leader in access solutions.
Every day, we help billions of people experience a more open world.

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, mechanical and smart locks, access control and service.

PEMKO
ASSA ABLOY

ADDITIONAL SLIDING DOOR ACCESSORIES

For a complete privacy solution,
add a Pemko Seal Set and
Sliding Door Lock

Each of Pemko's five available Seal Sets, including the PEMKOSFSET5 which comes with the Planet SN Automatic Door Bottom, provide additional privacy as well as light and draft control by filling gaps between the door and wall. The Pemko SDL Privacy Barn Door Lock offers even more peace and solitude with the utilization of its privacy latch.



Pemko
5535 Distribution Dr.
Memphis, TN 38141
www.pemko.com
orders.pemko@assaabloy.com

Memphis, TN USA
P: 800 824 3018
F: 800 243 3656

Ventura, CA USA
P: 800 283 9988
F: 800 283 4050

Vaughan, ON CA
P: 800 461 3007
F: 800 461 8989