









TOUGH DONE SMARTER

*Prestige Paint ^Wildtrak exclusive colour *Not available on Wildtrak ~XLT & Wildtrak exclusive colou

The 2020.75MY Ranger has arrived, boasting more technology than ever before. All Rangers come standard with Autonomous Emergency Braking, Lane Keeping Aid, Traffic Sign Recognition and FordPass Connect creating the most advanced Ranger yet.

Bi-Turbo Engine

The epitome of tough done smart. Combining high grade alloy materials to ensure durability at higher temperatures, the two turbo chargers work together with the advanced 10-speed auto to allow for greater torque, better fuel economy and lower noise levels, with the reliability and robustness expected from a Ranger.

3.2L Diesel Engine

Tried, tested and trusty. Boasting 147kW of power and 470Nm of torque, the 3.2L 5 cylinder diesel engine delivers all the power you'd expect, with incredible fuel efficiency.

Double Cab Colour Range



Wildtrak in Arctic White





XLT in True Red





Wildtrak in Saber*^



Notes

Wildtrak in Aluminium Silver*

XLT in Meteor Grey*

XLT in Shadow Black*

XLT in Alabaster White*

WELCOME TO THE WORLD OF FORD CONNECTIVITY

Every 2020.75MY Ford Ranger will arrive fitted with an embedded modem known as FordPass Connect. Using the FordPass App on your smartphone¹², you can locate your vehicle, lock and unlock the doors, and even start the engine remotely to heat or cool the cabin to the last known setting.^{13.}

-

3

Scan this code for more information.



FordPass App appearance as at July 2020 with minimum iOS 12.0 software or later and compatible device.



Autonomous Emergency Braking (AEB) - with Pedestrian Detection^{9.}

Standard across the range, this system combines multiple sensors to see the road ahead. This AEB system is designed to help detect and mitigate frontal collisions with vehicles and vulnerable road users like pedestrians and cyclists by automatically applying the brakes.



Traffic Sign Recognition^{9.}

Traffic Sign Recognition can automatically detect and display the current speed limit. It can provide a visual warning if you exceed the detected speed limit, helping you to avoid speeding fines. Standard on all Rangers.



Lane Keeping Aid with Lane Departure Warning^{9.}

Every Ford Ranger can detect if you unintentionally drift out of your lane, initially vibrating the steering wheel to alert you, then applying steering torque to help direct the vehicle back into the lane.



Active Park Assist^{9.}

Not only will this system use ultrasonic sensors to help you find a suitable parallel park, it will steer you in automatically, while you focus on the accelerator and brake.



SYNC[®]3 with Apple CarPlay[™] & Android Auto^{™ 5.8.}

Use voice commands to locate your next worksite, make hands free phone calls and listen to text messages. Connect your compatible smartphone through Apple CarPlay, Android Auto or Applink® for hands-free control of your favourite apps.



Power Roller Shutter

Standard on Wildtrak, the redesigned power operated roller shutter offers improved security and additional load space. Opened through the key fob, dash or inside the tray this new design is a great way to secure your load.

> **3.5 Tonne Towing**^{1,2.} With up to 3,500kg braked towing

With up to 3,500kg braked towing capacity and 6,000kg gross combined mass in conjunction with Trailer Sway Control⁹, you'll be able to handle big loads with confidence.

Ranger 2020.75MY Specifications. Visit ford.com.au for full details.

	XL	XLS	XLT	Wildtrak		XL	XLS	XLT	Wildtrak
Drivetrains					Ambient Lighting - Multi-Colour				s
4x2 (Low-Rider)					Auto-Dimming Rear View Mirror			S	s
4x2 (Hi-Rider)					Auxillary 12V Power Outlets - in Cabin	2	2	2	2
4x4					Child Seat Upper Anchorage Points				2
Body Styles					(Super Cab / Double Cab only)				
Single Cab Chassis					Child Seat ISOFIX Anchorage Points ^{4.}	2	2	2	2
Super Cab Chassis					Climate Control - Dual Zone Automatic		Р		
Super Cab Pick-Up					Dual Colour 4.2" Instrumentation Screens		Р		
Double Cab Chassis					- Floor Coverings	Vinyl	Carpet	Carpet	Carpet
Double Cab Pick-Up					Floor Mats		Driver	Driver	Front and Rear
2.2L TDCi Diesel Engine					Headlamps - Auto On/Off Function				
Availability	S	lelles ()	Culta da o		Leather Wrapped Steering Wheel &			S	S
Engine Type		Inline 4			Gear Knob				
Engine Size (cm ³)		119000			Power Windows (Auto Driver)	S	S	S	S
Maximum Power Maximum Torque		118kW @ 385Nm @ 16			Rain Sensing Wipers			S	S
Transmission	6-9	Speed Manual, 6		atic	Smart Keyless Entry with Push Button Start		Р	S	S
3.2L TDCi Diesel Engine					Audio And Communication				
Availability	0	S	S		FordPass Connect - Embedded Modem	S	S	S	S
Engine Type		- Inline 5			8" Colour Touch Screen	S	S	S	S
Engine Size (cm ³)		319			Apple CarPlay & Android Auto ^{s.}	S	S	S	S
Maximum Power		147kW @			Bluetooth® with Phone/Audio Streaming ^{6.}	S	S	S	S
Maximum Torque		470Nm @ 17!	50-2500rpm		DAB+ Digital Radio		P	S	S
Transmission	6-5	Speed Manual, 6		atic	Satellite Navigation with Traffic Message Channel ⁷				
Bi-Turbo Diesel Engine					SYNC®3 ^{8.}	S	S		
Availability			0	0	SYNC®3 with Voice-Activated Controls [®]		P	S	S
Engine Type		Inline 4	Cylinder		USB Ports	2	2		2
Engine Size (cm ³)		191	96		Windscreen Mounted USB Port	 S	 S	 S	 S
Maximum Power		157kW @	3750rpm		Safety, Security and Driver Assistance				
Maximum Torque		500Nm @ 17	50-2000rpm		Active Park Assist ⁹			P	S
Transmission		10-Speed	Automatic		Adaptive Cruise Control®			 P	S
Vehicle Masses - excluding 4x2 Low-Rider (kg) ^{1.}								
Gross Vehicle Mass		32	00		Airbags x 6 - Front and Side (Driver & Passenger), Full Length Curtain				
Gross Combined Mass		60	00		Alarm with Perimeter, Interior Motion &		s	s	S
Maximum Braked Towing Capacity ^{2.}		35	00		Vehicle Inclination Sensors				
Exterior					Auto High Beam ^{9.}				
Exterior Colour - Bumper (Front)	Body Colour	Body Colour	Body Colour	Body Colour with Silver	Autonomous Emergency Braking (AEB) - with Pedestrian Detection ^{9.}				
				Lower Insert	Cruise Control with Adjustable				
Exterior Colour - Bumper (Rear)	Body Colour	Body Colour	Chrome Steel		Speed Limiter				
Exterior Colour - Door Handles Exterior Colour - Door Mirrors	Black	Black Trivet Grey	Chrome Chrome	Bolder Grey Bolder Grey	Driver Impairment Monitor ^{9.}				
Exterior Colour - Grille	Black	Trivet Grey	Chrome	Bolder Grey	Dynamic Stability Control (DSC)				
Exterior Lighting - Front Fog Lamps		Halogen	Halogen	LED	incorporating ABS, Load Adaptive Control, Roll Over Mitigation, Traction Control &				
Exterior Lighting - High Performance					Trailer Sway Control ^{9.}				
Bi-LED Headlamps					Emergency Assistance ^{10.}	S	S	S	S
Exterior Lighting - LED Daytime Running Lamps					Hill Descent Control ^{9.11.}	S	S	S	S
Exterior Mirrors - Power Adjustable	S	S	S	S	Hill Launch Assist ^{9.}	S	S	S	S
Exterior Mirrors - Power Folding & Heated			S	S	Lane Keeping Aid ^{9.}	S	S	S	S
Exterior Mirrors - Puddle Lamps				S	MyKey®		Р	S	s
Privacy Glass			S	S	Parking Sensors ^{3.}	Rear	Front & Rear	Front & Rear	Front & Rear
Rear Sports Bar			Chrome Tubular	Sailplane	Rear Differential - eLocking ^{1.}				
Side Steps			Black	Black with	Rear View Camera (Optional Accessory on Cab-Chassis Models)				
Tailgate Lock ^{3.}	Manual	Manual	Manual	Silver Insert Power	Traffic Sign Recognition ^{9.}	s	s	s	S
Tailgate with Lift Assistance ^{3.}	S	S	S	S			5		
Tow Bar					Tyre Pressure Monitoring System			S	S
Wheel Size and Type	16" Steel	16" Alloy	17" Alloy	18" Alloy	Factory Fitted Options				
Load Box Elements					Black 17" Alloy Wheels		0		
Bedliner with 12V Socket			S	S	Black 18" Alloy Wheels ^{4.}			0	0
Inner Tie Downs ^{3.}	s	S	S	S	17" Continental All Terrain Tyres ^{11.}	0			
Load Box Illumination ^{3.}	S	S	S	S	XL Heavy Duty Suspension ^{1.}	0			
Load Rest ^{3.}	S	S			XL 4x4 Heavy Duty Pack, incl. Heavy Duty Suspension, 17" Black Steel Wheels,				
Power Roller Shutter				S	17" Continental A/T Tyres, Solid Wheel Nuts, Side Steps (on Super/Double Cab Chassis &	О			
Seating					Double Cab Pick Up), Rear Camera Accessory				
6-way Manual Driver Seat Adjustment plus Lumbar Support					(on Single/Super/Double Cab Chassis)				
8-way Power Driver Seat Adjustment plus					XLS Premium Pack - incl. Satellite Navigation, Dual 4.2" Instrument Screens, CD Player,				
Lumbar Support					Embedded Voice Control, DAB+ Digital Radio, Dual Zone Climate Control, Smart Keyless		О		
Heated Front Seats				S	Entry with Push Button Start, Chrome Exterior				
Wildtrak Leather Accented Seats - Black with Orange Stitching					Grille & Handles				
Comfort and Convenience					XLT Leather Accented Seats - Black ⁴			0	
230V Inverter in Rear Console	s	s	s	S	XLT Tech Pack - incl. Adaptive Cruise Control, Semi-Auto Active Park Assist			0	
(Super Cab / Double Cab only)					Tough Bed Spray-In Bedliner	0	0	0	
S = Standard O = Factory Option that can b	e ordered before	a vehicle is ma	nufactured P =	Part of a Pack					

S = Statuting US = Statuting US = Pactory Option that Can be Ordered Deroite a venicule is interinductional of Pactory option that Can be Ordered Deroite a venicule is interinductive of Pactory option that Can be Ordered Deroite a venicule is interinductive of Pactory option that Can be Ordered Deroite a venicule is interinductive of Pactory option that Can be Ordered Deroite a venicule is interinductive of Pactory Option that Can be Ordered Deroite a venicule is interinductive of Pactory Option that Can be Ordered Deroite a venice is a GM of 5.425kg, GM of 2.925kg, and Maximum Braked Towing Capacity of 2.500kg. 2. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. of Apple IOS / Android#W (as applicable), active data service, and connection cable (sold separately), SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Coogle and other third parties are responsible for their respective functionality. Message and data rates may apply, Apple CarPlay, Sir Eyes Free, IPod and IPhone are trademarks of Buelloc Hield Deroite a venice. Some phones not compatible. Y: Taffic Message Channel is currently provided through an arrangement with Intelematics Australia Pty Ltd (Intelematics). The ongoing provision of this feature cannot be guaranteed if Ford's arrangements with Intelematics cases for any enough state feature service. Some phones not compatible. Y: Taffic Message Channel is currently provided through an arrangement with Intelematics Australia Pty Ltd (Intelematics). The ongoing provision of this feature cannot be guaranteed if Ford's arrangements with Intelematics cases for any uncent. Solverse weather, use of the ordinas shall be on of docoma. J/ordpass and trade to cite and on the evoire dhire's attenting updates. For compatibility, see ford comaxisym. Science and requires a compatible which agen and the evoire dhire's attenting updates. For compatibility is a ford comaxisym. Science and oreas a paired and in range mobile

NEW UPDATES FOR RANGER 2021.25MY



*Vehicle shown with optional Black 18" Alloy Wheels and Flexiglass Alloy Tray accessory


Ranger XLT

Whether it's work or play, Ranger XLT has your back. It now features an all new grille to help you tackle any challenge head on.

RANGER

RANGER

Ford



Satisfy your need for adventure with the Ranger FX4 MAX, providing thrilling 4x4 off-road capability while maintaining Ranger's 3.5 tonne towing capacity.

FEATURE AVAILABILITY BY SERIES	XL	XLS	XLT	WILDTRAK	RAPTOR
MECHANICAL / EXTERIOR					
Electronic Locking Rear Differential (eLRD)	S - 4x4, O – 4x2 Hi-Rider	S	S	S	S
Standard Spare Wheel Size and Type	16" Steel (17" Steel with opt. 17" A/T Tyres)	16" Steel	17" Steel	18" Alloy	17" Alloy
INTERIOR					
2 nd Row Centre Arm Rest (Double Cab)	—	—	S	S	S
230V AC Inverter	—	—	S	S	S
Power Driver's Seat	—	—	_	6-Way	8-Way
Driver's Seat Lumbar Adjustment	—	—	—	S	S
Acoustic Windscreen	—	—	S	S	S
Front Side Door Acoustic Glass	—	—	—	—	_
Active Noise Cancellation (IANC)	—	—	_	—	S
Floor Mats	—	Driver	Driver	Driver & Front Passenger	Driver & Front Passenger
Instrumentation Cluster Screen	Single (4.2")	Single (4.2")	Single (4.2")	Dual (2 x 4.2")	Single (4.2")
Sliding Rod Sun-Visor Feature	_	_	_	_	_
Vanity Mirror Illumination	—	_	_	-	_

NEW OPTIONS - RANGER 2021.25MY	XL	XLT
Electronic Locking Rear Differential	S - 4x4, O – 4x2 Hi-Rider	_
Deletion of Chrome Sports Bar	_	0

FORD SERVICE BENEFITS

Our Commitment to You | Convenience. Reliability. And no nasty surprises. That's what service should be. And that's exactly what Ford promises when you have your car serviced. Feel at ease knowing that your car is being serviced by factory trained technicians using specialised diagnostic equipment. After all, nobody knows your Ford better than we do. Speak to your participating Ford Dealer today about how we can help you make the most out of your vehicle experience.



This brochure details specifications and features of the 2020.75MY Ranger onwards Range. Some driver assistance features and safety features described in this brochure are designed to function using sensors, whose performance may be affected under certain weather or environmental conditions. Not all features will be available on the entire 2020.75MY Ranger onwards Range. Please visit our website www.ford.com.au for more information.

This brochure is designed to provide you with a general introduction to the Ford Products (including available optional equipment) referred to and should be read in conjunction with the latest specification sheet. Image and Illustrations are for information or proses and This bucture is designed to prove your ageneral introduction to the role role counce of introduction to the role role council and the provide to the state of the *FORD MOTOR COMPANY OF AUSTRALIA LIMITED. (A.B.N. 30 004 116 223) Registered Office: Level 1, 600 Victoria St, Richmond, Victoria 3121, Australia.

2020.75MY Ranger Brochure. Printed September 2020. FMPMGT0252 FRD0002472

Click to Request







Discover more at ford.com.au







No matter what Ford you buy,

you can easily borrow another.



Purchase any new Ford, and have any second Ford available to you for two weeks: Ask us for details.



*Costs apply. Visit www.ford.com.au/shopping/ford2ndcar for full terms and conditions.

4x2 XL, XLT Ranger 2020.75MY Specifications.

	4x2 XL Single Cab Chassis Low-Rider 2.2 Diesel	4x2 XL Single Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Super Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 3.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 2.0 Diesel
Engine							
Engine Type	Inline 4 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder
Engine Size (cm ³)	2198	2198	2198	2198	2198	3198	1996
Compression Ratio	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1	16:1
Maximum Power							
	385Nm @	118kW @ 3200rpm 385Nm @	385Nm @	118kW @ 3200rpm 385Nm @	385Nm @	470Nm @	500Nm @
Maximum Torque	1600-2500rpm	1600-2500rpm	1600-2500rpm	1600-2500rpm	1600-2500rpm	1750-2500rpm	1750-2000rpm
No. of Valves	16	16	16	16	16	20	16
Bore x Stroke (mm)	86 x 94.6	86 x 94.6	86 x 94.6	86 x 94.6	86 x 94.6	89.9 x 100.76	84 x 90
Fuel Management System	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection
Transmissions/Ratios							
6-speed manual transmission	S						
6-speed automatic transmission		S	S	S	S	S	
10-speed automatic transmission						-	S
Fuel							
Combined Fuel Economy (L/100km)(Manual) ^{1.}	6.5						
CO ₂ Emissions (g/km)(Manual) ^{1.}	169						
Combined Fuel Economy (L/100km)(Auto) ^{1.}		7.8	7.8	7.8	7.8	8.2	6.7
CO ₂ Emissions (g/km)(Auto) ^{1.}		203	203	203	203	216	177
Fuel Tank Capacity (L)	80	80	80	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Pick-up Box Dimensions (mm)							
Height - at centreline of axle					511	511	511
Height - floor height to ground					835	835	835
Length - at floor					1549	1549	1549
Length - top of box					1485	1485	1485
Width - between wheelhouses					1139	1139	1139
Width - pick-up box					1560	1560	1560
Width - rear opening					1330	1330	1330
Exterior Dimensions (mm)							
Length - with rear bumper (where fitted)	5133	5133	5133	5133	5382	5446	5446
Width - exterior mirors extended	2163	2163	2163	2163	2163	2163	2163
Width - exterior mirrors folded	1977	1977	1977	1977	1977	1977	1977
Width - excluding mirrors	1867	1867	1867	1867	1867	1867	1867
Height	1703	1800	1804	1815	1815	1821	1821
Overhang - Front	928	928	928	928	928	928	928
Overhang - Rear	985	985	985	985	1234	1226	1226
Track - Front and Rear	1590	1560	1560	1560	1560	1560	1560
Wheelbase	3220	3220	3220	3220	3220	3220	3220
Ground Clearance (unladen, mm)	201	232	232	232	232	237	237
Wading Depth (mm)	600	800	800	800	800	800	800
Approach Angle (unladen, degrees)	22	28	28	28	28	29	29
Departure Angle (unladen, degrees)	24	28	24	28	27	23	23
Ramp Breakover Angle (degrees)	17	26	24	26	24	25	25
Turning Circle - Kerb to Kerb (m)	11.9	12.7	12.7	12.7	12.7	12.7	12.7
Interior Dimensions (mm)	11.9	12.7	12.7	12.7	12.7	12.7	12.7
			938	986	986	986	986
2nd Row Headroom			938 796			986	
2nd Row Legroom				902	902		902
2nd Row Shoulder Room	300/	1027	1400	1430	1430	1430	1430
Front Headroom	1024	1024	1024	1022	1022	1022	1022
Front Legroom	1058	1058	1058	1058	1058	1058	1058
Front Shoulder Room	1440	1440	1440	1440	1440	1440	1440
Vehicle Masses (kg)						a	
Kerb Weight - Total ²	1666	1724	1783	1845	1970	2131	2099
Kerb Weight - Front Axle ²	1046	1084	1108	1119	1158	1164	1137
Kerb Weight - Rear Axle ^{2.}	620	640	675	726	812	967	962
Payload ^{3.}	1259	1476	1417	1355	1230	1069	1101
Gross Vehicle Mass	2925	3200	3200	3200	3200	3200	3200
Gross Combined Mass	5425	6000	6000	6000	6000	6000	6000
Maximum Braked Towing Capacity4.	2500	3500	3500	3500	3500	3500	3500
Maximum Axle Load - Front	1325	1480	1480	1480	1480	1480	1480
Maximum Axle Load - Rear	1755	1850	1850	1850	1850	1850	1850

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

1. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 2. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight includes the vehicle should be weighed before adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM) and Gross Combined Mass (GCM) are not exceeded. On variants where both a 6-speed auto are available, the 6-speed auto typically is 17-18kg heavier than manual, which then reduces the payload by 17-18kg. 3. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added suthors are drowing). GVM must not be exceeded. 4. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added autors of the Owner's Manual for guidance.

4x2 | XL, XLT Ranger 2020.75MY Specifications. Continued.

	4x2 XL Single Cab Chassis Low-Rider 2.2 Diesel	4x2 XL Single Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Super Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 3.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 2.0 Diesel
Exterior							
Centre High Mounted Stop Light					S	S	S
Exterior Lighting - LED Daytime Running Lamps						S	S
Exterior Door / Tailgate Handles - Black	S	S	S	S	S		
Exterior Door / Tailgate Handles - Chrome						S	S
Exterior Lighting - Front Fog Lamps (Halogen)						S	S
Exterior Lighting - High Performance Bi-LED Headlamps						S	S
Exterior Mirrors - Black	S	S	S	S	S		
Exterior Mirrors - Chrome						S	S
Exterior Mirrors - Power Adjustable	S	S	S	S	S	S	S
Exterior Mirrors - Power Folding & Heated with Turn Indicator						S	S
Front Bumper - Body Colour	S	S	S	S	S	s	S
Grille - Black	s	S	s	s	s		
Grille - Chrome	5	5	5	5	5	S	S
Mud Flaps - Front and Rear ⁵	S	S	S	S	S	s	s
	5	5	5	5	5		
Privacy Glass						S	S
Rear Bumper - Body Colour					S		
Rear Bumper - Chrome Steel						S	S
Rear Sports Bar - Chrome Tubular						S	S
Tow Bar						S	S
Wheels - 16" Steel	S	S	S	S	S		
Wheels - 17" Alloy						S	S
Wheels - 18" Alloy						0	0
Load Box Elements							
Bedliner with 12V Socket						S	S
Tough Bed Spray-In Bedliner					0	0	0
Inner Tie Downs					S	S	S
Load Box Illumination					S	S	S
Load Rest					s		
Tailgate Lock - Manual					S	S	S
					S	S	S
Tailgate with Lift Assistance Comfort and Convenience					5	5	5
			-	-		-	-
230V Inverter - Rear of Centre Console			S	S	S	S	S
Acoustic Windshield	S	S	S	S	S	S	S
Auxillary 12V Power Outlet - Lower Dashboard	S	S	S	S	S	S	S
Auxillary 12V Power Outlet - Rear of Centre Console			S	S	S	S	S
Centre Console - Single Lid with 2 Cup Holders	S	S	S	S	S	S	S
Child Seat Upper Anchorage Points (x 2)			S	S	S	S	S
Child Seat ISOFIX Anchorage Points (x 2)				S	S	S	S
Climate Control - Single Zone Manual	S	S	S	S	S		
Climate Control - Dual Zone Automatic						S	S
Dual Colour 4.2" Instrumentation Screens						S	S
Floor Coverings - Vinyl	S	S	S	S	S		
Floor Coverings - Carpet						S	S
Floor Mats - Driver Only						S	S
Headlamps - Auto On/Off Function	S	S	S	S	S	S	S
Leather Wrapped Steering Wheel & Gear Knob						S	S
Power Front Windows (Auto Driver)	S	S	S	S	S	S	S
Power Rear Windows	-		-	S	s	S	S
Rain Sensing Windscreen Wipers				-	-	S	S
Rear Window Defrost	S	S	S	S	S	S	s
Rear View Mirror - Manual Day/Night Inside	s	s	s	S	s	ى ى	3
	3	3	3	3	3	6	6
Rear View Mirror - Electrochromatic	<u> </u>	<u> </u>	<u> </u>	<u> </u>		s	S
Windscreen Mounted USB Port	S	S	S	S	S	S	S
Audio And Communication		-	-	-	-	-	
FordPass Connect - Embedded Modem ⁶ .	S	S	S	S	S	S	S
8" Colour Touch Screen	S	S	S	S	S	S	S
4 Speakers (2 Tweeters, 2 Woofers)	S	S					
6 Speakers (2 Tweeters, 4 Woofers)			S	S	S	S	S
AM/FM Stereo Radio	S	S	S	S	S	S	S
Apple CarPlay & Android Auto ^{7.}	S	S	S	S	S	S	S
Bluetooth® with Phone/Audio Streaming®.	S	S	S	S	S	S	S
CD Player (MP3 compatible)						S	S
DAB+ Digital Radio						S	S
Satellite Navigation with Traffic Message Channel ^{9.}						S	S
SYNC®310.	S	S	S	S	S		
SYNC®3 with Voice-Activated Controls ^{11.}						S	S
USB Ports	2	2	2	2	2	2	2

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

5. Rear mud flaps on pick-up models only. 6. Use of FordPass is subject to the FordPass Terms and Privacy Policy and the Connected Vehicle Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, internet access and software (including software updates from time to time). You are responsible for internet access, mobile network (data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass Connect Modern and FordPass App timitations or restrictions of the telecommunications network. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or dy our mobile device. J. Apple CarPlay / Android Auto requires phone with compatible version of Apple CarPlay. Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Sir Eyes Free, iPod and iPhone are trademarks of Apple Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local read rules force using these functions. 8. Bluetontbills one splice that device in the US and other countries. 8. Bluetontbills one splice that service, and followorth is available. Or third Kessage Channel is currently provided through an arrangement with Intelematics varial apply LMC BecarPlay. Sin Eyes Free, iPod and iPhone are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local read rules force using these functions. 8. Bluetontbiles an arrangement stradial PyL tif (Intelematics). Th

4x2 XL, XLT Ranger 2020.75MY Specifications. Continued.

	4x2 XL Single Cab Chassis Low-Rider 2.2 Diesel	4x2 XL Single Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Super Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 3.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 2.0 Diesel
Seating							
6-way Manual Driver Seat Adjustment (plus Lumbar Support)	S	S	S	S	S	S	S
XLT Leather Accented Seats (Black)						0	0
Safety, Security and Driver Assistance							
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S	S	S	S
Adaptive Cruise Control ¹²						P	Р
Adjustable Speed Limiter	S	S	S	S	S	S	S
Airbags - Driver and Front Passenger	S	S	S	S	S	S	S
Airbags - Front Seat Side	S	S	S	S	S	S	S
Airbags - Side Curtain (Full Length)	S	S	S	S	S	S	S
Alarm with Perimeter, Interior Motion and Vehicle Inclination Sensors						S	S
Anti-Lock Braking System (ABS) ^{12.}	S	S	S	S	S	S	S
Auto High Beam ^{12.}	S	S	S	S	S	S	S
Beltminder™ - All Positions	S	S	S	S	S	S	S
Cruise Control	S	S	S	S	S	S	S
Driver Impairment Monitor ^{12.}	S	S	S	S	S	S	S
Dynamic Stability Control (DSC) ^{12.}	S	S	S	S	S	S	S
Emergency Assistance ^{13.}	S	S	S	S	S	S	S
Emergency Brake Assist	S	S	S	S	S	S	S
Emergency Brake Light	S	S	S	S	S	S	S
Hill Launch Assist ^{12.}	S	S	S	S	S	S	S
Lane Keeping Aid ^{12.}	S	S	S	S	S	S	S
Load Adaptive Control ^{12.}	S	S	S	S	S	S	S
MyKey®						S	S
Parking Sensors - Front						S	S
Parking Sensors - Rear					S	S	S
Pre-Collision Assist - AEB with Pedestrian Detection	S	S	S	S	S	S	S
Rear Differential - eLocking		S	S	S	S	S	S
Rear View Carnera	A	А	А	А	S	S	S
Remote Keyless Entry - 1 Fob Provided ^{14.}	S	S	S	S	S		
Roll Over Mitigation	S	S	S	S	S	S	S
Semi-Auto Active Park Assist						P	Р
Smart Keyless Entry with Push Button Start - 2 Fobs Provided ^{14.}						S	S
Traction Control System ^{12.}	S	S	S	S	S	S	S
Traffic Sign Recognition ^{12.}	S	S	S	S	S	S	S
Trailer Sway Control ^{12.}	S	S	S	S	S	S	S
Tyre Pressure Monitoring System						S	S
Regular Production Options							
Automatic Transmission		S	S	S	S	S	S
Black 17" Alloy Wheels							
Black 18" Alloy Wheels						0	0
17" Continental All Terrain Tyres							
XL Heavy Duty Suspension		0	0	0	0		
XL 4x4 Heavy Duty Pack, including: Heavy Duty Suspension, 17" Black Steel Wheels, 17" Continental A/T Tyres, Solid Wheel Nuts, Side Steps (on Super/Double Cab Chassis and Double Cab Pick Up), Rear Camera Accessory (on Single/Super/Double Cab Chassis) XLS Premium Pack, including: Satellite Navigation, Dual 4.2" Instrument Screens, CD Player, Embedded Voice Control, DAB+ Digital Radio, Dual Zone Climate Control, Smart Keyless Entry with Push Button Start, Chrome Exterior Grille & Handles							
XLT Leather Accented Seats						0	0
XLT Tech Pack, including: Adaptive Cruise Control with Forward Collision Alert, Semi Auto Active Park Assist						0	0
Tough Bed Spray-In Bedliner					0	0	0
Prestige Paint	0	0	0	0	0	0	0

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

12. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather. 13. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. 14. Remote Vehicle Start and Stop on Automatic variants only. Use responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. Vehicle Locator only available when Vehicle Location setting is on.

4x4 XL Ranger 2020.75MY Specifications.

	4x4 XL Single Cab Chassis 3.2 Diesel	4x4 XL Super Cab Chassis 3.2 Diesel	4x4 XL Super Cab Pick-up 3.2 Diesel	4x4 XL Double Cab Chassis 2.2 Diesel	4x4 XL Double Cab Chassis 3.2 Diesel	4x4 XL Double Cab Pick-up 2.2 Diesel	4x4 XL Double Cab Pick-up 3.2 Diesel
Facine	5.2 Dieset	J.Z Dieset	J.Z Dieset	2.2 Dieset	J.Z Dieset	2.2 Diesei	5.2 Dieset
Engine	Inline 5 Cylinder	Jalias E Culiador	Inline E Orlinder	Inline 4 Cylinder	Inline E Culinder	Inline (Cylinder	Jalias E Culiadar
Engine Type	3198	Inline 5 Cylinder 3198	Inline 5 Cylinder 3198	2198	Inline 5 Cylinder 3198	Inline 4 Cylinder 2198	Inline 5 Cylinder 3198
Engine Size (cm ³)	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1
Compression Ratio							
Maximum Power	470Nm	147kW @ 3000rpm 470Nm	470Nm	385Nm	470Nm	385Nm	470Nm
Maximum Torque	@ 1750-2500rpm	@ 1750-2500rpm	@ 1750-2500rpm	@ 1600-2500rpm	@ 1750-2500rpm	@ 1600-2500rpm	@ 1750-2500rpm
No. of Valves	20	20	20	16	20	16	20
Bore x Stroke (mm)	89.9 x 100.76	89.9 x 100.76	89.9 x 100.76	86 x 94.6	89.9 x 100.76	86 x 94.6	89.9 x 100.76
Fuel Management System	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail iniection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection
Transmissions/Ratios	, , , , , , , , , , , , , , , , , , , ,						
6-speed manual transmission	S	S			S		S
6-speed automatic transmission	0	0	S	S	0	S	0
Fuel			1			1	1
Combined Fuel Economy (L/100km)(Manual) ¹	8.3	8.3			8.3		8.3
CO, Emissions (g/km)(Manual) ^{1.}	218	218			218		218
Combined Fuel Economy (L/100km) (Auto) ¹	8.7	8.7	8.7	8.0	8.7	8.0	8.7
CO_ Emissions (g/km)(Auto) ^{1.}	229	229	229	209	229	209	229
Fuel Tank Capacity (L)	80	80	80	80	80	80	80
Fuel Type	Diesel						
	Diesei	Dieset	Diesei	Dieset	Dieset	Diesei	Dieset
Pick-up Box Dimensions (mm)			C11			C11	
Height - at centreline of axle			511			511	511
Height - floor height to ground			835			835	835
Length - at floor			1847			1549	1549
Length - top of box			1783			1485	1485
Width - between wheelhouses			1139			1139	1139
Width - pick-up box			1560			1560	1560
Width - rear opening			1330			1330	1330
Exterior Dimensions (mm)							
Length - with rear bumper (where fitted)	5133	5133	5382	5133	5133	5382	5382
Width - exterior mirors extended	2163	2163	2163	2163	2163	2163	2163
Width - exterior mirrors folded	1977	1977	1977	1977	1977	1977	1977
Width - excluding mirrors	1867	1867	1867	1867	1867	1867	1867
Height	1800	1804	1804	1815	1815	1815	1815
Overhang - Front	928	928	928	928	928	928	928
Overhang - Rear	985	985	1234	985	985	1234	1234
Track - Front and Rear	1560	1560	1560	1560	1560	1560	1560
Wheelbase	3220	3220	3220	3220	3220	3220	3220
Ground Clearance (unladen, mm)	232	232	232	232	232	232	232
Wading Depth (mm)	800	800	800	800	800	800	800
Approach Angle (unladen, degrees)	28	28	28	28	28	28	28
Departure Angle (unladen, degrees)	28	28	20	28	28	20	20
Ramp Breakover Angle (degrees)	24	24	24	24	24	24	24
	12.7	12.7	12.7	12.7	12.7	12.7	12.7
Turning Circle - Kerb to Kerb (m)	12.7	12.7	12.7	12.7	12.7	12.7	12.7
Interior Dimensions (mm)				005	005		
2nd Row Headroom		938	938	986	986	986	986
2nd Row Legroom		796	796	902	902	902	902
2nd Row Shoulder Room		1400	1400	1430	1430	1430	1430
Front Headroom	1024	1024	1024	1022	1022	1022	1022
Front Legroom	1058	1058	1058	1058	1058	1058	1058
Front Shoulder Room	1440	1440	1440	1440	1440	1440	1440
Vehicle Masses (kg)							
Kerb Weight - Total ²	1869(M) / 1887(A)	1933(M) / 1951(A)	2085	1938	1995(M)/2012(A)	2064	2118(M) / 2135(A)
Kerb Weight - Front Axle ^{2.}	1199(M) / 1217(A)	1223(M) / 1241(A)	1230	1195	1235(M) / 1253(A)	1235	1225(M) / 1243(A)
Kerb Weight - Rear Axle ^{2.}	670	710	855	743	760	829	893
Payload ^{3.}	1331(M) / 1313(A)	1267 (M) / 1249 (A)	1115	1262	1205(M) / 1188(A)	1136	1082(M)/1065(A
Gross Vehicle Mass	3200	3200	3200	3200	3200	3200	3200
Gross Combined Mass	6000	6000	6000	6000	6000	6000	6000
Maximum Braked Towing Capacity ^{4.}	3500	3500	3500	3500	3500	3500	3500
Maximum Axle Load - Front	1480	1480	1480	1480	1480	1480	1480
Maximum Axle Load - Rear	1850	1850	1850	1850	1850	1850	1850

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

1. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 2. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight includes the vehicle should be weighed before adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM) and Gross Combined Mass (GCM) are not exceeded. On variants where both a 6-speed auto are available, the 6-speed auto typically is 17-18kg heavier than manual, which then reduces the payload by 17-18kg. 3. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added suthors are drowing). GVM must not be exceeded. 4. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added autors of the Owner's Manual for guidance.

4x4 XL Ranger 2020.75MY Specifications. Continued.

	4x4 XL Single Cab Chassis 3.2 Diesel	4x4 XL Super Cab Chassis 3.2 Diesel	4x4 XL Super Cab Pick-up 3.2 Diesel	4x4 XL Double Cab Chassis 2.2 Diesel	4x4 XL Double Cab Chassis 3.2 Diesel	4x4 XL Double Cab Pick-up 2.2 Diesel	4x4 XL Double Ca Pick-up 3.2 Diesel
Exterior							
Centre High Mounted Stop Light			S			S	S
Exterior Door / Tailgate Handles - Black	S	S	S	S	S	S	S
Exterior Door / Talgate Handles - Black	S	S	S	S	S	S	S
Exterior Mirrors - Power Adjustable	S	S	S	S	S	S	S
	S	S	S	S	S	S	S
Front Bumper - Body Colour	S	S	S	S	S	S	S
Grille - Black							
Aud Flaps - Front and Rear ^{s.}	S	S	S	S	S	S	S
Rear Bumper - Body Colour			S			S	S
Wheels - 16" Steel	S	S	S	S	S	S	S
Wheels - 17" Alloy							
oad Box Elements							
Fough Bed Spray-In Bedliner						0	0
nner Tie Downs			S			S	S
oad Box Illumination			S			S	S
.oad Rest			S			S	S
ailgate Lock - Manual			S			S	S
ailgate with Lift Assistance			S			S	S
Comfort and Convenience							
30V Inverter - Rear of Centre Console		S	S	S	S	S	S
Acoustic Windshield	S	S	S	S	S	S	S
uxillary 12V Power Outlet - Lower Dashboard	S	S	S	S	S	S	S
uxillary 12V Power Outlet - Rear of Centre Console		s	S	S	s	S	S
Centre Console - Single Lid with 2 Cup Holders	S	S	S	S	S	S	S
	5	s	s	s	s	s	S
Child Seat Upper Anchorage Points (x 2)		5	5				
Child Seat ISOFIX Anchorage Points (x 2)		-		S	S	S	S
Climate Control - Single Zone Manual	S	S	S	S	S	S	S
loor Coverings - Vinyl	S	S	S	S	S	S	S
leadlamps - Auto On/Off Function	S	S	S	S	S	S	S
Power Front Windows (Auto Driver)	S	S	S	S	S	S	S
Power Rear Windows				S	S	S	S
Rear Window Defrost	S	S	S	S	S	S	S
Rear View Mirror - Manual Day/Night Inside	S	S	S	S	S	S	S
Nindscreen Mounted USB Port	S	S	S	S	S	S	S
Audio And Communication							
FordPass Connect - Embedded Modem ^{6.}	S	S	S	S	S	S	S
3" Colour Touch Screen	S	S	S	S	S	S	S
Speakers (2 Tweeters, 2 Woofers)	S						
5 Speakers (2 Tweeters, 4 Woofers)		S	S	S	S	S	S
AM/FM Stereo Radio	S	S	S	S	S	S	S
Apple CarPlay & Android Auto ^{7.}	S	S	S	S	S	S	S
Bluetooth® with Phone/Audio Streaming [®] .	S	s	S	S	S	S	s
SYNC®3ª	S	S	S	S	s	S	S
	2	2	2			2	2
JSB Ports	۷	2	۷	2	2	۷	۷
Seating	c	c.	6	c	c.	ç	~
-way Manual Driver Seat Adjustment (plus Lumbar Support)	S	S	S	S	S	S	S
afety, Security and Driver Assistance		-		-	-	-	-
Point Lap Sash Seat Belt - All Positions	S	S	S	S	S	S	S
djustable Speed Limiter	S	S	S	S	S	S	S
irbags - Driver and Front Passenger	S	S	S	S	S	S	S
irbags - Front Seat Side	S	S	S	S	S	S	S
irbags - Side Curtain (Full Length)	S	S	S	S	S	S	S
nti-Lock Braking System (ABS) ^{10.}	S	S	S	S	S	S	S
uto High Beam ^{10.}	S	S	S	S	S	S	S
eltminder™ - All Positions	S	S	S	S	S	S	S
ruise Control	S	S	S	S	S	S	S
river Impairment Monitor ^{10.}	S	S	S	S	S	S	S
lynamic Stability Control (DSC) ^{10.}	S	S	S	S	S	S	S
mergency Assistance ^{11.}	S	s	S	S	s	s	S
mergency Assistance	S	S	S	S	S	S	S
	S	s	S	S	s	S	S
mergency Brake Light							
iill Descent Control ^{10.}	S	S	S	S	S	S	S
lill Launch Assist ^{10.}	S	S	S	S	S	S	S
ane Keeping Aid ^{10.}	S	S	S	S	S	S	S
Load Adaptive Control ^{10.}	S	S	S	S	S	S	S

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

5. Rear mud flaps on pick-up models only. 6. Use of FordPass is subject to the FordPass Terms and Privacy Policy and the Connected Vehicle Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, internet access and software (including software updates from time to time). You are responsible for internet access, mobile network (data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass Connect Modern and FordPass App tany bury work when connected to the telecommunications network. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or dy our mobile device. J. Apple CarPlay / Android Auto requires phone with compatible version of Apple (OS / AndroidTM) (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto and Google Maps are trademarks of Google in C. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning Local laws prohibing service and ford Pass App models on the US and other outrites. Android Auto and Google Maps are trademarks of Google in C. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning Local laws prohibings contained and withing. Check your local road rules before using these functions. B. Blueboth® is a registreed trademark of Blueboth SG, inc. and is under license. Some phones not compatible. WYNC® fautes any not be compatible with year of Busenbard and the available on selected SYNC® to and is marter any not be compatible with year of Busenbard and year of Busenbard and the available on terplace the driver's attention, judgment and need to control the vehicle. May not operate in so

4x4 | XL Ranger 2020.75MY Specifications. Continued.

	4x4 XL Single Cab Chassis 3.2 Diesel	4x4 XL Super Cab Chassis 3.2 Diesel	4x4 XL Super Cab Pick-up 3.2 Diesel	4x4 XL Double Cab Chassis 2.2 Diesel	4x4 XL Double Cab Chassis 3.2 Diesel	4x4 XL Double Cab Pick-up 2.2 Diesel	4x4 XL Double Cab Pick-up 3.2 Diesel
Parking Sensors - Rear			S			S	S
Pre-Collision Assist - AEB with Pedestrian Detection	S	S	S	S	S	S	S
Rear Differential - eLocking	S	S	S	S	S	S	S
Rear View Camera	А	А	S	А	А	S	S
Remote Keyless Entry - 1 Fob Provided ^{11.}	S	S	S	S	S	S	S
Roll Over Mitigation	S	S	S	S	S	S	S
Traction Control System ^{12.}	S	S	S	S	S	S	S
Traffic Sign Recognition ^{12.}	S	S	S	S	S	S	S
Trailer Sway Control ^{12.}	S	S	S	S	S	S	S
Regular Production Options							
Automatic Transmission	0	0	S	S	0	S	0
Black 17" Alloy Wheels							
Black 18" Alloy Wheels							
17" Continental All Terrain Tyres	0	0	0	0	0	0	0
XL Heavy Duty Suspension	0	0	0	0	0	0	0
XL 4x4 Heavy Duty Pack, including: Heavy Duty Suspension, 17" Black Steel Wheels, 17" Continental A/T Tyres, Solid Wheel Nuts, Side Steps (on Super/Double Cab Chassis and Double Cab Pick Up), Rear Camera Accessory (on Single/Super/Double Cab Chassis)	0	0			0		0
Tough Bed Spray-In Bedliner						0	0
Prestige Paint	0	0	0	0	0	0	0

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

4x4 XLS, XLT, WILDTRAK Ranger 2020.75MY Specifications.

	4x4 XLS Double Cab Pick-up 3.2 Diesel	4x4 XLT Double Cab Pick-up 2.0 Diesel	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 2.0 Diesel	4x4 XLT Super Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Raptor Double Cab Pick-Up 2.0L Diesel
Engine								
Engine Type	Inline 5 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder
Engine Size (cm ³)	3198	1996	3198	1996	3198	1996	3198	1996
Compression Ratio	15.7:1	16:1	15.7:1	16:1	15.7:1	16:1	15.7:1	16:1
Maximum Power	147kW @ 3000rpm	157kW @ 3750rpm	147kW @ 3000rpm	157kW @ 3750rpm	147kW @ 3000rpm	157kW @ 3750rpm	147kW @ 3000rpm	157kW @ 3750rpr
Maximum Torque	470Nm @	500Nm @	470Nm @	500Nm @	470Nm @	500Nm @	470Nm @	500Nm@
No. of Valves	1750-2500rpm 20	1750-2000rpm	1750-2500rpm	1750-2000rpm	1750-2500rpm	1750-2000rpm	1750-2500rpm	1750-2000rpm
		16 84 x 90	20	16 84 x 90	20	16 84 x 90	20	16 84x90
Bore x Stroke (mm)	89.9 x 100.76 Turbocharged	Turbocharged	89.9 x 100.76 Turbocharged	Turbocharged	89.9 x 100.76 Turbocharged	Turbocharged	89.9 x 100.76 Turbocharged	Turbocharged
Fuel Management System	direct common rail injection	direct common rail injection	direct common rail injection	direct common rail injection	direct common rail injection	direct common rail injection	direct common rail injection	direct common rail injection
Transmissions/Ratios								
6-speed manual transmission	S		S				S	
6-speed automatic transmission	0		0		S		0	
10-speed automatic transmission		S		S		S		S
Fuel								
Combined Fuel Economy (L/100km)(Manual) ¹	8.3		8.4				8.4	
CO ₂ Emissions (g/km)(Manual) ¹ .	218		221				221	
Combined Fuel Economy (L/100km) (Auto) ^{1.}	8.9	7.4	8.9	7.4	8.7	7.4	8.9	8.2
CO ₂ Emissions (g/km)(Auto) ^{1.}	234	195	234	195	229	195	234	212
Fuel Tank Capacity (L)	80	80	80	80	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Pick-up Box Dimensions (mm)								
Height - at centreline of axle	511	511	511	511	511	511	511	561
Height - floor height to ground	835	840	840	840	840	840	840	964
Length - at floor	1549	1549	1549	1847	1847	1549	1549	1549
Length - top of box	1485	1485	1485	1783	1783	1485	1485	1485
Width - between wheelhouses	1139	1139	1139	1139	1139	1139	1139	1139
Width - pick-up box	1560	1560	1560	1560	1560	1560	1560	1560
Width - rear opening	1330	1330	1330	1330	1330	1330	1330	1330
Exterior Dimensions (mm)								
Length - with rear bumper (where fitted)	5382	5446	5446	5446	5446	5446	5446	5398
Width - exterior mirors extended	2163	2163	2163	2163	2163	2163	2163	2180
Width - exterior mirrors folded	1977	1977	1977	1977	1977	1977	1977	2028
Width - excluding mirrors	1867	1867	1867	1867	1867	1867	1867	2028
Height	1815	1821	1821	1810	1810	1848	1848	1873
Overhang - Front	928	928	928	928	928	928	928	908
Overhang - Rear	1234	1226	1226	1226	1226	1226	1226	1270
Track - Front and Rear	1560	1560	1560	1560	1560	1560	1560	1710
Wheelbase	3220	3220	3220	3220	3220	3220	3220	3220
Ground Clearance (unladen, mm)	232	237	237	237	237	237	237	283
Wading Depth (mm)	800	800	800	800	800	800	800	850
Approach Angle (unladen, degrees)	28	29	29	29	29	29	29	32.5
Departure Angle (unladen, degrees)	27	21	21	21	21	21	21	24
Ramp Breakover Angle (degrees)	24	25	25	25	25	25	25	24
Turning Circle - Kerb to Kerb (m)	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.9
Interior Dimensions (mm)	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.5
2nd Row Headroom	986	986	986	938	938	986	986	986
2nd Row Legroom	902	902	902	796	796	902	902	902
2nd Row Legroom 2nd Row Shoulder Room	1430	1430	1430	1400	1400	1430	1430	1432
Front Headroom	1430	1430	1430	1400	1400	1430	1430	1432
	1022	1022	1022	1024	1024	1022	1022	1022
Front Legroom Front Shoulder Room	1440	1440	1440	1440	1440	1058	1440	1355
	1440	1440	I44U	1440	1440	1440	1440	
Vehicle Masses (kg)	2101(14) (2200(4)	2107	2212/142 / 2220/11	21/5	2120	22/5	2260/141 /2220/11	22/2
Kerb Weight - Total ²	2191(M) / 2209(A)	2197	2212(M) / 2230(A)	2146	2178	2246	2260(M) / 2278(A)	
Kerb Weight - Front Axle ²	1226(M) / 1244(A)	1218	1232(M) / 1250(A)	1212	1238	1226	1241(M) / 1259(A)	1283
Kerb Weight - Rear Axle ^{2.}	965	979	980	934	940	1020	1019	1059
Payload ³	1009(M) / 991(A)	1003	988(M) / 970(A)	1054	1022	954	940(M) / 922(A)	758
Gross Vehicle Mass	3200	3200	3200	3200	3200	3200	3200	3090
Gross Combined Mass	6000	6000	6000	6000	6000	6000	6000	5350
Maximum Braked Towing Capacity ^{4.}	3500	3500	3500	3500	3500	3500	3500	2500
Maximum Axle Load - Front	1480	1480	1480	1480	1480	1480	1480	1550
Maximum Axle Load - Rear	1850	1850	1850	1850	1850	1850	1850	1540
Exterior								
Centre High Mounted Stop Light	S	S	S	S	S	S	S	S
Exterior Lighting - LED Daytime Running Lamps		S	S	S	S	S	S	S
Exterior Door / Tailgate Handles - Black	S							
Exterior Door / Tailgate Handles - Chrome	P	S	S	S	S			

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

1. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. **2.** Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. Vehicle dimensions/weights are approximate and subject to individual variances. Vehicles should be weighed before adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM) and Gross Combined Mass (GCM) are not exceeded. On variants where both a 6-speed auto are available, the 6-speed auto typically is 17-18kg heavier than manual, which then reduces the payload by 17-18kg. **3.** Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance.

4x4 XLS, XLT, WILDTRAK Ranger 2020.75MY Specifications. Continued.

	4x4 XLS Double Cab Pick-up 3.2 Diesel	4x4 XLT Double Cab Pick-up 2.0 Diesel	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 2.0 Diesel	4x4 XLT Super Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Raptor Double Cab Pick-Up 2.0L Diesel
Exterior Door / Tailgate Handles - Bolder Grey						S	S	
Exterior Door / Tailgate Handles - Dyno Grey								S
Exterior Lighting - Front Fog Lamps (Halogen)	S	S	S	S	S			
Exterior Lighting - Front Fog Lamps (LED)						S	S	S
Exterior Lighting - High Performance Bi-LED Headlamps		S	S	S	S	S	S	S
Exterior Mirrors - Black								S
Exterior Mirrors - Trivet Grey	S							
Exterior Mirrors - Chrome		S	S	S	S			
Exterior Mirrors - Bolder Grey						S	S	
Exterior Mirrors - Power Adjustable	S	S	S	S	S	S	S	S
Exterior Mirrors - Power Folding & Heated with		S	S	S	S	S	S	S
Turn Indicator		5	5	5	5			
Exterior Mirrors - Puddle Lamps						S	S	S
Front Bumper - Body Colour	S	S	S	S	S	S	S	
Front Bumper Insert - Accent Bolder Grey						S	S	
Front Bumber - Chassis Mounted in Dyno Grey								S
Heavy Duty Side Steps								S
Heavy Duty Front Bash Plate & Underbody Shielding								S
Grille - Trivet Grey	S							
Grille - Chrome	P	S	S	S	S			
Grille - Bolder Grey						S	S	
Grille - Unique Raptor Design (Black)								S
Mud Flaps - Front and Rear ^{s.}	S	S	S	S	S	S	S	S
Privacy Glass		S	S	S	S	S	S	S
Rear Bumper - Body Colour	S			-			-	-
Rear Bumper - Chrome Steel		S	S	S	S			
Rear Bumper - Bolder Grey					5	S	S	
Rear Bumper - Unique Raptor Design								S
Side Steps - Black		S	S	S	S			
		5	5	5	5	S	S	
Side Steps - Black with Silver Inserts		<u> </u>		6	<u> </u>	5	5	
Rear Sports Bar - Chrome Tubular		S	S	S	S	6	6	
Rear Sports Bar - Sailplane				-		S	S	
Tow Bar		S	S	S	S	S	S	S
Wheels - 16" Alloy	s	<u> </u>	6	6				<u> </u>
Wheels - 17" Alloy Wheels - 18" Alloy	0	S O	S O	S	S	S	S	S
Tyres - 33' BF Goodrich All-Terrain T/A ®		0	0			3		
KO2 (285/70 R17)								S
Recovery Hooks - Front (rated at 4,635kg)								S
Recovery Hooks - Rear (rated at 3,863kg)								S
Strengthened Chassis Frame								S
Load Box Elements								
Bedliner with 12V Socket		S	S	S	S	S	S	
Tough Bed Spray-In Bedliner	0	0	0					S
Inner Tie Downs	S	S	S	S	S	S	S	S
Load Box Illumination	S	S	S	S	S	S	S	S
Load Rest	S							
Power Roller Shutter						S	S	
Tailgate Lock - Manual	S	S	S	S	S			
Tailgate Lock - Power (activated with Central						S	S	S
Locking)				-				
Tailgate with Lift Assistance	S	S	S	S	S	S	S	S
Comfort and Convenience								
230V Inverter - Rear of Centre Console	S	s	s	s	S	S	S	S
Acoustic Windshield	S	S	S	S	S	S	S	S
Ambient Lighting - Multi-Colour	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	S	S	
Auxillary 12V Power Outlet - Lower Dashboard Auxillary 12V Power Outlet - Rear of Centre	S	S	S	S	S	S	S	S
Console	S	S	S	S	S	S	S	S
Centre Console - Single Lid with 2 Cup Holders	S	S	S	S	S	S	S	S
Child Seat Upper Anchorage Points (x 2)	S	S	S	S	S	S	S	S
Child Seat ISOFIX Anchorage Points (x 2)	S	S	S			S	S	S
Climate Control - Single Zone Manual	S							
Climate Control - Dual Zone Automatic	P	S	S	S	S	S	S	S
Dual Colour 4.2" Instrumentation Screens	P	S	S	S	S	S	S	
Floor Coverings - Carpet	S	S	S	S	S	S	S	S
Floor Mats - Driver Only	S	S	S	S	S			
Floor Mats (Wildtrak) - All Positions						S	S	
Floor Mats (Raptor) - All Positions		6	6	C C	6	6	6	S
Headlamps - Auto On/Off Function	S	S	S	s	S	S	S	S
Leather Wrapped Steering Wheel & Gear Knob Leather Wrapped Sports Steering Wheel with		S	S	S	S	S	S	
Contrast Stitching								S
Leather Wrapped Gear Shifter & Handbrake								S

4x4 XLS, XLT, WILDTRAK Ranger 2020.75MY Specifications. Continued.

	4x4 XLS Double Cab Pick-up 3.2 Diesel	4x4 XLT Double Cab Pick-up 2.0 Diesel	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 2.0 Diesel	4x4 XLT Super Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Raptor Double Cab Pick-Up 2.0L Diesel
Power Front Windows (Auto Driver)	S	S	S	S	S	S	S	S
Power Rear Windows	S	S	S			S	S	S
Rain Sensing Windscreen Wipers		S	S	S	S	S	S	S
Rear Window Defrost	S	S	S	S	S	S	S	S
Rear View Mirror - Manual Day/Night Inside	S							
Rear View Mirror - Electrochromatic		S	S	S	S	S	S	S
Under Seat Stowage Windscreen Mounted USB Port	S	S	S	S	S	S	s	S
Audio And Communication	3	3	3		3	3	3	3
FordPass Connect - Embedded Modem ^{6.}	S	S	S	S	S	S	S	S
8" Colour Touch Screen	s	s	S	S	S	s	s	s
6 Speakers (2 Tweeters, 4 Woofers)	S	s	S	S	S	s	s	S
AM/FM Stereo Radio	S	S	S	S	S	S	S	S
Apple CarPlay & Android Auto ⁷	S	s	S	S	S	S	S	S
Bluetooth® with Phone/Audio Streaming®.	S	S	S	S	s	S	S	s
CD Player (MP3 compatible)	P	S	S	S	S	S	S	S
DAB+ Digital Radio	P	S	S	S	S	S	S	S
Satellite Navigation with Traffic Message	P	s	S	S	S	S	S	S
Channel ^{9.} SYNC®3 ^{10.}	S							
SYNC®3 with Voice-Activated Controls ^{11.}	P	S	S	S	S	S	S	S
USB Ports	2	2	2	2	2	2	2	2
Seating								
6-way Manual Driver Seat Adjustment (plus Lumbar Support) 8-way Power Driver Seat Adjustment (plus Lumbar Support)	S	S	S	S	S	S	S	S
8-way Power Passenger Seat Adjustment (plus Lumbar Support)								S
Heated Front Seats						S	S	S
XLT Leather Accented Seats (Black) Wildtrak Leather Accented Seats (Black with		0	0			6	c.	
orange stitching) Raptor Embossed Ebony Leather & Dinamica with Blue Stitching						S	S	S
Front Sport Seats								S
Safety, Security and Driver Assistance								
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S	S	S	S	S
Adaptive Cruise Control ^{12.}		P	P	P	P	S	S	
Adjustable Speed Limiter	S	S	S	S	S	S	S	S
Airbags - Driver and Front Passenger	S	S	S	S	S	S	S	S
Airbags - Front Seat Side	S	S	S	S	S	S	S	S
Airbags - Side Curtain (Full Length)	S	S	S	S	S	S	S	S
Alarm with Perimeter, Interior Motion and Vehicle Inclination Sensors	S	S	S	S	S	S	S	S
Anti-Lock Braking System (ABS) ^{12.}	S	S	S	S	S	S	S	S
Auto High Beam ^{12.}	S	S	S	S	S	S	S	S
Beltminder™ - All Positions	S	S	S	S	S	S	S	S
Cruise Control	S	S	S	S	S	S	S	S
Driver Impairment Monitor ¹²	S	S	S	S	S	S	S	S
Dynamic Stability Control (DSC) ^{12.}	S	S	S	S	S	S	S	S
Emergency Assistance ^{13.}	S	S	S	S	S	S	S	S
Emergency Brake Assist	S	S	S	S	S	S	S	S
Emergency Brake Light	S	S	S	S	S	S	S	S
Hill Descent Control ¹²	S	S	S	S	S	S	S	S
Hill Launch Assist ¹²	S	S	S	S	S	S	S	S
Lane Keeping Aid ¹² .	S	S	S	S	S	S	S	S
Load Adaptive Control ¹²	S	S	S	S	S	S	S	S
MyKey® Parking Sonsors Front	c	S	S	S	S	S	S	S
Parking Sensors - Front	S	s	S	S	s	S	s	S
Parking Sensors - Rear Pre-Collision Assist - AEB with Pedestrian	S	s	S	S	s	S	s	s
Detection Rear Differential - eLocking	S	S	S	S	S	S	s	S
Rear View Camera	s	s	S	S	s	s	s	S
Rear View Camera Roll Over Mitigation	s	s	S	S	S	s	S	S
Semi-Auto Active Park Assist	3	S	P	S	P	s	s	5
Smart Keyless Entry with Push Button Start - 2 Fobs Provided ¹⁴ .	P	S	S	S	S	S	s	S
Traction Control System ^{12.}	S	S	S	S	S	S	S	S
Traffic Sign Recognition ^{12.}	S	S	S	S	S	S	S	S

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack A = Accessory fitted at Ford Dealer

5. Rear mud flaps on pick-up models only. 6. Use of FordPass is subject to the FordPass Terms and Privacy Policy and the Connected Vehicle Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, internet access, and software (including software updates from time to time). You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App any pour mobile device, including associated fees. The FordPass Services interrupted. Ford is not responsible for any limitations or testrict. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass Services interrupted. Ford is not responsible for any limitations or testrictions of the telecommunications network or of your mobile device. 7. Apple CarPlay / Android Auto requires phone with compatible version of Apple IOS / AndroidTM (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective for functionality. Message and data rates may apply. Apple CarPlay, Sir Eyes Free, Pood and IPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warining: Local laws prohibit some phone functions wille driving. Check your local road rules before using these functions. 8. Bluetoothe is a registered trademark of Bluetoothe ISG. Inc. and is under license. Some phones not compatible. The nogoing provision of this feature cannots be guaranteed if Ford's arrangements with Intelematics cease for any reason. 10. SYNC® features may not be compatible with all phones. For compatibility, see ford.com.au/sync. Sync @ 3 System on XL & XLS models don to have embedded v

4x4 XLS, XLT, WILDTRAK Ranger 2020.75MY Specifications. Continued.

	4x4 XLS Double Cab Pick-up 3.2 Diesel	4x4 XLT Double Cab Pick-up 2.0 Diesel	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 2.0 Diesel	4x4 XLT Super Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Raptor Double Cab Pick-Up 2.0L Diesel
Trailer Sway Control ^{12.}	S	S	S	S	S	S	S	S
Tyre Pressure Monitoring System		S	S	S	S	S	S	
Volumetric Alarm with Battery Backup System								S
Terrain Management System with 6 Modes - Normal, Sport, Grass/Gravel/Snow, Mud/Sand, Rock, Baja								S
Regular Production Options								
Automatic Transmission	0	S	0	0	S	S	0	S
Black 17" Alloy Wheels	0							
Black 18" Alloy Wheels		0	0			0	0	
17" Continental All Terrain Tyres								
XL Heavy Duty Suspension								
XL 4x4 Heavy Duty Pack, including: Heavy Duty Suspension, 17" Black Steel Wheels, 17" Continental A/T Tyres, Solid Wheel Nuts, Side Steps (on Super/Double Cab Chassis and Double Cab Pick Up), Rear Camera Accessory (on Single/Super/Double Cab Chassis)								
XLS Premium Pack, including: Satellite Navigation, Dual 4.2" Instrument Screens, CD Player, Embedded Voice Control, DAB+ Digital Radio, Dual Zone Climate Control, Smart Keyless Entry with Push Button Start, Chrome Exterior Grille & Handles	0							
XLT Leather Accented Seats		0	0					
XLT Tech Pack, including: Adaptive Cruise Control with Forward Collision Alert, Semi Auto Active Park Assist		0	0	0	0			
Tough Bed Spray-In Bedliner	0	0	0					S
Prestige Paint	0	0	0	0	0	0	0	0
Raptor Decal Pack								0

12. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather.