











TOUGH DONE SMARTER

The 2020.75MY Ranger has arrived, boasting more technology than ever before. All Rangers come standard with Autonomous Emergency Braking, Lane Keeping Aid, Traffic Sign Recognition and FordPass Connect creating the most advanced Ranger yet.

Bi-Turbo Engine

The epitome of tough done smart. Combining high grade alloy materials to ensure durability at higher temperatures, the two turbo chargers work together with the advanced 10-speed auto to allow for greater torque, better fuel economy and lower noise levels, with the reliability and robustness expected from a Ranger.

3.2L Diesel Engine

Tried, tested and trusty. Boasting 147kW of power and 470Nm of torque, the 3.2L 5 cylinder diesel engine delivers all the power you'd expect, with incredible fuel efficiency.

WELCOME TO THE WORLD OF FORD CONNECTIVITY

Every 2020.75MY Ford Ranger will arrive fitted with an embedded modem known as FordPass Connect. Using the FordPass App on your smartphone¹², you can locate your vehicle, lock and unlock the doors, and even start the engine remotely to heat or cool the cabin to the last known setting.¹³.



Double Cab Colour Range

*Practice Paint - A Wildtrak evaluaive colour. That available on Wildtrak - YVIT 8 Wildtrak evaluaive colour



Wildtrak in Arctic White



Wildtrak in Aluminium Silver



XLT in True Red



XLT in Meteor Grey*



XLT in Blue Lightning*



XLT in Shadow Black*



Wildtrak in Saber*



XLT in Alabaster White*

Notes



Autonomous Emergency Braking (AEB) - with Pedestrian Detection^{9.}

Standard across the range, this system combines multiple sensors to see the road ahead. This AEB system is designed to help detect and mitigate frontal collisions with vehicles and vulnerable road users like pedestrians and cyclists by automatically applying the brakes.



Traffic Sign Recognition9.

Traffic Sign Recognition can automatically detect and display the current speed limit. It can provide a visual warning if you exceed the detected speed limit, helping you to avoid speeding fines. Standard on all Rangers.



Lane Keeping Aid with Lane Departure Warning^{9.}

Every Ford Ranger can detect if you unintentionally drift out of your lane, initially vibrating the steering wheel to alert you, then applying steering torque to help direct the vehicle back into the lane.



Active Park Assist9.

Not only will this system use ultrasonic sensors to help you find a suitable parallel park, it will steer you in automatically, while you focus on the accelerator and brake.



SYNC®3 with Apple CarPlayTM & Android Auto^{TM 5.8.}

Use voice commands to locate your next worksite, make hands free phone calls and listen to text messages. Connect your compatible smartphone through Apple CarPlay, Android Auto or Applink® for hands-free control of your favourite apps.



Power Roller Shutter

Standard on Wildtrak, the redesigned power operated roller shutter offers improved security and additional load space. Opened through the key fob, dash or inside the tray this new design is a great way to secure your load.



	XL	XLS	XLT	Wildtrak
Orivetrains				
4x2 (Low-Rider)				
4x2 (Hi-Rider)				
4x4				<u> </u>
Body Styles				
Single Cab Chassis				
Super Cab Chassis				
Super Cab Pick-Up				
Double Cab Chassis				
Double Cab Pick-Up				
2.2L TDCi Diesel Engine				
Availability	S			
Engine Type		Inline 4	Cylinder	
Engine Size (cm³)		219	 98	
Maximum Power		118kW @	3200rpm	
Maximum Torque		385Nm @ 16		
Fransmission	6- ⁹		-Speed Automa	tic
3.2L TDCi Diesel Engine		peca manoa, c	- эреси посотна	
Availability		S	S	S
Engine Type		Inline 5		
Engine Size (cm³)		319		
Maximum Power		147kW @		
Maximum Torque			50-2500rpm	
Fransmission	6-9	Speed Manual, 6	-Speed Automa	tic
Bi-Turbo Diesel Engine				
Availability			0	0
Engine Type		Inline 4	Cylinder	
Engine Size (cm³)		191	96	
Maximum Power		157kW @	3750rpm	
Maximum Torque		500Nm @ 17	50-2000rpm	
Fransmission		10-Speed.	Automatic	
/ehicle Masses - excluding 4x2 Low-Rider (I	kg) ^{1.}			
Gross Vehicle Mass		32	00	
Gross Combined Mass		60	00	
Maximum Braked Towing Capacity ^{2.}		35		
Exterior				
				Body Colou
xterior Colour - Bumper (Front)	Body Colour	Body Colour	Body Colour	with Silver Lower Inser
Exterior Colour - Bumper (Rear)	Body Colour	Body Colour	Chrome Steel	Bolder Gre
Exterior Colour - Door Handles	Black	Black	Chrome	Bolder Gre
Exterior Colour - Door Mirrors	Black	Trivet Grey	Chrome	Bolder Gre
exterior Colour - Grille	Black	Trivet Grey	Chrome	Bolder Gre
Exterior Lighting - Front Fog Lamps		Halogen	Halogen	LED
exterior Lighting - High Performance Bi-LED Headlamps				
exterior Lighting - LED Daytime				
Running Lamps				
xterior Mirrors - Power Adjustable	S	S	S	S
exterior Mirrors - Power Folding & Heated			S	S
Exterior Mirrors - Puddle Lamps				S
			S	S
Privacy Glass				
			Chrome	Sailplane
ear Sports Bar			Chrome Tubular	Black with
Rear Sports Bar	Magnet	Magazi	Chrome Tubular Black	Black with Silver Inser
ear Sports Bar Bide Steps Tailgate Lock ^a	Manual	Manual	Chrome Tubular Black Manual	Black with Silver Inser Power
Rear Sports Bar Bide Steps Taligate Lock ^a Taligate with Lift Assistance ^a	Manual S	Manual S	Chrome Tubular Black Manual S	Black with Silver Inser Power S
tear Sports Bar ide Steps Tallgate Lock ^a Tallgate with Lift Assistance ^a Tow Bar	S	S	Chrome Tubular Black Manual S	Black with Silver Inser Power S
tear Sports Bar ide Steps Tallgate Lock ^a Tallgate with Lift Assistance ^a Tow Bar Vheel Size and Type			Chrome Tubular Black Manual S	Black with Silver Inser Power S
Rear Sports Bar Side Steps Tallgate Lock ³ . Tallgate with Lift Assistance ³ . Tow Bar Wheel Size and Type Load Box Elements	S	S	Chrome Tubular Black Manual S S 17" Alloy	Black with Silver Inser Power S S 18" Alloy
tear Sports Bar side Steps aligate Lock ^a . aligate with Lift Assistance ^{a.} ow Bar Wheel Size and Type oad Box Elements	S	S	Chrome Tubular Black Manual S	Black with Silver Inser Power S
tear Sports Bar side Steps aligate Lock ^a . aligate with Lift Assistance ^a . ow Bar Vheel Size and Type oad Box Elements bedliner with 12V Socket	S	S	Chrome Tubular Black Manual S S 17" Alloy	Black with Silver Inser Power S S 18" Alloy
ear Sports Bar ide Steps ailgate Lock ^{3,} ailgate with Lift Assistance ^{3,} ow Bar //heel Size and Type oad Box Elements edliner with 12V Socket uner Tie Downs ^{3,}	S 16" Steel	S 16" Alloy	Chrome Tubular Black Manual S S 17" Alloy	Black with Silver Inser Power S S 18" Alloy
tear Sports Bar side Steps saligate Lock ³ . saligate with Lift Assistance ³ . sow Bar Wheel Size and Type oad Box Elements sedliner with 12V Socket nner Tie Downs ³ . oad Box Illumination ³ .	S 16" Steel S	S 16" Alloy S	Chrome Tubular Black Manual S S 17" Alloy	Black with Silver Inser Power S S 18" Alloy
tear Sports Bar fide Steps fallgate Lock ³ . fallgate with Lift Assistance ³ . fow Bar Wheel Size and Type oad Box Elements fieldliner with 12V Socket nner Tie Downs ³ . oad Box Illumination ³ . oad Rest ³ .	S 16" Steel S S	S 16" Alloy S S	Chrome Tubular Black Manual S S 17" Alloy	Black with Silver Inser Power S S 18" Alloy
Rear Sports Bar Side Steps Tailgate Lock ^{3.} Tailgate with Lift Assistance ^{3.} Tow Bar Wheel Size and Type Load Box Elements Sedliner with 12V Socket Inner Tie Downs ^{3.} Load Box Illumination ^{3.} Load Rest ^{3.} Power Roller Shutter	S 16" Steel S S	S 16" Alloy S S	Chrome Tubular Black Manual S S 17" Alloy	Black with Silver Inser Power S S 18" Alloy S S S
Rear Sports Bar Side Steps Tallgate Lock ³ Tallgate with Lift Assistance ³ Tow Bar Wheel Size and Type .oad Box Elements Bedliner with 12V Socket nner Tie Downs ³ .oad Box Illumination ³ .oad Rest ³ Power Roller Shutter Seating	S 16" Steel S S S	S 16" Alloy S S S	Chrome Tubular Black Manual S S 17" Alloy S S S	Black with Silver Inser Power S S 18" Alloy S S S
Rear Sports Bar Side Steps failgate Lock ^a . failgate with Lift Assistance ^a . fow Bar Wheel Size and Type .oad Box Elements Bedliner with 12V Socket nner Tie Downs ^a oad Box Illumination ^a oad Rest ^a Power Roller Shutter Seating Sway Manual Driver Seat Adjustment plus	S 16" Steel S S	S 16" Alloy S S	Chrome Tubular Black Manual S S 17" Alloy	Black with Silver Inser Power S S 18" Alloy S S S
Rear Sports Bar Side Steps Tallgate Lock ^{3.} Tallgate with Lift Assistance ^{3.} Tow Bar Wheel Size and Type Load Box Elements Bedliner with 12V Socket The Downs ^{3.} Load Box Illumination ^{3.} Load Rest ^{3.} Tower Roller Shutter Seating Load Manual Driver Seat Adjustment plus Load Power Driver Seat Adjustment plus Load Power Driver Seat Adjustment plus	S 16" Steel S S S	S 16" Alloy S S S	Chrome Tubular Black Manual S S 17" Alloy S S S	Black with Silver Inser Power S S 18" Alloy S S S
Privacy Glass Rear Sports Bar Side Steps Fallgate Lock ³ Fallgate with Lift Assistance ³ Fow Bar Wheel Size and Type Load Box Elements Bedliner with 12V Socket Inner Tie Downs ³ Load Rest ³ Power Roller Shutter Seating S-way Manual Driver Seat Adjustment plus Lumbar Support B-water Fount Seats B-way Power Driver Seat Adjustment plus Lumbar Support B-away Power Driver Seat Adjustment plus Lumbar Support B-away Power Driver Seat Adjustment plus Lumbar Support B-away Fower Driver Seats	S 16" Steel S S S	S 16" Alloy S S S	Chrome Tubular Black Manual S S 17" Alloy S S S	Black with Silver Inser Power S S 18" Alloy S S S S
Rear Sports Bar Side Steps Failgate Lock ³ Failgate with Lift Assistance ³ Fow Bar Wheel Size and Type Load Box Elements Bedliner with 12V Socket Inner Tie Downs ³ Load Rest ³ Power Roller Shutter Seating S-way Manual Driver Seat Adjustment plus Lumbar Support Heated Front Seats	S 16" Steel S S S	S 16" Alloy S S S	Chrome Tubular Black Manual S S 17" Alloy S S S	Black with Silver Inser Power S S I8" Alloy S S S S S S S S S S S S S S S S S S S
Rear Sports Bar Side Steps Gallgate Lock ³ Gallgate with Lift Assistance ³ Fow Bar Wheel Size and Type Load Box Elements Redliner with 12V Socket Inner Tie Downs ³ Load Box illumination ³ Load Rest ³ Power Roller Shutter Seating Seating Seating Seating Seaton Driver Seat Adjustment plus Lumbar Support	S 16" Steel S S S	S 16" Alloy S S S	Chrome Tubular Black Manual S S 17" Alloy S S S	Black with Silver Inser Power S S 18" Alloy S S S S
Rear Sports Bar Side Steps Saligate Lock ^a Saligate with Lift Assistance ^a Fow Bar Wheel Size and Type Load Box Elements Sedliner with 12V Socket Inner Tie Downs ^a Load Box Illumination ^a Load Rest ^a Power Roller Shutter Seating Seating	S 16" Steel S S S	S 16" Alloy S S S	Chrome Tubular Black Manual S S 17" Alloy S S S	Black with Silver Inser Power S S 18" Alloy S S S S S

	XL	XLS	XLT	Wildtrak
Ambient Lighting - Multi-Colour				S
Auto-Dimming Rear View Mirror			S	S
Auxillary 12V Power Outlets - in Cabin	2	2	2	2
Child Seat Upper Anchorage Points (Super Cab / Double Cab only)				
Child Seat ISOFIX Anchorage Points ^{4.}	2	2	2	2
Climate Control - Dual Zone Automatic		2	S	<u>-</u>
Dual Colour 4.2" Instrumentation Screens		Р	s	s
	Vinvl		Carpet	Carpet
Floor Coverings Floor Mats	VIIIyt	Carpet Driver	Driver	
				Front and Rear
Headlamps - Auto On/Off Function	S	S	S	S
Leather Wrapped Steering Wheel & Gear Knob				
Power Windows (Auto Driver)	S	S	S	S
Rain Sensing Wipers			S	S
Smart Keyless Entry with Push Button Start		P	S	S
Audio And Communication				
FordPass Connect - Embedded Modem	S	S	S	S
8" Colour Touch Screen	S	S	S	S
Apple CarPlay & Android Auto ^{5.}	S	S	S	S
Bluetooth® with Phone/Audio Streaming ^{6.}	S	S	S	S
DAB+ Digital Radio		Р	S	S
Satellite Navigation with Traffic Message Channel ⁷				
SYNC®38.	S	S		
SYNC®3 with Voice-Activated Controls®.		P		S
USB Ports	2	 2	2	2
Windscreen Mounted USB Port	S	S	S	S
Safety, Security and Driver Assistance			P	
Active Park Assist®				S
Adaptive Cruise Control ^{9.}			P	
Airbags x 6 - Front and Side (Driver & Passenger), Full Length Curtain				
Alarm with Perimeter, Interior Motion & Vehicle Inclination Sensors				
Auto High Beam ^{9,}				
Autonomous Emergency Braking (AEB) - with Pedestrian Detection ⁹				
Cruise Control with Adjustable Speed Limiter				
Driver Impairment Monitor ^{9.}	S	S	S	S
Dynamic Stability Control (DSC) incorporating ABS, Load Adaptive Control, Roll Over Mitigation, Traction Control & Trailer Sway Control ⁹ .				
Emergency Assistance ^{10.}	S	S	S	S
Hill Descent Control 9.11.				
Hill Launch Assist ^{9.}				
Lane Keeping Aid ^{9.}				
MyKey®		P		
Parking Sensors ^{3.}	Rear	Front & Rear	Front & Rear	Front & Rear
Rear Differential - eLocking ¹	S	S	S	S
Rear View Camera (Optional Accessory				
on Cab-Chassis Models)				
Traffic Sign Recognition ^{9.}	S	S	S	S
Tyre Pressure Monitoring System			S	S
Factory Fitted Options				
Black 17" Alloy Wheels		0		
Black 18" Alloy Wheels ^{4.}			0	0
17" Continental All Terrain Tyres ^{11.}	0			
XL Heavy Duty Suspension ^{1.}				
XL 4x4 Heavy Duty Pack, incl. Heavy Duty Suspension, 17" Black Steel Wheels, 17" Continental A/T Tyres, Solid Wheel Nuts, Side Steps (on Super/Double Cab Chassis & Double Cab Pick Up), Rear Camera Accessory (on Single/Super/Double Cab Chassis)	0			
XLS Premium Pack - incl. Satellite Navigation, Dual 4,2" Instrument Screens, CD Player, Embedded Voice Control, DAB+ Digital Radio, Dual Zone Climate Control, Smart Keyless Entry with Push Button Start, Chrome Exterior Grille & Handles		0		
XLT Leather Accented Seats - Black ⁴			0	
XLT Tech Pack - incl. Adaptive Cruise			0	
Control, Semi-Auto Active Park Assist				
Tough Bed Spray-In Bedliner	o			

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured P = Part of a Pack

1. Excluding 4x2 XL. Single Cab Chassis 2.2 Low Rider, which has a GCM of 5.425kg, GVM of 2.925kg, and Maximum Braked Towing Capacity of 2,500kg, 2. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations fruther weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance. 3. Available on Pick-up models only, 4. Available on Double Cab models only, 5. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Sin Eyes Free, iPod and iPhone are trademarks of Apple inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible. The Section of the Synchrologies and content in the Synchrologies and Sync

NEW UPDATES FOR RANGER 2021.25MY







FEATURE AVAILABILITY BY SERIES	XL	XLS	XLT	WILDTRAK	RAPTOR
MECHANICAL / EXTERIOR					
Electronic Locking Rear Differential (eLRD)	S - 4x4, O – 4x2 Hi-Rider	S	S	S	S
Standard Spare Wheel Size and Type	16" Steel (17" Steel with opt. 17" A/T Tyres)	16" Steel	17" Steel	17" Steel (Full size 18" Alloy spare is optional)	17" Alloy
INTERIOR					
2 nd Row Centre Arm Rest (Double Cab)	_	_	S	S	S
230V AC Inverter	_	_	S	S	S
Power Driver's Seat	_	_	_	6-Way	8-Way
Driver's Seat Lumbar Adjustment	_	_	_	S	S
Acoustic Windscreen	_	_	S	S	S
Front Side Door Acoustic Glass	_	_	_	_	_
Active Noise Cancellation (IANC)	_	_	_	_	S
Floor Mats	_	Driver	Driver	Driver & Front Passenger	Driver & Front Passenger
Instrumentation Cluster Screen	Single (4.2")	Single (4.2")	Single (4.2")	Dual (2 x 4.2")	Single (4.2")
Sliding Rod Sun-Visor Feature	_	_	_	_	_
Vanity Mirror Illumination	_	_	_	_	_

NEW OPTIONS - RANGER 2021.25MY	XL	XLT	WILDTRAK
Electronic Locking Rear Differential	S - 4x4, O – 4x2 Hi-Rider	_	_
Deletion of Chrome Sports Bar	-	0	_
18" Full-Size Spare Alloy Wheel (N/A with 18" Black Alloy Wheel option)	_	_	0

FORD **SERVICE BENEFITS**

Our Commitment to You | Convenience, Reliability, And no nasty surprises. That's what service should be, And that's exactly what Ford promises when you have your car serviced. Feel at ease knowing that your car is being serviced by factory trained technicians using specialised diagnostic equipment. After all, nobody knows your Ford better than we do. Speak to your participating Ford Dealer today about how we can help you make the most out of your vehicle experience.



PER STANDARD A OR B SCHEDULED SERVICE FOR UP TO 4 YEARS/60,000KMS

Feel at ease knowing that when you purchase a new 2020.75MY Ranger onwards, for eligible customers, the most you will pay is \$299 for items listed in an A or B standard service for the first 4 years or up to 60,000km, whichever comes first.2.



As a Ford owner you will receive a Five Year / Unlimited Kilometre Ford Express New Vehicle Warranty with your purchase.1 For details about this warranty please visit: www.ford.com.au/owners/warranties

Low Price Tyre Guarantee

We'll match competitor's price on selected tyres we stock.

















Service Loan Car3.



Brakes Price Promise3.



Service Calculator 3.



Roadside Assistance Auto Club³



Low Price Tyre Guarantee



Sat Nav Map Updates3.



Vehicle Health Report



Genuine Ford Parts



Peace of Mind Service



Online Service **Bookings**

Now that's what Service should be.

Contact us

If you have any questions or concerns, please contact our Customer Relationship Centre on 13 FORD (13 3673) or email foacust1@ford.com

Running a fleet?

Our Ford Fleet team is here to assist you in any way we can. Please call 1300 13 13 30 or email askfleet@ford.com

Ford For Good

From supporting national causes to community volunteering, we take our social responsibility seriously. Find out more at ford.com.au/about/community



1. Warranty conditions apply. 5 year/unlimited km Ford Express New Vehicles Warranty applies to new, demonstrator and service loaner vehicles delivered from 1 May 2018. Our goods come with consumer guarantees that cannot be excluded under the Australian Consumer Law. Our warranty does not limit and may not exceed your rights under those guarantees. 2. Available at participating Ford Dealers on 2019MY Endura onwards, 2019/75MY Ranger onwards, 2019/75MY Everest onwards, 2020MY Mustang onwards, 2020.25MY Fiesta ST onwards and 2020.25MY Focus ST onwards vehicles first purchased by a Private or Blue Fleet customer or as a dealer demonstrator/service loaner (CCLV) vehicle excluding vehicles purchased under Ford's Privilege Club or Ford's Dealership Employee Program, Offer valid for 4 years or 60,000km (whichever occurs first) commencing on the date of delivery to original owner except for demonstrator/service loaner (CCLY) vehicles, in which case it commences on the date it was first response to the commence of the date it was first response to the date in the date of delivery to original owner except for demonstrator/service loaner (CCLY) vehicles, in which case it commences on the date it was first response to the date in the date in the date in the date of delivery to original owner except for demonstrator/service loaner (CCLY) vehicles, in which case it commences on the date in the date Ford Dealer. A or B Scheduled Service Items (and Additional Scheduled Maintenance Items which are not included) are set out in the Customer Assistance and Warranty Guide with the vehicle. See www.ford.com.au/service/t-and-c for full terms. 3. Available at participating Dealers. See www.ford.com.au/owners/service/forfull terms and conditions.

environmental conditions. Not all features will be available on the entire 2020.75MY Ranger onwards Range. Please visit our website www.ford.com.au for more information.

This brochure is designed to provide you with a general introduction to the Ford Products (including available optional equipment) referred to, and should be read in conjunction with the latest specification sheet. Image and Illustrations are for information purposes and are indicative only. Because of changes in conditions and circumstances Ford* reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice, to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchasers. The latest specification sheet should be referred to for information on the availability, ordering and use of features and optional equipment. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order.

*FORD MOTOR COMPANY OF AUSTRALIA LIMITED. (A.B.N. 30 004 116 223) Registered Office: Level 1, 600 Victoria St, Richmond, Victoria 3121, Australia. 2020.75MY Ranger Brochure. Printed September 2020. FMPMGT0252 FRD0002472

Click to Request















No matter what Ford you buy,

you can easily borrow another.



Purchase any new Ford, and have any second Ford available to you for two weeks. Ask us for details.



	4x2 XL Single Cab Chassis Low-Rider 2.2 Diesel	4x2 XL Single Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Super Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 3.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 2.0 Diesel
Engine							
Engine Type	Inline 4 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder
Engine Size (cm³)	2198	2198	2198	2198	2198	3198	1996
Compression Ratio	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1	16:1
Maximum Power		118kW @ 3200rpm					
	385Nm @	385Nm @	385Nm @	385Nm @	385Nm @	470Nm @	500Nm @
Maximum Torque	1600-2500rpm	1600-2500rpm	1600-2500rpm	1600-2500rpm	1600-2500rpm	1750-2500rpm	1750-2000rpm
No. of Valves	16	16	16	16	16	20	16
Bore x Stroke (mm)	86 x 94.6	86 x 94.6	86 x 94.6	86 x 94.6	86 x 94.6	89.9 x 100.76	84 x 90
Fuel Management System	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection
Transmissions/Ratios							
6-speed manual transmission	S						
6-speed automatic transmission		S	S	S	S	S	
10-speed automatic transmission							S
Fuel							
Combined Fuel Economy (L/100km)(Manual) ^{1.}	6.5						
CO ₂ Emissions (g/km)(Manual) ¹	169						
Combined Fuel Economy (L/100km)(Auto) ¹	·	7.8	7.8	7.8	7.8	8.2	6.7
CO, Emissions (g/km)(Auto) ^{1.}		203	203	203	203	216	177
Fuel Tank Capacity (L)	80	80	80	80	80	80	80
	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Fuel Type	Dieset	Dieset	Dieset	Dieset	Dieset	Dieset	Dieset
Pick-up Box Dimensions (mm)							
Height - at centreline of axle					511	511	511
Height - floor height to ground					835	835	835
Length - at floor					1549	1549	1549
Length - top of box					1485	1485	1485
Width - between wheelhouses					1139	1139	1139
Width - pick-up box					1560	1560	1560
Width - rear opening					1330	1330	1330
Exterior Dimensions (mm)							
Length - with rear bumper (where fitted)	5133	5133	5133	5133	5382	5446	5446
Width - exterior mirors extended	2163	2163	2163	2163	2163	2163	2163
Width - exterior mirrors folded	1977	1977	1977	1977	1977	1977	1977
Width - excluding mirrors	1867	1867	1867	1867	1867	1867	1867
Height	1703	1800	1804	1815	1815	1821	1821
Overhang - Front	928	928	928	928	928	928	928
	985	985	985		1234	1226	1226
Overhang - Rear				985			
Track - Front and Rear	1590	1560	1560	1560	1560	1560	1560
Wheelbase	3220	3220	3220	3220	3220	3220	3220
Ground Clearance (unladen, mm)	201	232	232	232	232	237	237
Wading Depth (mm)	600	800	800	800	800	800	800
Approach Angle (unladen, degrees)	22	28	28	28	28	29	29
Departure Angle (unladen, degrees)	24	28	24	28	27	21	21
Ramp Breakover Angle (degrees)	17	24	24	24	24	25	25
Turning Circle - Kerb to Kerb (m)	11.9	12.7	12.7	12.7	12.7	12.7	12.7
Interior Dimensions (mm)							
2nd Row Headroom			938	986	986	986	986
2nd Row Legroom			796	902	902	902	902
2nd Row Shoulder Room			1400	1430	1430	1430	1430
Front Headroom	1024	1024	1024	1022	1022	1022	1022
Front Legroom	1058	1058	1058	1058	1058	1058	1058
Front Shoulder Room	1440	1440	1440	1440	1440	1440	1440
Vehicle Masses (kg)							
Kerb Weight - Total ²	1666	1724	1783	1845	1970	2131	2099
Kerb Weight - Front Axle ^{2.}	1046	1084	1108	1119	1158	1164	1137
Kerb Weight - Rear Axle ^{2.}	620	640	675	726	812	967	962
Payload ^{3.}	1259	1476	1417	1355	1230	1069	1101
Gross Vehicle Mass	2925	3200	3200	3200	3200	3200	3200
Gross Combined Mass	5425	6000	6000	6000	6000	6000	6000
Maximum Braked Towing Capacity ^{4.}	2500	3500	3500	3500	3500	3500	3500
Maximum Axle Load - Front	1325	1480	1480	1480	1480	1480	1480
Maximum Axle Load - Rear	1755	1850	1850	1850	1850	1850	1850
	.,,55			.000		.000	.000

1. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 2. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of potional features must be taken into account when calculating kerb weight, behicle dimensions/weights are approximate and subject to individual variances. Vehicles should be weighed before adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM) and Gross Combined Mass (GCM) are not exceeded. On variants where both a 6-speed manual and 6-speed auto are available, the 6-speed auto typically is 17-18kg heavier than manual, which then reduces the payload by 17-18kg. 3. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and town ball download (when towing). GVM must not be exceeded. 4. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance.

	4x2 XL Single Cab Chassis Low-Rider 2.2 Diesel	4x2 XL Single Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Super Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 3.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 2.0 Diesel
Exterior							
Centre High Mounted Stop Light					S	S	S
Exterior Lighting - LED Daytime Running Lamps						S	S
Exterior Door / Tailgate Handles - Black	S	S	S	S	S		
Exterior Door / Tailgate Handles - Chrome						S	S
Exterior Lighting - Front Fog Lamps (Halogen)						S	S
Exterior Lighting - High Performance Bi-LED Headlamps						S	S
Exterior Mirrors - Black	S	S	S	S	S		
Exterior Mirrors - Chrome						S	S
Exterior Mirrors - Power Adjustable	S	S	S	S	S	S	S
Exterior Mirrors - Power Folding & Heated with Turn Indicator						S	S
Front Bumper - Body Colour	S	S	S	S	S	S	S
Grille - Black	S	S	S	S	S		
Grille - Chrome						S	S
Mud Flaps - Front and Rear ^{5.}	S	S	S	S	S	S	S
Privacy Glass						S	S
Rear Bumper - Body Colour					S		
Rear Bumper - Chrome Steel						S	S
Rear Sports Bar - Chrome Tubular						S	S
Tow Bar						S	S
Wheels - 16" Steel	S	S	S	S	S		
Wheels - 17" Alloy	-	-	-	-	-	S	S
Wheels - 18" Alloy						0	0
Load Box Elements							
Bedliner with 12V Socket						S	S
Tough Bed Spray-In Bedliner					0	0	0
Inner Tie Downs					S	S	S
Load Box Illumination					S	S	S
Load Rest					S		
Tailgate Lock - Manual					S	S	S
Tailgate with Lift Assistance					S	S	S
Comfort and Convenience							
230V Inverter - Rear of Centre Console			S	S	S	S	S
Acoustic Windshield	S	S	S	S	S	S	S
Auxillary 12V Power Outlet - Lower Dashboard	S	S	S	S	S	S	S
Auxillary 12V Power Outlet - Rear of Centre Console			S	S	S	S	S
Centre Console - Single Lid with 2 Cup Holders	S	S	S	S	S	S	S
Child Seat Upper Anchorage Points (x 2)			S	S	S	S	S
Child Seat ISOFIX Anchorage Points (x 2)				S	S	S	S
Climate Control - Single Zone Manual	S	S	S	S	S		
Climate Control - Dual Zone Automatic						S	S
						S	s
Dual Colour 4.2" Instrumentation Screens						3	3
Floor Coverings - Vinyl	S	S	S	S	S		
Floor Coverings - Carpet						S	S
Floor Mats - Driver Only						S	S
Headlamps - Auto On/Off Function	S	S	S	S	S	S	S
Leather Wrapped Steering Wheel & Gear Knob						S	S
Power Front Windows (Auto Driver)	S	S	S	S	S	S	S
Power Rear Windows				S	S	S	S
Rain Sensing Windscreen Wipers						S	S
Rear Window Defrost	S	S	S	S	S	S	S
Rear View Mirror - Manual Day/Night Inside	S	S	S	S	S		
Rear View Mirror - Electrochromatic						S	S
Windscreen Mounted USB Port	S	S	S	S	S	S	S
Audio And Communication							
FordPass Connect - Embedded Modem ^{6.}	S	S	S	S	S	S	S
8" Colour Touch Screen	S	S	S	S	S	S	S
4 Speakers (2 Tweeters, 2 Woofers)	S	S					
6 Speakers (2 Tweeters, 4 Woofers)		<u> </u>	S	S	S	S	S
AM/FM Stereo Radio	S	S	S	S	S	S	s
Apple CarPlay & Android Auto ⁷	S	S	S	S	S	S	s
Bluetooth® with Phone/Audio Streaming®.	S	S	S	S	S	S	S
=	J	<u> </u>	J	J	J	S	S
CD Player (MP3 compatible)							
DAB+ Digital Radio						S	S
Satellite Navigation with Traffic Message Channel ⁹						S	S
SYNC®310.	S	S	S	S	S		
SYNC®3 with Voice-Activated Controls ^{11.}						S	S

S. Rear mud flaps on pick-up models only. **6.** Use of FordPass is subject to the FordPass Terms and Privacy Policy and the Connected Vehicle Terms and Privacy Policy available on ford.com.

(including software updates from time to time). You are responsible for intermet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass Connect Modem and FordPass App can only work when connected to the telecommunications network. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App on you mobile device. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. 7. Apple CarPlay / Android Auto requires phone with compatible version of Apple CarPlay. Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. 8. Bluetooth® is a registered trademark of Buetooth SIG, inc. and is under license. Some phones not compatible. 9. Traffic Message Channel is currently provided through an arrangement with Intelematics. Australia Pty Ltd (Intelematics). The ongoing provision of this feature cannot be guaranteed if Ford's arrangements with Intelematics. System on XL & XLS models do not have embedded voice control.satellite navigation or CD Player. 11. SYNC® 3 features may not be compatible

	4x2 XL Single Cab Chassis Low-Rider 2.2 Diesel	4x2 XL Single Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Super Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Double Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 3.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 2.0 Diesel
Seating							
6-way Manual Driver Seat Adjustment (plus Lumbar Support)	S	S	S	S	S	S	S
XLT Leather Accented Seats (Black)						0	0
Safety, Security and Driver Assistance							
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S	S	S	S
Adaptive Cruise Control ¹²						Р	Р
Adjustable Speed Limiter	S	S	S	S	S	S	S
Airbags - Driver and Front Passenger	S	S	S	S	S	S	S
Airbags - Front Seat Side	S	S	S	S	S	S	S
Airbags - Side Curtain (Full Length)	S	S	S	S	S	S	S
Alarm with Perimeter, Interior Motion and Vehicle Inclination Sensors						S	S
Anti-Lock Braking System (ABS) ^{12.}	S	S	S	S	S	S	S
Auto High Beam ^{12.}	S	S	S	S	S	S	S
Beltminder™ - All Positions	S	S	S	S	S	S	S
Cruise Control	S	S	S	S	S	S	S
Driver Impairment Monitor ^{12.}	S	S	S	S	S	S	S
Dynamic Stability Control (DSC) ^{12.}	S	S	S	S	S	S	S
Emergency Assistance ^{13.}	S	S	S	S	S	S	S
Emergency Brake Assist	S	S	S	S	S	S	S
Emergency Brake Light	S	S	S	S	S	S	S
Hill Launch Assist ^{12.}	S	S	S	S	S	S	S
Lane Keeping Aid ^{12.}	S	S	S	S	S	S	S
Load Adaptive Control ^{12.}	S	S	S	S	S	S	S
MyKey®						S	S
Parking Sensors - Front						S	S
Parking Sensors - Rear					S	S	S
Pre-Collision Assist - AEB with Pedestrian Detection	S	S	S	S	S	S	S
Rear Differential - eLocking		S	S	S	S	S	S
Rear View Camera	А	А	А	А	S	S	S
Remote Keyless Entry - 1 Fob Provided ^{14.}	S	S	S	S	S		
Roll Over Mitigation	S	S	S	S	S	S	S
Semi-Auto Active Park Assist						Р	Р
Smart Keyless Entry with Push Button Start - 2 Fobs Provided ^{14.}						S	S
Traction Control System ^{12.}	S	S	S	S	S	S	S
Traffic Sign Recognition ^{12.}	S	S	S	S	S	S	S
Trailer Sway Control ^{12.}	S	S	S	S	S	S	S
Tyre Pressure Monitoring System						S	S
Regular Production Options							
Automatic Transmission		S	S	S	S	S	S
Black 17" Alloy Wheels							
Black 18" Alloy Wheels						0	0
17" Continental All Terrain Tyres							
XL Heavy Duty Suspension		0	0	0	0		
XL 4x4 Heavy Duty Pack, including: Heavy Duty Suspension, 17" Black Steel Wheels, 17" Continental A/T Tyres, Solid Wheel Nuts, Side Steps (on Super/Double Cab Chassis and Double Cab Pick Up), Rear Camera Accessory (on Single/Super/Double Cab Chassis) XLS Premium Pack, including: Satellite Navigation, Dual 4.2" Instrument Screens, CD Player, Embedded Voice Control, DAB+ Digital Radio, Dual Zone Climate Control, Smart Keyless Entry with Push Button Start, Chrome Exterior Grille & Handles							
XLT Leather Accented Seats						0	0
XLT Tech Pack, including: Adaptive Cruise Control with Forward Collision Alert, Semi Auto Active Park Assist						0	0
Tough Bed Spray-In Bedliner					0	0	0
Prestige Paint	0	0	0	0	0	0	0

	4x4 XL Single Cab Chassis 3.2 Diesel	4x4 XL Super Cab Chassis 3.2 Diesel	4x4 XL Super Cab Pick-up 3.2 Diesel	4x4 XL Double Cab Chassis 2.2 Diesel	4x4 XL Double Cab Chassis 3.2 Diesel	4x4 XL Double Cab Pick-up 2.2 Diesel	4x4 XL Double Cab Pick-up 3.2 Diesel
Engine							
Engine Type	Inline 5 Cylinder	Inline 5 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder
Engine Size (cm³)	3198	3198	3198	2198	3198	2198	3198
Compression Ratio	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1	15.7:1
Maximum Power				118kW @ 3200rpm			
	470Nm	470Nm	470Nm	385Nm	470Nm	385Nm	470Nm
Maximum Torque	@ 1750-2500rpm	@ 1750-2500rpm	@ 1750-2500rpm	@ 1600-2500rpm	@ 1750-2500rpm	@ 1600-2500rpm	@ 1750-2500rpm
No. of Valves	20	20	20	16	20	16	20
Bore x Stroke (mm)	89.9 x 100.76	89.9 x 100.76	89.9 x 100.76	86 x 94.6	89.9 x 100.76	86 x 94.6	89.9 x 100.76
Fuel Management System	Turbocharged direct common rail injection						
Transmissions/Ratios							
6-speed manual transmission	S	S			S		S
6-speed automatic transmission	0	0	S	S	0	S	0
Fuel							
Combined Fuel Economy (L/100km)(Manual) ^{1.}	8.3	8.3			8.3		8.3
CO ₂ Emissions (g/km)(Manual) ^{1.}	218	218			218		218
Combined Fuel Economy (L/100km)(Auto) ^{1.}	8.7	8.7	8.7	8.0	8.7	8.0	8.7
CO ₂ Emissions (g/km)(Auto) ^{1.}	229	229	229	209	229	209	229
Fuel Tank Capacity (L)	80	80	80	80	80	80	80
Fuel Type	Diesel						
Pick-up Box Dimensions (mm)	2.0001			,			
Height - at centreline of axle			511			511	511
Height - floor height to ground			835			835	835
Length - at floor			1847			1549	1549
Length - top of box			1783			1485	1485
Width - between wheelhouses			1139			1139	1139
Width - pick-up box			1560			1560	1560
Width - rear opening			1330			1330	1330
Exterior Dimensions (mm)	5100	====		====	====		
Length - with rear bumper (where fitted)	5133	5133	5382	5133	5133	5382	5382
Width - exterior mirors extended	2163	2163	2163	2163	2163	2163	2163
Width - exterior mirrors folded	1977	1977	1977	1977	1977	1977	1977
Width - excluding mirrors	1867	1867	1867	1867	1867	1867	1867
Height	1800	1804	1804	1815	1815	1815	1815
Overhang - Front	928	928	928	928	928	928	928
Overhang - Rear	985	985	1234	985	985	1234	1234
Track - Front and Rear	1560	1560	1560	1560	1560	1560	1560
Wheelbase	3220	3220	3220	3220	3220	3220	3220
Ground Clearance (unladen, mm)	232	232	232	232	232	232	232
Wading Depth (mm)	800	800	800	800	800	800	800
Approach Angle (unladen, degrees)	28	28	28	28	28	28	28
Departure Angle (unladen, degrees)	28	28	27	28	28	27	27
Ramp Breakover Angle (degrees)	24	24	24	24	24	24	24
Turning Circle - Kerb to Kerb (m)	12.7	12.7	12.7	12.7	12.7	12.7	12.7
Interior Dimensions (mm)							
2nd Row Headroom		938	938	986	986	986	986
2nd Row Legroom		796	796	902	902	902	902
2nd Row Shoulder Room		1400	1400	1430	1430	1430	1430
Front Headroom	1024	1024	1024	1022	1022	1022	1022
Front Shoulder Poors	1058	1058	1058	1058	1058	1058	1058
Front Shoulder Room	1440	1440	1440	1440	1440	1440	1440
Vehicle Masses (kg)	1000(44) (1007(1)	1022/14) (2052/::	2005	1020	1005(M) (2012(::	2051	2310(NA) (2325(1)
Kerb Weight - Total ²	1869(M) / 1887(A)	1933(M) / 1951(A)	2085	1938	1995(M) / 2012(A)	2064	2118(M) / 2135(A)
Kerb Weight - Front Axle ² .	1199(M) / 1217(A)	1223(M) / 1241(A)	1230	1195	1235(M) / 1253(A)	1235	1225(M) / 1243(A)
Kerb Weight - Rear Axle ^{2.}	670	710	855	743	760	829	893
Payload ^{3.}	1331(M) / 1313(A)	1267 (M) / 1249 (A)	1115	1262	1205(M) / 1188(A)	1136	1082(M) / 1065(A)
Gross Vehicle Mass	3200	3200	3200	3200	3200	3200	3200
Gross Combined Mass	6000	6000	6000	6000	6000	6000	6000
Maximum Braked Towing Capacity ^{4.}	3500	3500	3500	3500	3500	3500	3500
Maximum Axle Load - Front	1480	1480	1480	1480	1480	1480	1480
Maximum Axle Load - Rear	1850	1850	1850	1850	1850	1850	1850
						_	

1. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 2. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of potional features must be taken into account when calculating kerb weight, behicle dimensions/weights are approximate and subject to individual variances. Vehicles should be weighed before adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM) and Gross Combined Mass (GCM) are not exceeded. On variants where both a 6-speed manual and 6-speed auto are available, the 6-speed auto typically is 17-18kg heavier than manual, which then reduces the payload by 17-18kg. 3. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and town ball download (when towing). GVM must not be exceeded. 4. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance.

	4x4 XL Single Cab Chassis 3.2 Diesel	4x4 XL Super Cab Chassis 3.2 Diesel	4x4 XL Super Cab Pick-up 3.2 Diesel	4x4 XL Double Cab Chassis 2.2 Diesel	4x4 XL Double Cab Chassis 3.2 Diesel	4x4 XL Double Cab Pick-up 2.2 Diesel	4x4 XL Double Cab Pick-up 3.2 Diesel
Exterior							
Centre High Mounted Stop Light			S			S	S
Exterior Door / Tailgate Handles - Black	S	S	S	S	S	S	S
Exterior Mirrors - Black	S	S	S	S	S	S	S
Exterior Mirrors - Power Adjustable	S	S	S	S	S	S	S
Front Bumper - Body Colour	S	S	S	S	S	S	S
Grille - Black	S	S	S	S	S	S	S
Mud Flaps - Front and Rear ^{s.}	S	S	S	S	S	S	S
Rear Bumper - Body Colour			S			S	S
Wheels - 16" Steel	S	S	S	S	S	S	S
Wheels - 17" Alloy					-		
Load Box Elements							
Tough Bed Spray-In Bedliner						0	0
nner Tie Downs			S			S	S
Load Box Illumination			S			S	S
Load Rest			S			S	S
Failgate Lock - Manual			S			S	S
Tailgate with Lift Assistance			S			S	S
Comfort and Convenience							
230V Inverter - Rear of Centre Console		S	S	S	S	S	S
Acoustic Windshield	S	S	S	S	S	S	S
Auxillary 12V Power Outlet - Lower Dashboard	S	S	S	S	S	S	S
Auxillary 12V Power Outlet - Rear of Centre Console		S	S	S	S	S	S
Centre Console - Single Lid with 2 Cup Holders	S	S	S	S	S	S	S
Child Seat Upper Anchorage Points (x 2)		S	S	S	S	S	S
Child Seat ISOFIX Anchorage Points (x 2)				S	S	S	S
	S	S	S	S	S	S	S
Climate Control - Single Zone Manual							
Floor Coverings - Vinyl	S	S	S	S	S	S	S
Headlamps - Auto On/Off Function	S	S	S	S	S	S	S
Power Front Windows (Auto Driver)	S	S	S	S	S	S	S
Power Rear Windows				S	S	S	S
Rear Window Defrost	S	S	S	S	S	S	S
Rear View Mirror - Manual Day/Night Inside	S	S	S	S	S	S	S
Windscreen Mounted USB Port	S	S	S	S	S	S	S
Audio And Communication							
FordPass Connect - Embedded Modem ^{6.}	S	S	S	S	S	S	S
3" Colour Touch Screen	S	S	S	S	S	S	S
Speakers (2 Tweeters, 2 Woofers)	S						
5 Speakers (2 Tweeters, 4 Woofers)		S	S	S	S	S	S
AM/FM Stereo Radio	S	S	S	S	S	S	S
Apple CarPlay & Android Auto ⁷	S	S	S	S	S	S	S
Bluetooth® with Phone/Audio Streaming®.	S	S	S	S	S	S	S
SYNC®39.	S	S	S	S	S	S	S
JSB Ports	2	2	2	2	2	2	2
Seating							
5-way Manual Driver Seat Adjustment (plus Lumbar Support)	S	S	S	S	S	S	S
Safety, Security and Driver Assistance							
and the second and a second and			S	S	S	S	S
	S	S			S	S	S
Point Lap Sash Seat Belt - All Positions	S	S	S	S	_	5	
Point Lap Sash Seat Belt - All Positions Idjustable Speed Limiter					S	S	S
Point Lap Sash Seat Belt - All Positions Idjustable Speed Limiter Airbags - Driver and Front Passenger	S	S	S	S			S S
8 Point Lap Sash Seat Belt - All Positions Adjustable Speed Limiter Airbags - Driver and Front Passenger Airbags - Front Seat Side	S S S	S S S	\$ \$ \$	S S S	S S	S S	S
Point Lap Sash Seat Belt - All Positions Adjustable Speed Limiter Airbags - Driver and Front Passenger Airbags - Front Seat Side Airbags - Side Curtain (Full Length)	\$ \$ \$ \$	S S S	S S S	\$ \$ \$ \$	S S S	S S S	S S
Point Lap Sash Seat Belt - All Positions Adjustable Speed Limiter Airbags - Driver and Front Passenger Airbags - Front Seat Side Airbags - Side Curtain (Full Length) Anti-Lock Braking System (ABS) ¹⁰ .	\$ \$ \$ \$ \$	S S S S	S S S S	S S S S	S S S	S S S	S S S
Point Lap Sash Seat Belt - All Positions Adjustable Speed Limiter Airbags - Driver and Front Passenger Airbags - Front Seat Side Airbags - Side Curtain (Full Length) Anti-Lock Braking System (ABS) ¹⁰ . Auto High Beam ¹⁰ .	\$ \$ \$ \$ \$ \$	S S S S S	S S S S S S	S S S S S S	S S S S	S S S S	\$ \$ \$ \$
Point Lap Sash Seat Belt - All Positions Idjustable Speed Limiter I	\$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S	\$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$
Point Lap Sash Seat Belt - All Positions Adjustable Speed Limiter Airbags - Driver and Front Passenger Airbags - Front Seat Side Airbags - Side Curtain (Full Length) Anti-Lock Braking System (ABS)™ Auto High Beam™ - All Positions Cruise Control	S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S
Repoint Lap Sash Seat Belt - All Positions Adjustable Speed Limiter Airbags - Driver and Front Passenger Airbags - Front Seat Side Airbags - Side Curtain (Full Length) Anti-Lock Braking System (ABS) ¹⁰ Auto High Beam ¹⁰ Beltminder™ - All Positions Cruise Control Driver Impairment Monitor ¹⁰	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S
Repoint Lap Sash Seat Belt - All Positions Adjustable Speed Limiter Airbags - Driver and Front Passenger Airbags - Front Seat Side Airbags - Side Curtain (Full Length) Anti-Lock Braking System (ABS) ¹⁰ Auto High Beam ¹⁰ Beltminder™ - All Positions Cruise Control Driver Impairment Monitor ¹⁰	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Depoint Lap Sash Seat Belt - All Positions Adjustable Speed Limiter Airbags - Driver and Front Passenger Airbags - Front Seat Side Airbags - Side Curtain (Full Length) Anti-Lock Braking System (ABS) ¹⁰ Auto High Beam ¹⁰ Beltminder™ - All Positions Cruise Control Driver Impairment Monitor ¹⁰ Dynamic Stability Control (DSC) ¹⁰	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S
Repoint Lap Sash Seat Belt - All Positions Adjustable Speed Limiter Airbags - Driver and Front Passenger Airbags - Front Seat Side Airbags - Side Curtain (Full Length) Anti-Lock Braking System (ABS)¹¹□. Auto High Beam¹□. Beltminder¹□ - All Positions Cruise Control Driver Impairment Monitor¹□. Dynamic Stability Control (DSC)¹□. Emergency Assistance¹□.	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
B Point Lap Sash Seat Belt - All Positions Adjustable Speed Limiter Airbags - Driver and Front Passenger Airbags - Front Seat Side Airbags - Side Curtain (Full Length) Anti-Lock Braking System (ABS) ¹⁰ Auto High Beam ¹⁰ Beltminder ¹¹ - All Positions Cruise Control Driver Impairment Monitor ¹⁰ Dynamic Stability Control (DSC) ¹⁰ Emergency Assistance ¹¹ Emergency Brake Assist Emergency Brake Light	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Point Lap Sash Seat Belt - All Positions Adjustable Speed Limiter Airbags - Driver and Front Passenger Airbags - Front Seat Side Airbags - Side Curtain (Full Length) Anti-Lock Braking System (ABS)¹ Auto High Beam¹ All Positions Cruise Control Driver Impairment Monitor¹ Doynamic Stability Control (DSC)¹ Creergency Assistance¹ Creergency Brake Assist Creergency Brake Assist Creergency Brake Light	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Repoint Lap Sash Seat Belt - All Positions Adjustable Speed Limiter Airbags - Driver and Front Passenger Airbags - Front Seat Side Airbags - Side Curtain (Full Length) Anti-Lock Braking System (ABS)¹ºº. Auto High Beam¹º. Beltminder™ - All Positions Cruise Control Driver Impairment Monitor¹º. Dynamic Stability Control (DSC)¹º. Emergency Assistance¹¹¹. Emergency Brake Assist Emergency Brake Light Hill Descent Control¹º.	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Repoint Lap Sash Seat Belt - All Positions Adjustable Speed Limiter Airbags - Driver and Front Passenger Airbags - Front Seat Side Airbags - Side Curtain (Full Length) Anti-Lock Braking System (ABS)¹º. Auto High Beam¹º. Beltminder™ - All Positions Cruise Control Driver Impairment Monitor¹º. Dynamic Stability Control (DSC)¹º. Emergency Assistance¹¹. Emergency Brake Assist Emergency Brake Assist	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$

5. Rear mud flaps on pick-up models only. 6. Use of FordPass is subject to the FordPass Terms and Privacy Policy and the Connected Vehicle Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, internet access and software (including software updates from time to time), You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass Connect Modern and FordPass App can only work when connected to the telecommunications network. Ford cannot guarantee that FordPass App in for internet access, mobile network or of some time to ford pass applicable pass app may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. 7. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android Place applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google inc. Ford Appliance of Synce Pondes and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road nules before using these functions. By literations in Indianal Pondes and is compatible with a select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road nules before using these functions. By literation in Indianal Pondes are responsible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road pla

	4x4 XL Single Cab Chassis 3.2 Diesel	4x4 XL Super Cab Chassis 3.2 Diesel	4x4 XL Super Cab Pick-up 3.2 Diesel	4x4 XL Double Cab Chassis 2.2 Diesel	4x4 XL Double Cab Chassis 3.2 Diesel	4x4 XL Double Cab Pick-up 2.2 Diesel	4x4 XL Double Cab Pick-up 3.2 Diesel
Parking Sensors - Rear			S			S	S
Pre-Collision Assist - AEB with Pedestrian Detection	S	S	S	S	S	S	S
Rear Differential - eLocking	S	S	S	S	S	S	S
Rear View Camera	А	А	S	А	А	S	S
Remote Keyless Entry - 1 Fob Provided ^{11.}	S	S	S	S	S	S	S
Roll Over Mitigation	S	S	S	S	S	S	S
Traction Control System ^{12.}	S	S	S	S	S	S	S
Traffic Sign Recognition ^{12.}	S	S	S	S	S	S	S
Trailer Sway Control ^{12.}	S	S	S	S	S	S	S
Regular Production Options							
Automatic Transmission	0	0	S	S	0	S	0
Black 17" Alloy Wheels							
Black 18" Alloy Wheels							
17" Continental All Terrain Tyres	0	0	0	0	0	0	0
XL Heavy Duty Suspension	0	0	0	0	0	0	0
XL 4x4 Heavy Duty Pack, including: Heavy Duty Suspension, 17" Black Steel Wheels, 17" Continental A/T Tyres, Solid Wheel Nuts, Side Steps (on Super/Double Cab Chassis and Double Cab Pick Up), Rear Camera Accessory (on Single/Super/Double Cab Chassis)	0	0			0		0
Tough Bed Spray-In Bedliner						0	0
Prestige Paint	0	0	0	0	0	0	0

	4x4 XLS Double Cab Pick-up 3.2 Diesel	4x4 XLT Double Cab Pick-up 2.0 Diesel	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 2.0 Diesel	4x4 XLT Super Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Raptor Double Cab Pick-Up 2.0L Diesel
Engine								
Engine Type	Inline 5 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder
Engine Size (cm³)	3198	1996	3198	1996	3198	1996	3198	1996
Compression Ratio	15.7:1	16:1	15.7:1	16:1	15.7:1	16:1	15.7:1	16:1
Maximum Power			147kW @ 3000rpm					
Maximum Torque	470Nm @ 1750-2500rpm	500Nm @ 1750-2000rpm	470Nm @ 1750-2500rpm	500Nm @ 1750-2000rpm	470Nm @ 1750-2500rpm	500Nm @ 1750-2000rpm	470Nm @ 1750-2500rpm	500Nm@ 1750-2000rpm
No. of Valves	20	16	20	16	20	16	20	16
Bore x Stroke (mm)	89.9 x 100.76	84 x 90	89.9 x 100.76	84 x 90	89.9 x 100.76	84 x 90	89.9 x 100.76	84x90
Fuel Management System	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection					
Transmissions/Ratios	,	,		,				
6-speed manual transmission	S		S				S	
6-speed automatic transmission	0		0		S		0	
10-speed automatic transmission		S		S		S		S
Fuel								
Combined Fuel Economy (L/100km)(Manual) ¹ .	8.3		8.4				8.4	
CO, Emissions (g/km)(Manual) ¹ .	218		221				221	
Combined Fuel Economy (L/100km) (Auto) ¹ .	8.9	7.4	8.9	7.4	8.7	7.4	8.9	8.2
CO ₂ Emissions (g/km)(Auto) ¹ .	234	195	234	195	229	195	234	212
Fuel Tank Capacity (L)	80	80	80	80	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Pick-up Box Dimensions (mm)	Dieser	Dieset	Dieset	Dieset	Dieset	Dieset	Dieset	Dieset
Height - at centreline of axle	511	511	511	511	511	511	511	561
Height - floor height to ground	835	840	840	840	840	840	840	964
Length - at floor	1549	1549	1549	1847	1847	1549	1549	1549
	1485	1485	1485		1783		1485	1485
Length - top of box	1139	1139	1139	1783	1139	1485		1139
Width - between wheelhouses							1139	
Width - pick-up box	1560	1560	1560	1560	1560	1560	1560	1560
Width - rear opening	1330	1330	1330	1330	1330	1330	1330	1330
Exterior Dimensions (mm)	====							
Length - with rear bumper (where fitted)	5382	5446	5446	5446	5446	5446	5446	5398
Width - exterior mirors extended	2163	2163	2163	2163	2163	2163	2163	2180
Width - exterior mirrors folded	1977	1977	1977	1977	1977	1977	1977	2028
Width - excluding mirrors	1867	1867	1867	1867	1867	1867	1867	2028
Height	1815	1821	1821	1810	1810	1848	1848	1873
Overhang - Front	928	928	928	928	928	928	928	908
Overhang - Rear	1234	1226	1226	1226	1226	1226	1226	1270
Track - Front and Rear	1560	1560	1560	1560	1560	1560	1560	1710
Wheelbase	3220	3220	3220	3220	3220	3220	3220	3220
Ground Clearance (unladen, mm)	232	237	237	237	237	237	237	283
Wading Depth (mm)	800	800	800	800	800	800	800	850
Approach Angle (unladen, degrees)	28	29	29	29	29	29	29	32.5
Departure Angle (unladen, degrees)	27	21	21	21	21	21	21	24
Ramp Breakover Angle (degrees)	24	25	25	25	25	25	25	24
Turning Circle - Kerb to Kerb (m)	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.9
Interior Dimensions (mm)								
2nd Row Headroom	986	986	986	938	938	986	986	986
2nd Row Legroom	902	902	902	796	796	902	902	902
2nd Row Shoulder Room	1430	1430	1430	1400	1400	1430	1430	1432
Front Headroom	1022	1022	1022	1024	1024	1022	1022	1022
Front Legroom	1058	1058	1058	1058	1058	1058	1058	1116
Front Shoulder Room	1440	1440	1440	1440	1440	1440	1440	1355
Vehicle Masses (kg)								
Kerb Weight - Total ²	2191(M) / 2209(A)	2197	2212(M) / 2230(A)	2146	2178	2246	2260(M) / 2278(A)	2342
Kerb Weight - Front Axle ^{2.}	1226(M) / 1244(A)	1218	1232(M) / 1250(A)	1212	1238	1226	1241(M) / 1259(A)	1283
Kerb Weight - Rear Axle ^{2.}	965	979	980	934	940	1020	1019	1059
Payload ^{3.}	1009(M) / 991(A)	1003	988(M) / 970(A)	1054	1022	954	940(M) / 922(A)	758
Gross Vehicle Mass	3200	3200	3200	3200	3200	3200	3200	3090
Gross Combined Mass	6000	6000	6000	6000	6000	6000	6000	5350
Maximum Braked Towing Capacity ⁴	3500	3500	3500	3500	3500	3500	3500	2500
Maximum Axle Load - Front	1480	1480	1480	1480	1480	1480	1480	1550
Maximum Axle Load - Rear	1850	1850	1850	1850	1850	1850	1850	1540
Exterior								
Centre High Mounted Stop Light	S	S	S	S	S	S	S	S
Exterior Lighting - LED Daytime Running Lamps		S	S	S	S	S	S	S
Exterior Door / Tailgate Handles - Black	S							
Exterior Door / Tailgate Handles - Chrome	Р	S	S	S	S			

1. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 2. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. Vehicle dimensions/weights are approximate and subject to individual variances. Vehicles should be weighed before adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM) and Gross Combined Mass (GCM) are not exceeded. On variants where both a 6-speed manual and 6-speed auto are available, the 6-speed auto typically is 17-18kg heavier than manual, which then reduces the payload by 17-18kg. 3. Subject to State and Territory regulations. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded. 4. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance.

	4x4 XLS Double Cab Pick-up 3.2 Diesel	4x4 XLT Double Cab Pick-up 2.0 Diesel	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 2.0 Diesel	4x4 XLT Super Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Raptor Double Cab Pick-Up 2.0L Diesel
Exterior Door / Tailgate Handles - Bolder Grey						S	S	
Exterior Door / Tailgate Handles - Dyno Grey Exterior Lighting - Front Fog Lamps (Halogen)	S	S	S	S	S			S
Exterior Lighting - Front Fog Lamps (LED)	-		-	-	-	S	S	S
Exterior Lighting - High Performance Bi-LED Headlamps		S	S	S	S	S	S	S
Exterior Mirrors - Black								S
Exterior Mirrors - Trivet Grey	S							
Exterior Mirrors - Chrome		S	S	S	S			
Exterior Mirrors - Bolder Grey						S	S	
Exterior Mirrors - Power Adjustable	S	S	S	S	S	S	S	S
Exterior Mirrors - Power Folding & Heated with Turn Indicator		S	S	S	S	S	S	S
Exterior Mirrors - Puddle Lamps						S	S	S
Front Bumper - Body Colour	S	S	S	S	S	S	S	
Front Bumper Insert - Accent Bolder Grey						S	S	
Front Bumber - Chassis Mounted in Dyno Grey Heavy Duty Side Steps								S S
Heavy Duty Front Bash Plate & Underbody Shielding								s
Grille - Trivet Grey	S							
Grille - Chrome	Р	S	S	S	S			
Grille - Bolder Grey						S	S	
Grille - Unique Raptor Design (Black)								S
Mud Flaps - Front and Rear ^{5.} Privacy Glass	S	S S	S S	S S	S S	S S	S S	S S
Rear Bumper - Body Colour	S	5	5	5	5	5	5	5
Rear Bumper - Chrome Steel		S	S	S	S			
Rear Bumper - Bolder Grey						S	S	
Rear Bumper - Unique Raptor Design								S
Side Steps - Black		S	S	S	S			
Side Steps - Black with Silver Inserts						S	S	
Rear Sports Bar - Chrome Tubular		S	S	S	S			
Rear Sports Bar - Sailplane						S	S	
Tow Bar		S	S	S	S	S	S	S
Wheels - 16" Alloy Wheels - 17" Alloy	S 0	S	S	S	S			S
Wheels - 18" Alloy		0	0			S	S	
Tyres - 33' BF Goodrich All-Terrain T/A ® KO2 (285/70 R17)								S
Recovery Hooks - Front (rated at 4,635kg)								S
Recovery Hooks - Rear (rated at 3,863kg)								S
Strengthened Chassis Frame								S
Load Box Elements					-			
Bedliner with 12V Socket Tough Bed Spray-In Bedliner	0	S 0	S 0	S	S	S	S	S
Inner Tie Downs	S	S	S	S	S	S	S	S
Load Box Illumination	S	S	S	S	S	S	S	S
Load Rest	S							
Power Roller Shutter						S	S	
Tailgate Lock - Manual	S	S	S	S	S			
Tailgate Lock - Power (activated with Central Locking)						S	S	S
Tailgate with Lift Assistance	S	S	S	S	S	S	S	S
Comfort and Convenience								
230V Inverter - Rear of Centre Console	S	S	S	S	S	S	S	S
Acoustic Windshield	S	S	S	S	S	S S	S S	S
Ambient Lighting - Multi-Colour Auxillary 12V Power Outlet - Lower Dashboard	S	S	S	S	S	S	S	S
Auxillary 12V Power Outlet - Rear of Centre	S	S	S	S	S	S	S	S
Console Centre Console - Single Lid with 2 Cup Holders	s	S	S	S	S	S	S	S
Child Seat Upper Anchorage Points (x 2)	S	S	S	S	S	S	S	S
Child Seat ISOFIX Anchorage Points (x 2)	S	S	S		-	S	S	S
Climate Control - Single Zone Manual	S							
Climate Control - Dual Zone Automatic	P	S	S	S	S	S	S	S
Dual Colour 4.2" Instrumentation Screens Floor Coverings - Carpet	P S	S S	S S	S S	S S	S S	S S	S
Floor Mats - Driver Only	S	S	S	S	S	<u> </u>	<u> </u>	<u> </u>
Floor Mats (Wildtrak) - All Positions						S	S	
Floor Mats (Raptor) - All Positions								S
Headlamps - Auto On/Off Function	S	S	S	S	S	S	S	S
Leather Wrapped Steering Wheel & Gear Knob Leather Wrapped Sports Steering Wheel with		S	S	S	S	S	S	
Contrast Stitching								S
Leather Wrapped Gear Shifter & Handbrake								S

Now Promoting Virtual Professor Virtual Profes		4x4 XLS Double Cab Pick-up 3.2 Diesel	4x4 XLT Double Cab Pick-up 2.0 Diesel	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 2.0 Diesel	4x4 XLT Super Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Raptor Double Cab Pick-Up 2.0L Diesel
Part	Power Front Windows (Auto Driver)	S	S	S	S	S	S	S	S
Mean Work Information Configuration of the Mean Work Information Configuration	Power Rear Windows	S	S	S			S	S	S
New York Very Proceed 1967 1968 19	Rain Sensing Windscreen Wipers		S	S	S	S	S	S	S
Pear Power Process S S S S S S S S S	Rear Window Defrost	S	S	S	S	S	S	S	S
March Stonage	Rear View Mirror - Manual Day/Night Inside	S							
Mindesigned Manufact (1040 Pert 1040 1	Rear View Mirror - Electrochromatic		S	S	S	S			
Published Control Co	Under Seat Stowage						S	S	S
FeedPlane Control - Fembalated Mediated** S	Windscreen Mounted USB Port	S	S	S	S	S	S	S	S
Security Security	Audio And Communication								
Speakers Company Com	FordPass Connect - Embedded Modem ^{6.}	S	S	S	S	S	S	S	S
MAMPANE Containing A former of the Containing Containing A former of the Containing A former of the Containing Containing A former of the Containing Con	8" Colour Touch Screen	S	S	S	S	S	S	S	S
Apacle Caper Apacle Apacle Apacle Apacle S S S S S S S S S	6 Speakers (2 Tweeters, 4 Woofers)	S	S	S	S	S	S	S	S
Maintender Multi-Informatival And Informatival And Info	AM/FM Stereo Radio	S	S	S	S	S	S	S	S
Califlower And Companish P	Apple CarPlay & Android Auto ^{7.}	S	S	S	S	S	S	S	S
P	Bluetooth® with Phone/Audio Streaming ^{8.}	S	S	S	S	S	S	S	S
Satisfation Revigation with Traffic Message	CD Player (MP3 compatible)	Р	S	S	S	S	S	S	S
Channet 1	DAB+ Digital Radio	Р	S	S	S	S	S	S	S
Chamber Cham		P	S	S	S	S	S	S	S
SPINCE MINI NOISE ARCHITECTION			-	-	-	-	-	-	-
Minimar Mini				-		-			
Seaton Servey Menual Divers Singent 70 Servey Menual Divers Singent									
Sevent Provent Private Private		2	2	2	2	2	2	2	2
Calcal Lumbar Separatry Calcal Lumbar Se									
Colus Auroban Sepanory Sepano	6-way Manual Driver Seat Adjustment (plus Lumbar Support)	S	S	S	S	S			
Statistic Stat	8-way Power Driver Seat Adjustment						S	S	S
Character Content Co									
National Content Accorded Sealed (Black) Sealed (Blac									S
Second S	Heated Front Seats						S	S	S
Congress Control Con	XLT Leather Accented Seats (Black)		0	0					
Contingent Contingen							S	S	
Dimensional with Billus Stationing Security and Driver Assistance Security and Driver Assistance P									
Septent Sept									S
3 Point Lap Sash Seat Belt - All Positions S S S S S S S S S S S S Adaptive Croise Control ² P P P P P P P S S S S S Adaptive Croise Control ² S S S S S S S S S S S S S S S S S S S	Front Sport Seats								S
Adaptive Cruise Control (12	Safety, Security and Driver Assistance								
Adultstable Speed Limiter S S S S S S S S S S S S S S S S S S S	3 Point Lap Sash Seat Belt - All Positions	S	S	S	S	S	S	S	S
Airbags - Driver and Front Passenger S S S S S S S S S S S S S S S S S S	Adaptive Cruise Control ^{12.}		Р	Р	Р	Р	S	S	
Airbags - Front Seat Side	Adjustable Speed Limiter	S	S	S	S	S	S	S	S
Airbags - Side Curtain (Full Length)	Airbags - Driver and Front Passenger	S	S	S	S	S	S	S	S
Alarm with Perimeter, Interior Motion	Airbags - Front Seat Side	S	S	S	S	S	S	S	S
Anti-Lock Braking System (ABS)** Anti-Lock Braking System (ABS)** S S S S S S S S S S S S S S S S S S	Airbags - Side Curtain (Full Length)	S	S	S	S	S	S	S	S
Anti-Lock Braking System (ABS)** S S S S S S S S S S S S S S S S S S	Alarm with Perimeter, Interior Motion		-			-	6	-	-
Auto High Beam** S S S S S S S S S S S S S S S S S S	and Vehicle Inclination Sensors	5	5	5			5	5	5
Beltminder*** - All Positions	Anti-Lock Braking System (ABS) ^{12.}	S	S	S	S	S	S	S	S
Cruise Control S S S S S S S S S D S	Auto High Beam ^{12.}	S	S	S	S	S	S	S	S
Driver Impairment Monitor ¹² S S S S S S S S S	Beltminder™ - All Positions	S	S	S	S	S	S	S	S
Dynamic Stability Control (DSC) ¹² S S S S S S S S S	Cruise Control	S	S	S	S	S	S	S	S
Dynamic Stability Control (DSC) ¹² S S S S S S S S S	Driver Impairment Monitor ¹²	S	S	S	S	S	S	S	S
Emergency Assistance ¹³ S S S S S S S S S S S S S S S S S S S	Dynamic Stability Control (DSC) ^{12.}	S	S	S	S	S	S	S	S
Emergency Brake Assist S S S S S S S S S S S S S S S S S S S		S		S					S
Emergency Brake Light S S S S S S S S S S S S S S S S S S S		5	S	S	S	S	S	S	5
Hill Descent Control ¹² S S S S S S S S S S S S S S S S S S S					,				
Hill Launch Assist**2									
Lane Keeping Aid ¹²									
Load Adaptive Control™ S									
MyKey®									
Parking Sensors - Front S		3							
Parking Sensors - Rear S									5
Pre-Collision Assist - AEB with Pedestrian Detection S									
Detection S									
Rear Differential - eLocking S		S	S	S	S	S	S	S	S
Rear View Camera S		S	S	S	S	S	S	S	S
Roll Over Mitigation S		S	S	S	S	S	S	S	S
Semi-Auto Active Park Assist P P P P P S S Smart Keyless Entry with Push Button Start - 2 Fobs Provided ¹⁴ . P S									
Smart Keyless Entry with Push Button Start - 2 Fobs Provided 1st. P S<		-							
Fobs Provided ^{16.} F S	Smart Keyless Entry with Push Button Start - 2	n n							c
<u> </u>	Fobs Provided ^{14.}								
Traffic Sign Recognition 12. S									
	Traffic Sign Recognition ^{12.}	S	S	S	S	S	S	S	S

5. Rear mud flaps on pick-up models only. 6. Use of FordPass is subject to the FordPass Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, internet access, and software (including software updates from time to time). You are responsible for internet access, mobile network data and voic call services required for your use of the FordPass App any pour mobile device, including associated fees. The FordPass Commented to the telecommunications network. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services internet. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device, 7. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply, Apple CarPlay, Sir Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Appline(Bis available on selected SYNC® models and is compatible with selects smartphone platforms. Warning: Local laws prohibit some phone functions while deving. Check your local road rules before using these functions. 8. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 9. Traffic Message Channel is currently provided through an arrangement with Intelematics Australia Pty Ltd (Intelematics). The ongoing provision of this feature cannot be guaranteed if Ford's arrangements with Intelematics cases for any reason. 10. SYNC®3 features may not be compatible with all phones. For compatiblity, see ford.com.au/syncyn. 12. Diver-assist features are

	4x4 XLS Double Cab Pick-up 3.2 Diesel	4x4 XLT Double Cab Pick-up 2.0 Diesel	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 XLT Super Cab Pick-up 2.0 Diesel	4x4 XLT Super Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Raptor Double Cab Pick-Up 2.0L Diesel
Trailer Sway Control ^{12.}	S	S	S	S	S	S	S	S
Tyre Pressure Monitoring System		S	S	S	S	S	S	
Volumetric Alarm with Battery Backup System								S
Terrain Management System with 6 Modes - Normal, Sport, Grass/Gravel/Snow, Mud/Sand, Rock, Baja								S
Regular Production Options								
Automatic Transmission	0	S	0	0	S	S	0	S
Black 17" Alloy Wheels	0							
Black 18" Alloy Wheels		0	0			0	0	
17" Continental All Terrain Tyres								
XL Heavy Duty Suspension								
XL 4x4 Heavy Duty Pack, including: Heavy Duty Suspension, 17" Black Steel Wheels, 17" Continental A/T Tyres, Solid Wheel Nuts, Side Steps (on Super/Double Cab Chassis and Double Cab Pick Up), Rear Camera Accessory (on Single/Super/Double Cab Chassis)								
XLS Premium Pack, including: Satellite Navigation, Dual 4.2" Instrument Screens, CD Player, Embedded Voice Control, DAB+ Digital Radio, Dual Zone Climate Control, Smart Keyless Entry with Push Button Start, Chrome Exterior Grille & Handles	0							
XLT Leather Accented Seats		0	0					
XLT Tech Pack, including: Adaptive Cruise Control with Forward Collision Alert, Semi Auto Active Park Assist		0	0	0	0			
Tough Bed Spray-In Bedliner	0	0	0					S
Prestige Paint	0	0	0	0	0	0	0	0
Raptor Decal Pack								0