

Ford

RANGER WILDTRAK X



GO WILD IN STYLE

Introducing the Ranger Wildtrak X



Go Further



Nudge Bar & LED Light Bar

Wildtrak X comes fitted with a genuine Ford black nudge bar and an LED light bar, increasing protection and providing extra visibility when you're heading off-road.



18" Black Alloys

Get noticed with special edition, 18-inch black alloy wheels featuring a 35mm offset.



Black Wheel Arch Flares

The new Ranger Wildtrak X comes with Ebony Black wheel arch flares, ensuring this Ranger has an assertive stance.



Unique Front Grille

Wildtrak X features a new Ebony Black front grille with Saber accent nostrils that sets this Ranger apart from the rest.



Rear Sail Plane

The upgraded Ranger Wildtrak X comes fitted with an Ebony Black rear sail plane with Saber coloured accents across the sides which is seamlessly integrated with the standard power roller shutter.



Interior Accents

Look and feel good with Wildtrak X's premium interiors, including illuminated scuff places, a unique seat trim and accent colours throughout the vehicle.

Available in:

*Prestige Paint



Arctic White



Aluminium Silver*



Saber*



Meteor Grey*



Shadow Black*

Ranger Wildtrak X Specifications¹. Visit ford.com.au for full details.

| Body Type | |
|--|--|
| Double Cab Pick-Up | . |
| Drivetrains | |
| 4x4 | . |
| 3.2L TDCi Diesel Engine | |
| Availability | S |
| Engine Type | Inline 5 Cylinder |
| Engine Size (cm ³) | 3198 |
| Maximum Power | 147kW @ 3000rpm |
| Maximum Torque | 470Nm @ 1750-2500rpm |
| Fuel Management System | Turbocharged direct common rail injection |
| Combined Fuel Economy (L/100km) ² (Auto) | 8.9 |
| CO ² Emissions (g/km) ² (Auto) | 234 |
| Fuel Tank Capacity (L) | 80 |
| Fuel Type | Diesel |
| Transmission | 6 Speed Auto |
| 2.0L Bi-Turbo Diesel Engine | |
| Availability | 0 |
| Engine Type | Inline 4 Cylinder |
| Engine Size (cm ³) | 1996 |
| Maximum Power | 157kW @ 3750rpm |
| Maximum Torque | 500Nm @ 1750-2000rpm |
| Fuel Management System | Turbocharged direct common rail injection |
| Combined Fuel Economy (L/100km) ² (Auto) | 7.4 |
| CO ² Emissions (g/km) ² (Auto) | 195 |
| Fuel Tank Capacity (L) | 80 |
| Fuel Type | Diesel |
| Transmission | 10 Speed Auto |
| Pick-up Box Dimensions (mm) | |
| Height - at centreline of axle | 511 |
| Height - floor height to ground | 840 |
| Length - at floor | 1549 |
| Length - top of box | 1485 |
| Width - between wheelhouses | 1139 |
| Width - pick-up box | 1560 |
| Width - rear opening | 1330 |
| Exterior Dimensions (mm) ¹ | |
| Length - with rear bumper | 5446 |
| Width - exterior mirrors extended | 2163 |
| Width - exterior mirrors folded | 1977 |
| Height | 1848 |
| Overhang - Front | 928 |
| Overhang - Rear | 1226 |
| Track - Front and Rear | 1560 |
| Wheelbase | 3220 |
| Ground Clearance (unladen, mm) | 237 |
| Wading Depth | 800 |

| Exterior Dimensions (mm) ¹ (continued) | | |
|--|------------------|-----------------|
| Approach Angle (unladen, degrees): | 29 | |
| Departure Angle (unladen, degrees): | 21 | |
| a) measured to tow bar | | |
| Ramp Breakover Angle (degrees) | 25 | |
| Turning Circle - Kerb to Kerb (m) | 12.7 | |
| Interior Dimensions(mm) | | |
| 2nd Row Headroom | 986 | |
| 2nd Row Legroom | 902 | |
| 2nd Row Shoulder Room | 1430 | |
| Front Headroom | 1022 | |
| Front Legroom | 1058 | |
| Front Shoulder Room | 1440 | |
| Vehicle Masses(kg) ¹ | | |
| Engine | 3.2L TDCi Diesel | Bi-Turbo Diesel |
| Kerb Weight - Total ³ | 2287 | 2257 |
| Kerb Weight - Front Axle ³ | 1291 | 1236 |
| Kerb Weight - Rear Axle ³ | 996 | 1021 |
| Payload ⁴ | 913 | 943 |
| Gross Vehicle Mass | 3200 | |
| Gross Combined Mass | 6000 | |
| Maximum Braked Towing Capacity ⁵ | 3500 | |
| Maximum Axle Load - Front | 1480 | |
| Maximum Axle Load - Rear | 1850 | |
| Exterior | | |
| Genuine Ford Black Nudge Bar | S | |
| Centre High Mounted Stop Light | S | |
| Exterior Lighting - LED Daytime Running Lamps, Front Fog Lamps (LED) & High Performance Bi-LED Headlamps | S | |
| Exterior Mirrors - Power Adjustable, Power Folding & Heated with Turn Indicator & Puddle Lamps | S | |
| Front Bumper - Body Colour | S | |
| LED Light Bar | S | |
| Mud Flaps - Front and Rear | S | |
| Privacy Glass | S | |
| Rear Sports Bar - Sailplane | S | |
| Tow Bar | S | |
| Unique 18" Black Alloy Wheels With 35mm Offset | S | |
| Wheel Arch Flares in Ebony Black | S | |
| Unique Front Grille In Ebony Black with Saber Accent 'Nostrils' | S | |
| Unique Illuminated Scuff Plates for Front Doors | S | |
| Black Side Steps | S | |
| Ebony Black Finishings on: | | |
| Roof Rails, Box Rails, Lower Front Bumper Insert, Rear Bumper, Headlamp / Fog Lamp Bezels, Mirror Caps, Fender Features, Door And Tailgate Handles | S | |

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured

1. The Ranger Wildtrak X is based on the 4x4 Wildtrak Double Cab Pickup 3.2 Diesel and 2.0 Bi-Turbo Diesel and all weights and dimensions shown are for the 4x4 Wildtrak Double Cab Pick-up 3.2 Diesel and 2.0 Bi-Turbo Diesel without Ranger Wildtrak X's standard accessories. Vehicles should be weighed before adding additional load, accessories or towing a trailer to ensure the maximum Payload, Gross Vehicle Mass (GVM) and Gross Combined Mass (GCM) are not exceeded. 2. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 3. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. Vehicle dimensions/weights are approximate and subject to individual variances. Vehicles should be weighed before adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM) and Gross Combined Mass (GCM) are not exceeded. 4. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded. 5. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance.

Ranger Wildtrak X Specifications¹ (continued) Visit ford.com.au for full details.

| Load Box Elements | |
|--|---|
| Bedliner with 12V Socket | S |
| Inner Tie Downs | S |
| Load Box Illumination | S |
| Power Roller Shutter | S |
| Unique Rear Sail Plane In Ebony Black with Sabre Accents | S |
| Tailgate Lock - Power (activated with Central Locking) | S |
| Tailgate with Lift Assistance | S |

| Seating | |
|--|---|
| Unique Seat Materials and Accent Colours | S |
| 6-way Power Driver Seat Adjustment (plus Lumbar Support) | S |
| Heated Front Seats | S |

| Comfort and Convenience | |
|---|--------------------------|
| 230V Inverter - Rear of Centre Console | S |
| Acoustic Windshield | S |
| Ambient Lighting - Multi-Colour | S |
| Auxillary 12V Power Outlet - Lower Dashboard & Rear of Centre Console | S |
| Centre Console - Single Lid with 2 Cup Holders | S |
| Child Seat - Upper Anchorage Points (x 2) & ISOFIX Anchorage Points (x 2) | S |
| Climate Control - Dual Zone Automatic | S |
| Dual Colour 4.2" Instrumentation Screens | S |
| Floor Coverings - Carpet | S |
| Floor Mats (Wildtrak) | Driver & Front Passenger |
| Headlamps - Auto On/Off Function | S |
| Leather Wrapped Steering Wheel & Gear Knob | S |
| Power Front Windows (Auto Driver) & Rear Windows | S |
| Rain Sensing Windscreen Wipers | S |
| Rear Window Defrost | S |
| Rear View Mirror - Electrochromatic | S |
| Windscreen Mounted USB Port | S |

| Audio And Communication | |
|--|---|
| FordPass Connect - Embedded Modem ⁶ | S |
| 8" Colour Touch Screen | S |
| 6 Speakers (2 Tweeters, 4 Woofers) | S |
| AM/FM Stereo Radio | S |
| Apple CarPlay & Android Auto ⁷ | S |
| Bluetooth® with Phone/Audio Streaming ⁸ | S |
| CD Player (MP3 compatible) | S |
| DAB+ Digital Radio | S |

| Audio And Communication (continued) | |
|--|---|
| Satellite Navigation with Traffic Message Channel ⁹ | S |
| SYNC®3 with Voice-Activated Controls ¹⁰ | S |
| USB Ports x 2 | S |

| Safety, Security and Driver Assistance | |
|--|---|
| 3 Point Lap Sash Seat Belt - All Positions | S |
| Active Park Assist ¹¹ | S |
| Adaptive Cruise Control ¹¹ | S |
| Adjustable Speed Limiter | S |
| Airbags - Driver and Front Passenger, Front Seat Side & Side Curtain (Full Length) | S |
| Alarm with Perimeter, Interior Motion & Vehicle Inclination Sensors | S |
| Anti-Lock Braking System (ABS) ¹¹ | S |
| Auto High Beam ¹¹ | S |
| Autonomous Emergency Braking (AEB) with Pedestrian Protection ¹¹ | S |
| Beltminder™ - All Positions | S |
| Cruise Control | S |
| Driver Impairment Monitor ¹¹ | S |
| Dynamic Stability Control (DSC) ¹¹ | S |
| Emergency Assistance ¹² | S |
| Emergency Brake Assist | S |
| Emergency Brake Light | S |
| Hill Descent Control ¹¹ | S |
| Hill Launch Assist ¹¹ | S |
| Lane Keeping Aid ¹¹ | S |
| Load Adaptive Control ¹¹ | S |
| MyKey® | S |
| Parking Sensors - Front & Rear | S |
| Rear Differential - eLocking | S |
| Rear View Camera | S |
| Roll Over Mitigation ¹¹ | S |
| Smart Keyless Entry with Push Button Start - 2 Fobs Provided | S |
| Traction Control System ¹¹ | S |
| Traffic Sign Recognition ¹¹ | S |
| Trailer Sway Control ¹¹ | S |
| Tyre Pressure Monitoring System | S |

| Regular Production Options | |
|----------------------------|---|
| Prestige Paint | O |

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured

6. Use of FordPass is subject to the FordPass Terms and Privacy Policy and the Connected Vehicle Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, internet access and software (including software updates from time to time). You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass Connect Modem and FordPass App can only work when connected to the telecommunications network. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. 7. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. 8. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 9. Traffic Message Channel is currently provided through an arrangement with Intellematics Australia Pty Ltd (Intellematics). The ongoing provision of this feature cannot be guaranteed if Ford's arrangements with Intellematics cease for any reason. 10. SYNC®3 features may not be compatible with all phones. For compatibility, see ford.com.au/sync. 11. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather. 12. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off.