



IMAGINATION DRIVES US



Imagination is the world's most valuable resource. It's our window to the future, because if we can imagine it, we can create it. Mazda is built on a foundation of imagination and ingenuity. It's the fuel behind all we create and achieve. It has given us countless successes that once existed only in someone's imagination. These pages

show how imagination is an integral part of our innovative cars.

INTRODUCTION







MODELS



UTILITIES






















CONFIDENCE

35 COLOUR & TRIM

BUILT TO DO IT ALL



Mazda BT-50 is built tough to take on any task, and do it in style. It delivers grunt when you need it, and refined comfort with every drive. Fill it with gear, pull a load or take it off road. As a workhorse or a weekend warrior, it's always up to the challenge.

Smart connectivity, navigation and driver aids mean BT-50 is clever as well as capable. The spacious cabin is a stylish surprise, with a level of passenger comfort that makes it feel more like a car. And it's all protected with advanced safety features like airbags and Dynamic Stability Control.

Equipped for work, play and everything in between, BT-50 can do it all - with added Zoom-Zoom.

POWERFUL YET REFINED



When it comes to Mazda BT-50, looks are just the beginning. Built for fun as much as it is for hard work, the exterior is bold and adventurous. With its refined features, it's a cut above others in its class.

Styled with tough lines to match its solid capabilities, the bold new front is strong and powerful, for a commanding street presence. The slightly lowered angle toward the front gives it a sense of forward motion – and the perfect balance of strong and sleek.








When it comes to performance, Mazda BT-50 brings the goods. Built tough from the ground up, its ladder-frame chassis provides reinforcement for maximum rigidity. The resulting stability can be felt in car-like handling, while the powerful engine makes towing light work. Speaking of towing, BT-50 is capable of pulling an impressive 3,500kg⁴.

Powered by new generation turbo diesel engines, you get more muscle from less fuel. Harnessing the power is up to you - choose from a rugged 6-speed Manual for complete control, or a versatile 6-speed Auto that also allows for smooth and intuitive gear changes.

A GUTSY PERFORMANCE EVERY TIME





3.2L DIESEL ENGINE

Feel the power of a five-cylinder engine with common-rail direct injection and intercooling. Pumping out 147kW and 470Nm of torque from just 8.9 litres per 100km² (combined), you get power and efficiency together.




LOCKING REAR DIFFERENTIAL (LRD)

Standard across all models, the LRD maximises off-road grip by locking the rear wheels so both receive the same amount of torque. So even when one wheel has lost traction, the other provides drive.



AUTOMATIC TRANSMISSION

Let the intelligent 6-speed Auto do the work for you, or step in for Manual gear shifts when the mood strikes. In Auto mode, Active Adaptive Shift (AAS) kicks in – intuitively changing gears to suit your driving conditions.



MANUAL TRANSMISSION

Enjoy the smooth ride of a 6-speed Manual that delivers fluid precision-shifting ratios. Transition through gear changes with ease for a true sense of control over your vehicle's performance.

Make the most of generous power without the thirstiness you expect. Mazda BT-50 comes with superior performance and fuel efficiency - perfect for those weekend getaways.

Take on the toughest tasks effortlessly, thanks to advanced common-rail direct injection. Boosted by a lag-reducing variable geometry turbocharger, the punchy 3.2 litre engine gives you 147kW of power and a whopping 470Nm of torque to easily overpower any challenge.



BODY

High-tensile steel is behind the BT-50's durable body shell. Exceptionally strong, it also keeps overall weight down.




CHASSIS

Reinforced with a rigid ladder frame chassis, BT-50 is ready to take on the heavy-duty jobs. Front wishbone suspension and rear leaf suspension cushion the ride for car-like handling on and off the road.


4x4 Double Cab Wellside GSX in Titanium Flash Mica.

THE STRENGTH TO TAKE ON ANY CHALLENGE






Single Cab (Chassis)



Freestyle Cab (Chassis)

Equipped with power and backbone, BT-50 has an enviable towing capacity of up to 3,500kg. Don't be afraid to give it heaps - depending on the model, it has the capacity to take on payloads of up to 1,506kg. Venture off the beaten track with the rugged 4x4. Backed by the latest driver support tech, uneven terrain has never been easier to conquer. Jump between 2-High and 4-High at the flick of a switch, without stopping the vehicle.

Operated via a console switch, electronic Locking Rear Differential (eLRD) gives you maximum traction on uneven terrain. By locking the rear wheels, torque is distributed evenly between them. If one wheel loses grip, the other continues to provide power, turning the wheel to get traction on the ground.



Double Cab (Wellside)

THE CONFIDENCE OF FULL PROTECTION

Feel confident driving a vehicle that's big on safety.

Driver support begins with a rigid ride and accurate handling, giving you the capacity to avoid potential hazards. In the event BT-50 does run into trouble, it's well equipped to deal with it. The reinforced body shell is fitted with front airbags and head-protecting curtain airbags in all models. Freestyle and Double Cab models also come with the addition of side (front) airbags. And all seats feature three-point lap-sash seatbelts.

In 4x4 models, Hill Descent Control (HDC) automatically applies brakes to maintain a steady, low speed down steep slopes. Control is greatly enhanced, particularly in off-road conditions.

Roll Stability Control (RSC) monitors your driving data and applies appropriate measures to help prevent rollover. And when your cargo raises BT-50's centre of gravity, you've got Load Adaptive Control (LAC) for extra stability.

Dynamic Stability Control (DSC) helps keep traction in all conditions, managing the engine power and braking force delivered to individual wheels to avoid skidding or loss of grip.

ABS brakes feature Electronic Brake-force Distribution (EBD) which matches braking to vehicle load, while Emergency Brake Assist (EBA) boosts stopping power when emergency braking is sensed. An Emergency Stop Signal (ESS) activates the hazard lights to warn following drivers of sudden deceleration.





















SAFETY REFLEX

Trailer Sway Control (TSC) adjusts braking and torque to correct any side-to-side swinging movement of towed loads.



BETTER BRAKING

Stopping distance with EBA, ABS and EBD.

Stopping distance with no assistance.

INCLINES MADE EASY

Remove your foot from the brake on an incline and Hill Launch Assist $\,$ (HLA) keeps the brakes applied, releasing them when there's enough power for a smooth start. While you're on steep slopes, Hill Descent Control (HDC) kicks in to maintain steady control of your speed.

A CUT ABOVE









Whether it's power, strength or capability, Mazda BT-50 consistently delivers more.

With all the refinement of a car, Mazda BT-50 makes it hard to believe you're in a ute. The interior is appointed with quality trims and finishes, while powerful heating and cooling provides comfort all year round, including dual-zone climate control (GSX and Limited models).

Enjoy clever thinking with useful driver technology like trip computer, cruise control and wireless connectivity across the range, as well as Apple CarPlay™, Android Auto™ and satellite navigation in GSX and Limited models. Mazda BT-50 is USB and Bluetooth® compatible, so you can make and answer phone calls with built-in handsfree connectivity¹.

When it comes to space, you'll be surprised how much smart storage can be found around the cabin. Tuck your gear away in the split-level centre console space, or the sizeable glovebox that swallows a 16-inch laptop. Drinks and sunnies have their own dedicated spaces, keeping them within grabbing reach on every trip.

Mazda BT-50

SINGLE CAB



SINGLE CAB features include:

GLX

- 16-inch steel wheels with 255/70 tyres
- Headlamps (Halogen)
- Power windows and mirrors (black)
- Seat trim: Black cloth
- Air-conditioning
- Cruise control
- Lockable and illuminated glovebox
- Trip computer⁷
- 3.5-inch multi-information display
- Audio system with: AM/FM tuner and 4 speakers
- Single-disc CD player (MP3 compatible)
- Bluetooth® hands-free phone and audio capability¹
- USB input iPod compatible

- Steering wheel-mounted audio controls
- Floor Covering: Vinyl
- Airbags SRS: front (driver and passenger) and curtain (driver and passenger)
- Anti-lock Braking System (ABS)Dynamic Stability Control (DSC)
- Emergency Stop Signal (ESS)
- Hill Descent Control (HDC)
- 4x4 only
- Hill Launch Assist (HLA)
- Locking Rear Differential (LRD)
- Roll Stability Control (RSC)
- Traction Control System (TCS)
- Trailer Sway Control (TSC)

GLX Wellside Model

(Special order only - 2WD only)

Includes:

- Cargo box
- Rear step bumper (chrome)
- Ladder rack
- Tailgate (lockable)
- Mudflaps (rear)
- Parking sensors (rear)

GET COMFORTABLE

The single cab features a bucket seat for the driver and bench seating for two others - all finished in durable cloth trim.



4x2 Single Cab Chassis GLX with Black Cloth in Aluminium Metallic.



CONNECTIVITY ON THE MOVE

Make hands-free calls¹ and stream audio with built-in Bluetooth®

KEEP INFORMED

Trip computer details useful information such as fuel economy, distance to empty and more?

Powertrain:

- 3.2 litre in-line 5 cylinder 20 valve DOHC intercooled turbo diesel engine
- Drivetrain: 4x2 or 4x4
- Max power: 147kW @ 3,000rpm
- Max torque: 470Nm @ 1,750-2,500rpm
- 6-speed Manual

■ Fuel consumption (combined): 8.9L/100km² (4x2 Manual) 9.7L/100km² (4x4 Manual)





4x2 Chassis GLX 4x4 Chassis GLX

Mazda BT-50

FREESTYLE CAB



4x4 Freestyle Cab Chassis GSX in Blue Reflex Mica (with optional tray).

FREESTYLE CAB features include:

GLX

- 16-inch steel wheels with 255/70 tyres
- Freestyle door system
- Headlamps (Halogen)
- Power windows and mirrors (black)
- Seat trim: Black cloth
- Floor covering: Vinyl
- Air-conditioning
- Cruise control
- Lockable and illuminated glovebox
- 8-way adjustable driver's seat
- Trip computer⁷
- 3.5-inch multi-information display
- Audio system with: AM/FM tuner and 6 speakers
- Single-disc CD player (MP3 compatible). (Available on GLX only)
- Bluetooth® hands-free phone and audio capability¹
- Steering wheel-mounted audio controls
- USB input iPod compatible

- Airbags SRS: front (driver and passenger), side (front) and curtain (front and rear)
- Anti-lock Braking System (ABS)
- Dynamic Stability Control (DSC)
- Emergency Stop Signal (ESS)
- Hill Descent Control (HDC)
 4x4 only
- Hill Launch Assist (HLA)
- Locking Rear Differential (LRD)
- Roll Stability Control (RSC)
- Traction Control System (TCS)
- Trailer Sway Control (TSC)

GLX Wellside Model

(Special order only - 2WD and 4WD)

- Cargo box
- Rear step bumper (chrome)
- Ladder rack
- Tailgate (lockable)
- Mudflaps (rear)
- Parking sensors (rear)

GSX features additional to GLX include:

- 17-inch machined alloy wheels with 265/65 tyres
- Door handles (chrome)
- Front fog-lamps (Halogen)
- Headlamps auto on/off function
- Power mirrors (chrome)
- Side steps (tubular, aluminium finish)
- Wipers (front) 2-speed with rain-sensing function
- 8-inch full colour touchscreen display
- HDMI input jack
- Air-conditioning (dual-zone climate control)
- Floor covering: Carpet
- Leather-wrapped steering wheel
- Rear-view mirror auto dimming
- Satellite navigation (with 3 years free map updates)
- Reversing Camera
- Seat Trim: Black sports cloth

VERSATILITY AND DURABILITY

All seats are finished in quality cloth trim, and how they're configured is up to you.

4x2 Freestyle Cab Chassis GLX with Black Cloth in Blue Reflex Mica.





Open up your interior options with a versatile rear door configuration.



SMOOTH CRUISIN'

Maintain a consistent speed and save fuel without the distraction of checking your speedometer.

Powertrain:

- 3.2 litre in-line 5 cylinder 20 valve DOHC intercooled turbo diesel engine
- Drivetrain: 4x2 or 4x4
- Max power: 147kW @ 3,000rpm
- Max torque: 470Nm @ 1,750-2,500rpm
- 6-speed Automatic (with Manual mode)
- Fuel consumption (combined): 9.3L/100km² (4x2 Automatic) 10L/100km² (4x4 Automatic)
- 6



4x2 Chassis GLX 4x4 Chassis GLX



4x4 Chassis GSX

Mazda BT-50





DOUBLE CAB features include:

GLX

- 16-inch steel wheels with 255/70 tyres
- Headlamps (Halogen)
- Power windows and mirrors (black)
- Rear step bumper (chrome)
- Lockable tailgate
- Seat trim: Black cloth
- Floor Covering: Vinyl
- Air-conditioning
- Cruise control
- 8-way adjustable driver's seat
- Lockable and illuminated glovebox
- Trip computer⁷
- 3.5-inch multi-information display
- Audio system with: AM/FM tuner and 6 speakers
- Single-disc CD player (MP3 compatible). (Available on GLX only)
- Bluetooth® hands-free phone and audio capability1
- Steering wheel-mounted audio controls
- USB input iPod compatible
- Parking sensors (rear)

■ Airbags SRS: front (driver and

- passenger), side (front) and curtain (front and rear)
- Anti-lock Braking System (ABS)
- Dynamic Stability Control (DSC)
- Emergency Stop Signal (ESS)
- Hill Descent Control (HDC) - 4x4 only
- Hill Launch Assist (HLA)
- Locking Rear Differential (LRD)
- Roll Stability Control (RSC)
- Traction Control System (TCS)
- Trailer Sway Control (TSC)

GSX features additional to GLX include:

- 17-inch machined alloy wheels with 265/65 tyres
- Door handles (chrome)
- Front fog-lamps (Halogen)
- Headlamps auto on/off function ■ Power mirrors (chrome)
- Side steps (tubular, aluminium finish)
- Wipers (front) 2-speed with
- rain-sensing function

- 4x4 Double Cab Wellside Limited in Deep Crystal Blue Mica.
 - display
 - Apple Carplay[™] and Android Auto[™]
 - HDMI input jack
 - climate control)
 - Floor covering: Carpet
 - Leather-wrapped steering wheel and
 - Rear-view mirror auto dimming
 - free map updates)
 - Reversing camera

 - Centre armrest (rear seat)
 - touchscreen display

Limited features additional to GSX include:

- Power mirrors (heating and folding
- Privacy glass
- Seat trim: Black leather⁹

- 8-inch full colour touchscreen

- Air-conditioning (dual-zone
- gear shift knob
- Satellite navigation (with 3 years
- Seat Trim: Black sports cloth
- 8-inch full colour
- function) with turn indicator
- Front seats with: 8-way power adjustment (driver)

SPACE AND STYLE

Accommodate five adults comfortably in black cloth, black sports cloth or black leather.



REVERSING CAMERA

Equipped to GSX and Limited models, the reversing camera is a great help. The view behind is automatically displayed when you reverse, making backing-up safer and easier.

THIS WAY

In-built satellite navigation (with 3 years free map updates) on GSX and Limited models leads the way, so you can relax and enjoy the ride.

23

4x2 Double Cab Wellside GSX with Black Sports Cloth in Aluminium Metallic.

Powertrain:

- 3.2 litre in-line 5 cylinder 20 valve DOHC intercooled turbo diesel engine
- Drivetrain: 4x2 or 4x4
- Max power: 147kW @ 3,000rpm ■ Max torque:
- 470Nm @ 1,750-2,500rpm
- 6-speed Automatic (with Manual mode) or 6-speed Manual
- Fuel consumption (combined): 8.9L/100km² (4x2 Manual) 9.3L/100km² (4x2 Automatic) 9.7L/100km² (4x4 Manual) 10L/100km² (4x4 Automatic)



4x2 Wellside GLX



4x4 Wellside GLX





4x2 Wellside GSX/Limited



4x4 Wellside GSX/Limited

4x2		3.2L Single Cab Chassis	3.2L Freestyle Cab Chassis	3.2L Double Cab Wellside	3.2L Double Cab Wellside	3.2L Double Cab Wellside				
Powertrain		GLX	GLX	GLX	GSX	Limited				
Engine type		3.	2 litre in-line 5 cyline	der 20 valve DOHC ir	ntercooled turbo dies	el				
Engine capacity				3,198 cc						
Bore and stroke				89.0 mm x 100.7 mm	1					
Compression ratio				15.5 : 1						
Maximum power				147kW @ 3,000rpm						
Maximum torque			47	0Nm @ 1,750-2,500r	pm					
Throttle control			El	ectronic (drive-by-wi	re)					
Fuel system			Common	-rail, electronic direc	t injection					
Fuel tank capacity				80 litres						
Recommended fuel				Diesel						
Fuel consumption (I/100km) ²	man (combined)	8.9	-	8.9	8.9	-				
	auto (combined)	-	9.3	9.3	9.3	9.3				
Emissions standard				Euro stage V						
Alternator		12 volts - 110 amps								
Manual transmission		6-speed	-	6-speed	6-speed	-				
Automatic transmission		-	6-speed	6-speed	6-speed	6-speed				
Gear ratio - man/auto	1st	5.441 / -	- / 4.171	5.441 / 4.171	5.441 / 4.171	- / 4.171				
	2nd	2.839 / -	- / 2.342	2.839 / 2.342	2.839 / 2.342	- / 2.342				
	3rd	1.721 / -	- / 1.521	1.721 / 1.521	1.721 / 1.521	- / 1.521				
	4th	1.223 / -	- / 1.143	1.223 / 1.143	1.223 / 1.143	- / 1.143				
	5th	1.000 / -	- / 0.867	1.000 / 0.867	1.000 / 0.867	- / 0.867				
	6th	0.794 / -	- / 0.691	0.794 / 0.691	0.794 / 0.691	- / 0.691				
	reverse	4.935 / -	- / 3.403	4.935 / 3.403	4.935 / 3.403	- / 3.403				
	final drive	3.550 / -	- / 3.730	3.550 / 3.730	3.550 / 3.730	- / 3.730				
Chassis										
Brake diameter	front			302 mm						
	rear			270 mm						
Brake type	front			Ventilated disc						
	rear			Drum						
Steering type			Rack and pini	on hydraulic power a	assist steering					
Suspension type	front	Inde	pendent double wish	nbone with coil over	dampers and anti-ro	l bar				
	rear		Rigid (liv	ve) rear axle with lea	f springs					
Turning circle	kerb to kerb			12.4 m						
Tyre size		255/70 R16	255/70 R16	255/70 R16	265/65 R17	265/65 R17				
Tyre index		111T	111T	111T	112T	112T				
Wheel size		16 x 7.0 J	16 x 7.0 J	16 x 7.0 J	17 x 8.0 J	17 x 8.0 J				
Wheel type		Steel	Steel	Steel	Alloy	Alloy				
Wheel size (spare)		16 x 7.0 J	16 x 7.0 J	16 x 7.0 J	17 x 7.5 J	17 x 7.5 J				
Wheel type (spare)		Steel	Steel	Steel	Steel	Steel				
Weights and capacities										
Axle capacity	front			1,350 kg						
	rear			1,850 kg						
Gross Combined Mass (GCM) ³	man	6,000 kg	-	6,000 kg	6,000 kg	-				
	auto	-	6,000 kg	6,000 kg	6,000 kg	6,000 kg				
Gross Vehicle Mass (GVM)	man	3,200 kg	-	3,200 kg	3,200 kg	-				
	auto	_	3 200 kg	3 200 kg	3.200 kg	3 200 kg				

Axle capacity	front			1,350 kg							
	rear		1,850 kg								
Gross Combined Mass (GCM) ³	man	6,000 kg	-	6,000 kg	6,000 kg	-					
	auto	-	6,000 kg	6,000 kg	6,000 kg	6,000 kg					
Gross Vehicle Mass (GVM)	man	3,200 kg	-	3,200 kg	3,200 kg	-					
	auto	-	3,200 kg	3,200 kg	3,200 kg	3,200 kg					
Kerb weight (total)	man	1,694 kg	-	1,962 kg	1,984 kg	-					
	auto	-	1,789 kg	1,979 kg	2,001 kg	2,021 kg					
Kerb weight (rear axle)	man	737 kg	-	853 kg	863 kg	-					
	auto	-	778 kg	861 kg	870 kg	879 kg					
Seating capacity		3	4	5	5	5					
Towball download ⁴	maximum			235 kg							
Towing capacity ⁴	braked			3,500 kg							
	unbraked			750 kg							

man auto Important: The maximum payload⁵ figure includes all occupants, fluids, options, accessories, modifications as well as cargo. Please refer to pages 32/33 for the payload capacity calculator to determine the permissible payload of cargo based on your specific needs.

1,506 kg

1,238 kg

1,221 kg

1,411 kg

1,216 kg

1,199 kg

4x4		3.2L Single Cab Chassis	3.2L Freestyle Cab Chassis	3.2L Freestyle Cab Chassis	3.2L Double Cab Wellside	3.2L Double Cab Wellside	3.2L Double Cab Wellside				
Powertrain		GLX	GLX	GSX	GLX	GSX	Limited				
Engine type		3.2 litre in-line 5 cylinder 20 valve DOHC intercooled turbo diesel									
Engine capacity		3,198 cc									
Bore and stroke			89.0 mm x 100.7 mm								
Compression ratio			15.5 : 1								
Maximum power				147kW @	3,000rpm						
Maximum torque				470Nm @ 1,7	50-2,500rpm						
Throttle control				Electronic (drive-by-wire)						
Fuel system			C	Common-rail, elect	ronic direct injection	on					
Fuel tank capacity				80	litres						
Recommended fuel			Diesel								
Fuel consumption (I/100km) ²	man (combined)	9.7	-	-	9.7	9.7	-				
	auto (combined)	-	10	10	10	10	10				
Emissions standard			Euro	stage V							
Alternator				12 volts	- 110 amps						
Manual transmission		6-speed	-	-	6-speed	6-speed	-				
Automatic transmission		-	6-speed	6-speed	6-speed	6-speed	6-speed				
Gear ratio - man/auto	1st	5.441 / -	- / 4.171	- / 4.171	5.441 / 4.171	5.441 / 4.171	- / 4.171				
	2nd	2.839 / -	- / 2.342	- / 2.342	2.839 / 2.342	2.839 / 2.342	- / 2.342				
	3rd	1.721 / -	- / 1.521	- / 1.521	1.721 / 1.521	1.721 / 1.521	- / 1.521				
	4th	1.223 / -	- / 1.143	- / 1.143	1.223 / 1.143	1.223 / 1.143	- / 1.143				
	5th	1.000 / -	- / 0.867	- / 0.867	1.000 / 0.867	1.000 / 0.867	- / 0.867				
	6th	0.794 / -	- / 0.691	- / 0.691	0.794 / 0.691	0.794 / 0.691	- / 0.691				
	reverse	4.935 / -	-/3.403	- / 3.403	4.935 / 3.403	4.935 / 3.403	-/3.403				
	final drive	3.550 / -	- / 3.730	- / 3.730	3.550 / 3.730	3.550 / 3.730	- / 3.730				
Transfer gear	high			1.0	000						
	low			2	717						
Chassis											
Brake diameter	front			302	2 mm						
	rear			295	5 mm						
Brake type	front			Ventila	nted disc						
	rear			Di	rum						
Steering type			Rack	and pinion hydrau	ılic power assist st	eering					
Suspension type	front		Independent dou	uble wishbone wit	n coil over damper	s and anti-roll bar					
	rear			Rigid (live) rear a	de with leaf spring	S					
Turning circle	kerb to kerb			12.	4 m						

Brake diameter	front			302	mm					
	rear			295	mm					
Brake type	front	Ventilated disc								
	rear		Drum							
Steering type			Rack	and pinion hydrau	lic power assist ste	eering				
Suspension type	front	Independent double wishbone with coil over dampers and anti-roll bar								
	rear		Rigid (live) rear axle with leaf springs							
Turning circle	kerb to kerb			12.4	4 m					
Tyre size		255/70 R16	255/70 R16	265/65 R17	255/70 R16	265/65 R17	265/65 R17			
Tyre index		111T	111T	112T	111T	112T	112T			
Wheel size		16 x 7.0 J	16 x 7.0 J	17 x 8.0 J	16 x 7.0 J	17 x 8.0 J	17 x 8.0 J			
Wheel type		Steel	Steel	Alloy	Steel	Alloy	Alloy			
Wheel size (spare)		16 x 7.0 J	16 x 7.0 J	17 x 7.5 J	16 x 7.0 J	17 x 7.5 J	17 x 7.5 J			
Wheel type (spare)		Steel	Steel	Steel	Steel	Steel	Steel			

Weights and capacities										
Axle capacity	front			1,35	0 kg					
	rear		1,850 kg							
Gross Combined Mass (GCM) ³	man	6,000 kg	-	-	6,000 kg	6,000 kg	-			
	auto	-	6,000 kg							
Gross Vehicle Mass (GVM)	man	3,200 kg	-	-	3,200 kg	3,200 kg	-			
	auto	-	3,200 kg							
Kerb weight (total)	man	1,791 kg	-	-	2,065 kg	2,087 kg	-			
	auto	-	1,876 kg	1,907 kg	2,076 kg	2,098 kg	2,118 kg			
Kerb weight (rear axle)	man	779 kg	-	-	898 kg	908 kg	-			
	auto	-	816 kg	830 kg	903 kg	913 kg	921 kg			
Seating capacity		3	4	4	5	5	5			
Towball download ⁴	maximum			235	5 kg					
Towing capacity ⁴	braked			3,50	10 kg					
	unbraked			750) kg					


Payload ⁵ (maximum)	man	1,409 kg	-	-	1,135 kg	1,113 kg	-
	auto	-	1,324 kg	1,293 kg	1,125 kg	1,125 kg	1,082 kg
Important: The maximum payload ⁵ figure calculator to determine the permissible p			es, modifications <u>a</u>	s well as cargo. Ple	ase refer to pages	32/33 for the pay	load capacity

^{– =} Not available.

^{– =} Not available.


4x2 Dimensions		3.2L Single Cab Chassis GLX	B 3.2L Freestyle Cab Chassis GLX	© 3.2L Double Cab Wellside GLX	② 3.2L Double Cab Wellside GSX	© 3.2L Double Cab Wellside Limited
Cargo box floor height to ground		-	-	835 mm	841 mm	841 mm
Cargo box floor length		-	-	1,549 mm	1,549 mm	1,549 mm
Cargo box floor width		-	-	1,560 mm	1,560 mm	1,560 mm
Cargo box height		-	-	513 mm	513 mm	513 mm
Cargo box tailgate opening width		-	-	1,330 mm	1,330 mm	1,330 mm
Cargo box top length		-	-	1,485 mm	1,485 mm	1,485 mm
Cargo box top width		-	-	1,500 mm	1,500 mm	1,500 mm
Cargo box width between wheel arches		-	-	1,139 mm	1,139 mm	1,139 mm
Ground clearance	laden	200 mm	200 mm	200 mm	205 mm	205 mm
	unladen	232 mm	232 mm	232 mm	237 mm	237 mm
Overall length		5,124 mm	5,124 mm	5,365 mm	5,365 mm	5,365 mm
Overall width		1,850 mm	1,850 mm	1,850 mm	1,850 mm	1,850 mm
Overall height		1,800 mm	1,804 mm	1,837 mm	1,821 mm	1,821 mm
Overhang	front	919 mm	919 mm	919 mm	919 mm	919 mm
	rear	985 mm	985 mm	1,234 mm	1,226 mm	1,226 mm
Track	front	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm
	rear	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm
Wading depth		800 mm	800 mm	800 mm	800 mm	800 mm
Wheelbase		3,220 mm	3,220 mm	3,220 mm	3,220 mm	3,220 mm
Approach angle		27.60	27.6°	27.6°	28.2°	28.20
Departure angle		28.40	28.4°	27.10	26.4°	26.40
Ramp breakover angle		24.40	24.40	24.40	25.0°	25.0°

^{– =} Not available.



4x4 Dimensions		3.2L Single Cab Chassis GLX	3.2L Freestyle Cab Chassis GLX	(H) 3.2L Freestyle Cab Chassis GSX	3.2L Double Cab Wellside GLX	3.2L Double Cab Wellside GSX	3.2L Double Cab Wellside Limited
Cargo box floor height to ground		_	_	_	835 mm	841 mm	841 mm
Cargo box floor length		-	-	-	1.549 mm	1.549 mm	1,549 mm
Cargo box floor width		-	-	-	1,560 mm	1,560 mm	1,560 mm
Cargo box height		-	-	-	513 mm	513 mm	513 mm
Cargo box tailgate opening width		-	-	-	1,330 mm	1,330 mm	1,330 mm
Cargo box top length		-	-	-	1,485 mm	1,485 mm	1,485 mm
Cargo box top width		-	-	-	1,500 mm	1,500 mm	1,500 mm
Cargo box width between wheel arches		-	-	-	1,139 mm	1,139 mm	1,139 mm
Ground clearance	laden	200 mm	200 mm	205 mm	200 mm	205 mm	205 mm
	unladen	232 mm	232 mm	237 mm	232 mm	237 mm	237 mm
Overall length		5,124 mm	5,124 mm	5,124 mm	5,365 mm	5,365 mm	5,365 mm
Overall width		1,850 mm	1,850 mm	1,850 mm	1,850 mm	1,850 mm	1,850 mm
Overall height		1,800 mm	1,804 mm	1,810 mm	1,837 mm	1,821 mm	1,821 mm
Overhang	front	919 mm	919 mm	919 mm	919 mm	919 mm	919 mm
	rear	985 mm	985 mm	985 mm	1,234 mm	1,226 mm	1,226 mm
Track	front	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm
	rear	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm
Wading depth		800 mm	800 mm	800 mm	800 mm	800 mm	800 mm
Wheelbase		3,220 mm	3,220 mm	3,220 mm	3,220 mm	3,220 mm	3,220 mm
Approach angle		27.60	27.60	28.2°	27.60	28.20	28.2°
Departure angle		28.40	28.40	28.90	27.10	26.40	26.4°
Ramp breakover angle		24.40	24.40	25.0°	24.40	25.0°	25.0°

^{– =} Not available.



4x2		3.2L Single Cab Chassis	3.2L Freestyle Cab Chassis	3.2L Double Cab Wellside	3.2L Double Cab Wellside	3.2L Double Ca Wellside
Exterior		GLX	GLX	GLX	GSX	Limited
Cargo box features	lockable centre tailgate release (black)	-	-	•	-	-
	lockable centre tailgate release (chrome)	-	-	-	•	•
	double wall construction	-	-	•	•	•
	interior rope hooks (6)	-	-	•	•	•
Door handles (black)		•	•	•	-	-
Door handles (chrome)		-	_	_	•	•
Engine Cover		_	_	_		
Fog-lamps (front)		_		_		
		_	_	-	•	_
Freestyle door system		-	•	-	-	
Front bumper (body coloured)		•	•	•	•	•
Fuel filler cap (lockable)		•	•	-	-	-
Glass: green-tinted (all windows)		•	•	•	•	-
Glass: privacy-tinted (rear side and back w	vindows)	-	-	-	-	•
Headlamps (Halogen)		•	•	•	•	•
Ladder rack		-	-	•	-	-
Mudflaps (front)		•	•	•	•	•
Mudflaps (rear)		-	-	•	•	•
Power mirrors (black)		•		•	_	-
Power mirrors (chrome)		_	_	_		
	Children to the distance				_ •	•
Power mirrors (folding function, heated) w	VILIT LWITT INDICATOR		-	-		
Power windows		•	•	•	•	•
Rear step bumper (chrome)		-	-	•	•	•
Side steps (tubular, aluminium finish)		-	-	-	•	•
Tailgate (lockable)		-	-	•	•	•
Interior						
				_		
Air-conditioning		•	•	•	_	
Air-conditioning (dual-zone climate contro	ol)	-	-	-	•	•
Ambient temperature gauge		-	-	-	•	•
Auxiliary 12-volt power outlets		•	•	•	•	•
Centre armrest console with dual compart	tments	-	•	•	•	•
Critical function warning lights/chimes		•	•	•	•	•
Cruise control		•	•	•	•	•
Cupholders		•	•	•	•	•
Door pockets		•	•	•	•	•
Driver's left footrest		•	•	•	•	•
Floor covering	carpet	_	_	_	•	•
1 loor covering				_	_ •	_
0	vinyl	•	-	•	_	_
Glove box (lockable and illuminated)		•	•	•	•	•
Headlamps auto on/off function		-	-	-	•	•
Illuminated entry system with delayed fad	e	•	•	•	•	•
Instrument panel light dimmer		•	•	•	•	•
Interior illumination	dome lamp	-	•	•	•	•
	map reading spot lamps	•	•	•	•	•
	power window switch (driver)	•	•	•	•	•
Leather-wrapped	gear shift knob	_	-	_	0	-
	steering wheel	_	_	_		
Low fuel warning light	steering wheel					
Overhead sunglass storage box						
Passenger assist grips		•	•	•	•	•
Rear-view mirror with auto dimming funct		-	-	-	•	•
Seat trim	cloth	•	•	•	-	-
	sports cloth	-	-	-	•	-
	leather ⁹	-	-	-	-	•
Seat (driver's bucket) with	8-way power adjustment	-	-	-	-	•
	adjustable head restraint	•	•	•	•	•
	height and lumbar adjustment	_		•	•	•
	rake and slide adjustment					
Cook (necessary) from the most with		•	•	•	•	
Seat (passengers' front bench) with	adjustable head restraint	•	-	_		_
Seat (passengers' front bucket) with	adjustable head restraint	-	•	•	•	•
	rake and slide adjustment	-	•	•	•	•

4x4		3.2L Single Cab Chassis	3.2L Freestyle Cab Chassis	3.2L Freestyle Cab Chassis	3.2L Double Cab Wellside	3.2L Double Cab Wellside	3.2L Double C Wellside
Exterior		GLX	GLX	GSX	GLX	GSX	Limited
Cargo box features	lockable centre tailgate release (black)	-	-	-	•	-	-
	lockable centre tailgate	_	_	_	_		
	release (chrome)						
	double wall construction	-	-	-	•	•	•
	interior rope hooks (6)	-	-	-	•	•	•
Door handles (black)		•	•	-	•	-	-
Door handles (chrome)		-	-	•	-	•	•
Engine Cover		-	-	•	-	•	•
Fog-lamps (front)		-	-	•	-	•	•
Freestyle door system		-	•	•	-	-	-
Front bumper (body coloured)		•	•	•	•	•	•
Fuel filler cap (lockable)		•	•	•	-	-	-
Glass: green-tinted (all windows)		•	•	•	•	•	-
Glass: privacy-tinted (rear side and bac	k windows)	_	_	_	_	_	•
Headlamps (Halogen)		•	•		•		
		_	•	_	•	_	_
Ladder rack		_					_
Mudflaps (front)		•			•		•
Mudflaps (rear)		-			•	•	•
Power mirrors (black)		•	•	-	•	-	-
Power mirrors (chrome)		-	-	•	-	•	•
Power mirrors (folding function, heater	d) with twin indicator	-	-	-	-	-	•
Power windows		•	•	•	•	•	•
Rear step bumper (chrome)		-	-	-	•	•	•
Side steps (tubular, aluminium finish)		-	-	•	-	•	•
Tailgate (lockable)		-	-	-	•	•	•
Under-body impact protection		•	•	•	•	•	•
Interior							
Air-conditioning		•	•	-	•	-	-
Air-conditioning (dual-zone climate cor	ntrol)	-	-	•	-	•	•
Ambient temperature gauge		-	-	-	-	•	•
Auxiliary 12-volt power outlets		•	•	•	•	•	•
Centre armrest console with dual comp	partments	_	•	•	•	•	•
Critical function warning lights/chimes		•			•		
Cruise control					•	-	
		•			•		•
Cupholders		•	•	•	•	•	•
Door pockets		•	•	•	•	•	•
Oriver's left footrest		•	•	•	•	•	•
Floor covering	carpet	-	-	•	-	•	•
	vinyl	•	•	-	•	-	-
Glove box (lockable and illuminated)		•	•	•	•	•	•
Headlamps auto on/off function		-	-	•	-	•	•
lluminated entry system with delayed	fade	•	•	•	•	•	•
nstrument panel light dimmer		•	•	•	•	•	•
nterior illumination	dome lamp	_			•		•
menor manimation					•		
	map reading spot lamps	_			•	_	•
	power window switch (driver)	•	•	•	•	•	•
eather-wrapped	gear shift knob	-	-	_	-	0	-
	steering wheel	-	-	•	-	•	•
ow fuel warning light		•	•	•	•	•	•
Overhead sunglass storage box		•	•	•	•	•	•
Passenger assist grips		•	•	•	•	•	•
Rear-view mirror with auto dimming fu	nction	-	-	•	-	•	•
eat trim	cloth	•	•	-	•	-	-
	sports cloth	-	-	•	-	•	_
	leather ⁹	-	_	-	_	_	•
Seat (driver's bucket) with	8-way power adjustment	_			_		
Cat (diliver 5 Ducket) with					_		
	adjustable head restraint	•					
	height and lumbar adjustment	-	•	•	•	•	•
	rake and slide adjustment	•	•	•	•	•	•
Seat (passengers' front bench) with	adjustable head restraint	•	-	-	-	-	-
Seat (passengers' front bucket) with	adjustable head restraint	-	•	•	•	•	•
	rake and slide adjustment	-	•	•	•	•	•

^{● =} Standard Feature, O = Available on manual model, - = Not available

3.2L Double Cab Wellside GLX 3.2L Double Cab Wellside GSX 3.2L Double Cab Wellside Limited

31

3.2L Single Cab Chassis GLX

adjustable head restraints
foldable seat base
and under-seat storage
centre armrest
removable seat base and
under-seat storage

3.2L 3.2L
Freestyle Cab
Chassis Chassis
GLX GSX

4x2		3.2L Single Cab Chassis	3.2L Freestyle Cab Chassis	3.2L Double Cab Wellside	3.2L Double Cab Wellside	3.2L Double Cab Wellside
Interior (continued)		GLX	GLX	GLX	GSX	Limited
Seat (passengers' rear bench) with	adjustable head restraints	-	-	•	•	•
	foldable seat base and under-seat storage	-	-	•	•	•
	centre armrest	-	-	-	•	•
Seat (passengers' rear jump) with	removable seat base and under-seat storage	-	•	-	-	-
Tachometer and electronic odometer/tripm		•	•	•	•	
Tilt-adjustable steering wheel		•		•	•	
Trip computer ⁷ (current and average fuel co	onsumption, distance to empty	•		•		•
and average vehicle speed)		•	•	•	•	•
Vanity mirror (front passenger)		•	•	•	•	•
Window demister (rear)		•	•	•	•	•
Wipers (front) 2-speed with rain-sensing fur	nction	-	-	-	•	•
Wipers (front) 2-speed with variable interm	ittent function	•	•	•	-	-
Infotainment						
8-inch full colour touchscreen display		_	_	_		
3.5-inch multi-information display		•				_
		_	•	-		_
Apple Carplay [™] and Android Auto [™]		_				
AM/FM tuner	hla					
Auxiliary input (3.5mm MP3 player compati	DIE)	•	•	•	•	•
Auxiliary input jack (HDMI)		_	-	-	•	•
Bluetooth® hands-free phone and audio cap		•	•	•	•	•
CD player, single disc (MP3/WMA compatible		•	•	•	-	-
Satellite navigation (with 3 years free map	updates)	-	-	-	•	•
Speakers (4)		•	-	-	-	-
Speakers (6)		-	•	•	•	•
Steering wheel-mounted audio controls		•	•	•	•	•
USB input (iPod® compatible)		•	•	•	•	•
Safety and Security						
Airbags SRS	front (driver and passenger)					
All bags 3N3	side (front)	_		•		
	curtain (front)	•	<u> </u>	_	_	_
	curtain (front and rear)			_		
Anti la el Prelina Cuetano (ADC)	curtain (nont and rear)	_	-	•	•	-
Anti-lock Braking System (ABS)		•	-	•	•	•
Child restraint anchor points (2)		_	•	•	•	•
Childproof rear door locks	/	_	_	•	•	•
Dynamic Stability Control (DSC) - switchable	e on/orr	•	•	•	•	•
Electronic Brake-force Distribution (EBD)		•	•	•	•	•
Emergency Brake Assist (EBA)		•	•	•	•	•
Engine immobiliser		•	•	•	•	•
Emergency Stop Signal (ESS)		•	•	•	•	•
High mount stop lamp		-	-	•	•	•
Hill Launch Assist (HLA)		•	•	•	•	•
Intrusion-minimising brake pedal		•	•	•	•	•
Left-hand-side convex (wide angle) exterior	mirror	•	•	•	•	•
Load Adaptive Control (LAC)		•	•	•	•	•
Locking Rear Differentail (LRD) - switchable	e on/off	•	•	•	•	•
One touch (up and down) power window (dr	iver)	•	•	•	•	•
Parking sensors (rear)		-	-	•	•	•
Remote central locking (2 transmitters with	retractable key)	•	•	•	•	•
Reversing camera		-	-	-	•	•
Roll Stability Control (RSC)		•	•	•	•	•
, (/	Λ.	•	•	•	•	•
Seat-belt warning audible and visual (driver)			_	_	
		-	•	•	•	•
Seat-belt warning audible and visual (driver		-		•		
Seat-belt warning audible and visual (driver Seat-belt warning audible and visual (front		- • -	•	•		•
Seat-belt warning audible and visual (driver Seat-belt warning audible and visual (front Seat-belts 3-point lap-sash (all seats)	passenger)	- • -	-	•	•	•
Seat-belt warning audible and visual (driver Seat-belt warning audible and visual (front Seat-belts 3-point lap-sash (all seats)	passenger) height adjustable shoulder anchorages	- • - •	-	•	•	•
Seat-belt warning audible and visual (driver Seat-belt warning audible and visual (front Seat-belts 3-point lap-sash (all seats) Seat-belts (front) with	passenger) height adjustable shoulder anchorages	- • • •	-	•	•	

● = Standard Feature, - = Not available

Vanity mirror (front p	assenger)		
Window demister (rea	ar)		
Wipers (front) 2-speed	d with rain-sensing function		
Wipers (front) 2-speed	d with variable intermittent function		
Infotainment			
8-inch full colour touc	chscreen display		
_ 3.5-inch multi-informa			
Apple Carplay™ and A			
AM/FM tuner	Android Adio		
	m MP3 player compatible)		
Auxiliary input (d.5)			
_	e phone and audio capability ¹		
•	(MP3/WMA compatible)		
Speakers (4)	with 3 years free map updates)		
Speakers (6)	ted audio controls		
Steering wheel-mount			
USB input (iPod® com	patible)		
Safety and Security			
Airbags SRS	front (driver and passenger)		
•	side (front)		
	curtain (front)		
	curtain (front and rear)		
Anti-lock Braking Syst	Anti-lock Braking System (ABS)		
Child restraint anchor	points (2)		
Childproof rear door I	locks		
Dynamic Stability Con	atrol (DSC) - switchable on/off		
Electronic Brake-force	e Distribution (EBD)		
Emergency Brake Ass	sist (EBA)		
Engine immobiliser			
Emergency Stop Sign	al (ESS)		
High mount stop lamp	p		
Hill Descent Control (I			
Hill Launch Assist (HL	_A)		
Intrusion-minimising			
•	x (wide angle) exterior mirror		
Load Adaptive Control			
	tial (LRD) - switchable on/off		
	own) power window (driver)		
Parking sensors (rear			
	ng (2 transmitters with retractable key)		
	,		
	(RSC)		
Reversing camera Roll Stability Control (
Roll Stability Control (
Roll Stability Control (Seat-belt warning and			
Roll Stability Control of Seat-belt warning and Seat-belt warning and	dible and visual (front passenger)		
Roll Stability Control (Seat-belt warning aud Seat-belt warning aud Seat-belts 3-point lap	dible and visual (front passenger) -sash (all seats)		
Roll Stability Control (Seat-belt warning aud Seat-belt warning aud	dible and visual (front passenger) -sash (all seats) n height adjustable shoulder anchorages		
Roll Stability Control of Seat-belt warning and Seat-belt warning and Seat-belts 3-point lap Seat-belts (front) with	dible and visual (front passenger)sash (all seats)height adjustable shoulderanchorages		
Roll Stability Control of Seat-belt warning and Seat-belt warning and Seat-belts 3-point lap Seat-belts (front) with	dible and visual (front passenger)sash (all seats)height adjustable shoulder		
Roll Stability Control of Seat-belt warning and Seat-belt warning and Seat-belts 3-point lap Seat-belts (front) with	dible and visual (front passenger)sash (all seats)height adjustable shoulderanchorages		

4x4

Interior (continued)

Seat (passengers' rear bench) with

Seat (passengers' rear jump) with

Tilt-adjustable steering wheel

Tachometer and electronic odometer/tripmeter

^{● =} Standard Feature, - = Not available



STATEMENT OF PURPOSE

The Payload and Towing Calculator⁵ has been provided to promote safe operation of your Mazda BT-50. Its objective is to ensure the aspects of **load capacity** and **weight distribution** fall within safe limits. Please use this calculator as a general guide only.

Note: To reduce complexity with this tool, we have not included calculations for Front Axle Loading. For general use situations, Front Axle Capacity is not likely to be exceeded. However, for specific requirements or unique applications, please consult your Mazda Dealer.

GLOSSARY

GROSS COMBINED MASS (GCM):

The maximum total combined weight of a vehicle including its cargo, occupants, accessories and any towed mass.

TRAILER MASS:

The total weight of a trailer and its load, including the towbar download.

GROSS VEHICLE MASS (GVM):

The maximum weight of a vehicle, including all accessories, body construction, occupants and cargo.

KERB WEIGHT:

The unladen weight of the vehicle, (less occupants, tray/body and accessories), including fuel.

TOWBALL DOWNLOAD:

The downward load that is applied to the tow coupling when a trailer is attached (this load is part of the Trailer Mass).

VEHICLE ACCESSORIES:

Any attachment/device that has been added to the vehicle after it was manufactured (e.g. tray, sports bar, canopy etc.).

REAR AXLE CAPACITY:

The maximum total weight the rear axle can carry, including the unladen weight of the axle.

PROVISIONAL PAYLOAD:

This is the INTERIM calculated payload weight, without taking load distrubition into account.

PERMISSABLE PAYLOAD:

This is the FINAL payload figure, with weight distribution (i.e. rear axle capacity) accounted for.

INSTRUCTIONS

- To calculate PERMISSABLE payload for your needs in column (B), use example in column (A) as a guide.
- Please work through sections A-H in sequence.
- Model-specific weights and capacities data for elements f) and p) can be found on pages 24 and 25.
- PROVISIONAL Payload is calculated by deducting fixed and variable weights from the Gross Combined Mass (GCM) or Gross Vehicle Mass (GVM) figures (where appropriate).
- PERMISSABLE (final) Payload is then confirmed once weight distribution is calculated, by checking the PROVISIONAL Payload against the maximum Rear Axle Capacity.
- For specific requirements, please consult your Mazda Dealer.

		(A) Example Worksheet	Your Worksheet	
	BT-50 MODEL:	4x2 Single Cab Chassis GLX 6MT		
SECTION A				
Gross Combined Mass (GCM)		a) 6,000kg	a) 6,000kg	
SECTON B	TRAILER			
MINUS:	Trailer Mass (If towing; otherwise enter "O")	b) 2,000kg	b)	kg
EQUALS:	Residual Mass	c) 4,000kg	c)	kg
		[c] = [a] - [b]		
SECTION C	GVM			
Gross Vehicle Mass (GVM)		d) 3,200kg	d) 3,200kg	
LESSER VALUE OF:	Residual Mass [c] OR GVM [d]	e) 3,200kg	e)	kg
		[e] = lesser v	alue of [c] or [d]	
SECTION D	KERB WEIGHT			
MINUS:	Kerb Weight	f) 1,694kg	f)	kg
EQUALS:		g) 1,506kg	g)	kg
		[g] =	= [e]-[f]	
SECTION E	TOWBALL DOWNLOAD			
Maximum Towball Download		h) 235kg	h) 235kg	
Actual Towball Download (If towing; otherwise enter "0")		i) 150kg	i)	kg
LESSER VALUE OF:	Maximum Towball Download [h] OR Actual Towball Download [i]	j) 150kg	j)	kg
		[j] = lesser v	ser value of [h] or [i]	
EQUALS:		k) 1,356kg	k)	kg
			[g] - [j]	rg
SECTION F	ACCESSORIES / OCCUPANTS	101 -	(4) (1)	
MINUS:	Vehicle Accessories			
	(e.g. Tray, Canopy, Sports Bar etc)	I) 300kg	l)	kg
	Occupants/Luggage/Tools etc	m) 200kg	m)	kg
EQUALS:	PROVISIONAL Payload	n) 856kg	n)	kg
		[n] = [k] - [i] - [m]		
SECTION G	REAR AXLE PAYLOAD			
Maximum Rear Axle Capacity		o) 1,850kg	o) 1,850kg	
MINUS:	Kerb Weight (Rear Axle)	p) 737kg	p)	kg
EQUALS:		q) 1,113kg	q)	kg
		[q] = [o] - [p]		
MINUS:	Towball Download [j]	j) 150kg	j)	kg
	Vehicle Accessories [I]	I) 300kg	l)	kg
EQUALS:	Maximum Rear Axle Payload	r) 663kg	r)	kg
		[r] = [q] - [j] - [l]		
SECTION H	FINAL PAYLOAD CONFIRMATION			
LESSER VALUE OF:	Maximum Rear Axle Payload [r] OR	r) 663kg	r)	kg
	PROVISIONAL Payload [n]	n) 856kg	n)	kg
EQUALS:	PERMISSABLE PAYLOAD	s) 663kg	s)	kg
		[s] = lesser value of [n] or [r]		

ENJOY MAZDA BT-50 WITH CONFIDENCE



mazda commercialcare

Every new Mazda BT-50 comes with mazda commercialcare included. This comprehensive cover includes 3 years of Mazda On Call Roadside Assistance plus 3 years or 150,000km (whichever occurs first) of a comprehensive Mazda Warranty at no extra cost. It also entitles you to 3 years or 100,000km (whichever occurs first) of Fixed Price Servicing8

Maintain that Zoom-Zoom for no more than \$200 per service8

Regular servicing is essential because it keeps your Mazda in peak condition for longer, saving you money in fuel and parts, keeping your vehicle safer on the road. That's why we offer 3 years or 100,000km (whichever occurs first) of Fixed Price Servicing as part of mazda commercialcare. This means you pay no more than \$200 (incl. GST) per service at scheduled service intervals every 6 months or 10,000km (whichever comes

first).8 Of course, each service will be carried out by Mazda factory-trained Service Specialists using the latest in vehicle diagnostic equipment, in order to keep your BT-50 operating at optimum driving performance.

Help is at hand - Mazda Roadside Assistance

If something goes wrong when you're travelling then we're here to help. Mazda On Call is a roadside assistance programme available to Mazda owners 24-hours a day, 365 days a year - included as part of your mazda commercialcare cover. So, if you run out of fuel, lock your keys in the car or simply forget how to programme the stereo, all you need to do is call us. Our support centres are ready to help out with any mechanical, medical and even legal advice you might need.

Accessories add enjoyment

Mazda BT-50 combines amazing versatility with refined design. And with Mazda Genuine Accessories, owning one becomes even more satisfying. They let you personalise your vehicle and protect your investment. They also deliver superb design, quality, fit and safety. Mazda Genuine Accessories let you add even more Zoom-Zoom. Find out more about mazda commercialcare and genuine BT-50 accessories at mazda.co.nz




(1) Please check the compatibility of your Bluetooth® device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase as not all devices operate correctly. Consult your Mazda Dealer for further information. (2) Fuel consumption figures are based on ADR81/02. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic, road conditions and how the vehicle is driven. Combined fuel consumption figures quoted in this brochure relate to models built on or after 1 July 2016. (3) GCM is the total permissible combined weight of the vehicle and trailer being towed including occupants, accessories, fuel and cargo. Please refer to the Towing and Payload Calculator on Pages 32/33 for guidance. (4) A Genuine Mazda towbar is recommended. Towing Capacity is governed by the Gross Combined Mass (GCM) of the vehicle not being exceeded. Please refer to the Towing and Payload Calculator on Pages 32/33 for guidance. (5) The weight of any vehicle occupants, options, accessories, modifications, cargo, axle capacity and towball download must be included when calculating payload weight. Please refer to the Towing and Payload Calculator on Pages 32/33 for guidance. (6) The Towing and Payload Calculator is a guide only; to promote safe practice in line with the safety systems and capabilities of the vehicle. Consult your Mazda Dealer for further information. (7) Trip computer displays current and average fuel consumption, distance to empty and average vehicle speed. (8) mazda commercialcare Fixed Price Servicing is only available for BT-50 'UP' and 'UR' series models built from August 2011 onward. (9) Leather trim includes Mazda deluxe leatherette on selected high impact surfaces.

All care is taken to ensure the accuracy of this brochure at the time of publication. Specifications, features and model availability may vary from Dealer to Dealer and may change without notice. Please refer to mazda.co.nz or consult your Mazda Dealer prior to placing an order to ascertain current information on model availability, specifications, options, features and prices. Mazda Motors of New Zealand Limited will not be liable for any loss arising from the information in this brochure, whether in negligence or otherwise. Mazda Motors of New Zealand Limited, PO Box 132 057, Sylvia Park, Auckland 1644. Due to the nature of the printing process, colours may vary from those shown in this brochure. Ask your Dealer to show you a product sample. Published January 2019. MZ4900610.

MAZDA BT-50 COLOUR AND TRIM

BODY COLOURS



Cool White Aluminium Metallic


Blue Reflex Mica

Black Mica

True Red

Titanium Flash Mica Deep Crystal Blue Mica

INTERIOR TRIMS



(Limited)

