

BUILT TO DELIVER.



EXPRESS SHORT WHEELBASE





The functional and efficient size of the Express short wheelbase allows up to 5.2m³ cargo capacity, while still allowing you to comfortably navigate impossibly tight parking and loading spaces. Floor to ceiling door access on both sides and at the rear, coupled with a low, flat floor enables flexible and efficient use of the cargo space.

Available in 6-speed manual or 6-speed dual clutch automatic transmission, Express short wheelbase is powered by a 1.6L twin turbo diesel or 2.0L turbo diesel engine and has a raft of standard features including, Daytime Running Lights (DRL), Rear Parking Sensors, Electronic Stability Control, heated side mirrors with electric adjustment, single zone air conditioning and cruise control.

EXPRESS LONG WHEELBASE






If you need to carry extra long items or just need more space, you can't go past the Express long wheelbase with up to 6.0m³ cargo capacity. Available in 6-speed manual or 6-speed dual clutch automatic transmission powered by a 1.6L twin turbo or 2.0L turbo diesel engine, it effortlessly delivers performance and comfort day after day.

Automatic models across the range offer additional features including front fog lights, Rear View Camera with Rear Parking Sensors, Automatic Dusk Sensing Headlights and Automatic Rain Sensing Wipers.

YOUR MOBILE OFFICE.



The Express van' driver cockpit is a flexible and comfortable space, with an intuitive dashboard design plus all the technology and storage space you need right at your fingertips.

A generous cargo area doesn't mean you compromise on comfort and space. In fact, the Express offers ample room up front with a dual passenger bench seat for up to three passengers (including driver).

Keep your Smartphone charging in the convenient docking station, while you access Bluetooth® DAB+ radio, music streaming and hands-free phone connectivity via the Single DIN head unit.

Multiple USB ports ensure smart devices are always charged and your crew is ready to go.

CLEVER FOR CARGO.



The Express van provides incredible flexibility and efficient loading and unloading options. Rear twin barn doors have an 85-degree and 160-degree stop and can accept a pallet directly from a forklift. Left and right side sliding doors provide easy access from the street or footpath.

Multiple tie down anchors help keep your items secure at all times, and extra long length cargo can slide under the passenger bench seat into the passenger footwell. Total payload ranges from 1115-1200 kg across the Express range, with up to 2000kg braked towing capacity and a 200kg roof load limit.



Power and Efficiency

Both SWB and LWB models offer the choice of two engine variants. The highly efficient 1.6L twin turbo Diesel engine provides 103kW of power and 340Nm of torque, utilising a 6-speed manual transmission.

The 2.0L single turbo diesel engine offers impressive performance with 125kW of power and 380Nm of torque. This is delivered via a 6-speed dual clutch automatic transmission, providing fast, smooth gear shifting and ensuring the most efficient use of power and torque.

Both engines provide a perfect balance in terms of performance and fuel efficiency.

Protect your people. Protect your business.

Workplace safety is paramount and the Express van delivers it with active and passive safety features that provide greater driver control.

Electronic Stability Control (ESC)

Mitsubishi's Electronic Stability Control is a sophisticated driver aid that senses loss of traction and then applies the brakes and/or reduces power to the wheels to keep your Express van on track.

Hill Start Assist (HSA)

Steep city streets or congested shopping mall ramps are no longer a problem with Mitsubishi's Hill Start Assist technology. It prevents the car from rolling backwards by maintaining braking force to give you time to move your foot from brake to accelerator.

Electronic Brakeforce Distribution (EBD)

Mitsubishi's Electronic Brakeforce Distribution works hand-inhand with your vans Anti-lock Braking Systems computer to assess load and distribute braking force between the front and rear wheels. When you have a load in the rear, the system distributes more braking force to the rear wheels to improve stability under high brake loads, and shorten the stopping distance when compared to fixed brake distribution.

Rear Parking Sensors and Camera

Mitsubishi's Rear View Camera# and Parking Sensors assist when maneuvering in tight spots. Sensors detect and warn you if you're getting too close to objects behind you when reversing.

Rain Sensing Wipers#

Mitsubishi's Rain Sensing Wipers activate automatically when moisture is detected on the windscreen, allowing you to keep your hands on the wheel and your focus on the road ahead.

Dusk Sensing Headlights#

Mitsubishi's Dusk Sensing Headlights automatically illuminate in fading light or when travelling through a tunnel, allowing you to keep your hands on the wheel and your focus on the road ahead.

KEY SPECIFICATIONS

KEY		Standard
	-	Not available

	SWB 2WD GLX MAN	LWB 2WD GLX MAN	SWB 2WD GLX AUTO	LWB 2WD GLX AUTO	
Engine					
Туре		vin Turbo Diesel		Turbo Diesel	
Size (L)		.6	_	2.0	
Compression ratio		15.4:1		15.0:1	
Displacement (cc)		1598		1997	
Bore x Stroke (mm)		x 79.5	85.0 x 88.0		
Maximum Power (kW@rpm)		3500	125 @ 3500		
Maximum Torque (NM@rpm)	340 @ 1500		380 @ 1500		
Fuel Type	Diesel		Diesel		
Fuel consumption (ADR 81/02 per 100km)*		.2	7.3		
CO2 Emissions - g/km			191 80		
Fuel tank capacity (L)	8	0	3	30	
Transmission	Mar	nual	0		
Type			Automatic 6		
Number of speeds		6		•	
Manual shift mode Chasis		-			
		Mantilatasi si	: (20.6)		
Front brakes Rear brakes			isc (296 mm) 80 mm)		
	Man	DISC (2) herson strut, lower		or har	
Front suspension Rear suspension					
Wheels & Tyres	COILSE	orung, reinforced tra	ming arrir with panna	310 100	
Wheel type		C+	aal		
Wheel size (inches)		Steel 16 x 6.03			
Tyre type	Light 7				
Tyre size	3 1				
Spare wheel type		215/65R16C Full size (steel)			
Active Safety		Full Sizi	e (Steel)		
Emergency Stop Signal function (ESS)				_	
Emergency Brake Assist system (EBA)		=			
Hill Start Assist (HSA)				-	
Active Stability Control (ASC)				_	
Roll Over Mitigation				_	
Trailer Stability Assist (TSA)					
Active Traction Control (ATC)					
Anti-lock Braking System (ABS)					
Electronic Brakeforce Distribution (EBD)					
Brake Override System (BOS)					
Driver Assistance					
Cruise control				_	
Adjustable Speed limiter					
Electrochromatic rear view mirror		-		•	
Blindspot mirror (mounted on passenger sun visor)				•	
ECO drive function					
Grip Control / Extended Grip					
Automatic dusk sensing headlights		-			
Automatic rain sensing wipers		-			
Rear wiper and washer		1			
Intermittent rear wiper and washer		1			
Parking Assistance					
Rear view camera		-			
Rear parking sensors		•		•	
Airbags					
Driver & front passenger SRS airbags					
Driver & front passenger side SRS airbags	Drive	Driver only		Driver only	
Curtain SRS airbags					
Seat Belts					
Front seat belt pretensioners		1			
Child Safety					
Child proof rear door locks					
Security					
Auto door lock					

	SWB 2WD GLX MAN	LWB 2WD GLX MAN	SWB 2WD GLX AUTO	LWB 2WD GLX AUTO	
Audio & Multimedia					
Smartphone link Display Audio (SDA) with touch screen Display Audio with touchscreen		-		_	
Screen size (inches)				_	
Android Auto			_		
Apple CarPlay	-	_		=	
Satellite navigation		-		-	
Speakers		2		2	
Bluetooth connectivity with voice control & audio streaming		•		•	
Digital Audio Broadcast (DAB) radio				•	
AM/FM radio USB input		2		2	
Audio input jack (3.5mm)		∠		Z ■	
Comfort & Convenience					
Smart key		-		_	
Keyless entry with central door locking	ı				
Multifunction steering wheel controls					
Tilt & telescopic steering column	•				
Auto up/down driver control - all windows	•			•	
Accessory socket (12V)		2		2	
Air Conditioning		_		_	
Manual temperature control Dust and pollen filter				•	
Exterior					
Door handles finish	Materi	al Black	Materi	al Black	
Lights					
Headlights low beam	Halo	ogen	Hali	ogen	
Headlights high beam	Halogen		Halogen		
Headlight levelling function			Manual		
Daytime Running Lights (DRL)	Halogen		Halogen		
Fog lights (front) Fog lights (rear) Cornering lights Brake lights Door Mirrors Flectric adjustment	-		Halogen		
Fog lights (rear) Cornering lights	-		Halogen		
Brake lights	Incand	- lescent	Incandescent		
Door Mirrors	incurio	ic Sectific	incurio	acacenic .	
Electric adjustment			•		
Heating function			•		
Finish	Materia	al Black	Materi	al Black	
Rear Body					
Side Cargo Doors (Sliding)	1 x LH, 1 x RH 2 x Barn		1 x LH, 1 x RH 2 x Barn		
Rear Cargo Doors Cargo tie-down points	12	Barn 14	12 X	Barn 14	
Rear step bumper		14		14	
Styling	_				
Vinyl floor covering				_	
Seating					
Fabric seat trim					
Driver's seat manual adjustment					
Driver's seat lumbar adjustment				•	
Drivers's seat fold down centre arm rest		•		•	
Storage Cup holders		7		3	
Bottle holders	2		2		
Door pockets - front		_		_	
Exterior Dimensions					
Overall length (mm)	4999	5399	4999	5399	
Overall width (mm)	1956	1956	1956	1956	
Overall height (mm)	1971	1971	1971	1971	
Wheelbase (mm)	3098	3498	3098	3498	
Turning circle, kerb to kerb (m)	11.8	13.2	11.8	13.2	
Ground clearance (mm) - minimum, unladen Weights and Capacities Kerb mass (kg) Gross vehicle mass (GVM) - [kg] Gross combination mass (GCM) - [kg] Maximum payload (kg)	160	160	160	160	
Kerb mass (kg)	1810	1860	1870	1920	
Gross vehicle mass (GVM) - [kg]	2960	3060	2985	3070	
Gross combination mass (GCM) - [kg]	4960	5060	4700	4700	
Maximum payload (kg)	1150	1200	1115	1150	
	1625	1625	1625	1625	
Maximum front axle load (kg) Maximum rear axle load (kg) Towing capacity - braked (kg) Towing capacity - unbraked (kg) Towing capacity - maximum towball load (kg) Maximum roof load (kg) Cargo	1650	1650	1650	1650	
Towing capacity - braked (kg)	2000	2000	1715	1630	
Towing capacity - unbraked (kg) Towing capacity - maximum towball load (kg)	750	750	750	750	
Naximum roof load (kg)	80 200	80 200	80 200	80 200	
Cargo	200	200	200	200	
Capacity (m3) - VDA	5.2	6	5.2	6	
Cargo room length (mm)	2537	2937	2537	2937	
				2442	
Cargo room width (mm)	1662	1662	1662	1662	
	1662 1387 1268	1662 1387 1268	1387 1268	1387 1268	

MODEL FEATURES





- 1.6L Twin Turbo Diesel Engine

- 6 Speed Manual Transmission
- Driver & Front Passenger SRS Airbag
- Halogen Headlights

FEATURES:

- Daytime Running Lights (DRL)
- Rear Bumper With Integrated Step
- 2 x Rear Wipers For Barn Doors
- 16" Steel Wheels
- 3 Seat Capacity
- Passenger Bench Seat
- Driver Seat With Centre Armrest, Manual Height & Lumbar Adjustment
- Left & Right Hand Side Sliding Doors
- Rear Barn Doors
- Driver & Passenger Side Curtain SRS Airbags
- Driver Thorax SRS Airbag
- Rear Park Assist
- Digital Audio Broadcast (DAB)
- Bluetooth® Hands-Free Telephone
- Bluetooth® Music Streaming
- Audio & Bluetooth® Control On Steering Wheel
- Smartphone Docking Station With USB Socket
- Cruise Control With Limiter
- 12 Tie Down Anchors In Cargo Area
- Single Zone Air Conditioning

MiTEC Mitsubishi Motors Intuitive Technology

- Anti-Lock Braking System (ABS)
- Electronic Stability Control (ESC)
- Active Traction Control (ATC)
- Electronic Brakeforce Distribution (EBD)
- Roll Over Mitigation (ROM)
- Emergency Brake Assist (EBA)
- Emergency Stop Signal (ESS)
- Hill Start Assist (HSA)



- INCLUDES ALL GLX MANUAL - 2.0L Single Turbo Diesel Engine
- 6 Speed Dual Clutch Automatic Transmission
- Front Fog Lights

MiTEC Mitsubishi Motors Intuitive Technology

- Rear View Camera With Display In Interior Rear View Mirror
- Automatic Rain Sensing Wipers
- Automatic Dusk Sensing Headlights



GLX LWB MANUAL

FEATURES:

- 1.6L Twin Turbo Diesel Engine
- 6 Speed Manual Transmission
- Driver & Front Passenger SRS Airbag
- Halogen Headlights
- Daytime Running Lights (DRL)
- Rear Bumper With Integrated Step
- 2 x Rear Wipers For Barn Doors
- 16" Steel Wheels
- 3 Seat Capacity
- Passenger Bench Seat
- Driver Seat With Centre Armrest, Manual Height & Lumbar Adjustment
- Left & Right Hand Side Sliding Doors
- Rear Barn Doors
- Driver & Passenger Side Curtain SRS Airbags
- Driver Thorax SRS Airbag
- Rear Park Assist
- Digital Audio Broadcast (DAB)
- Bluetooth® Hands-Free Telephone
- Bluetooth® Music Streaming
- Audio & Bluetooth® Control On Steering Wheel
- Smartphone Docking Station With USB Socket
- Cruise Control With Limiter
- 14 Tie Down Anchors In Cargo Area
- Single Zone Air Conditioning

MiTEC Mitsubishi Motors Intuitive Technology

- Anti-Lock Braking System (ABS)
- Electronic Stability Control (ESC)
- Active Traction Control (ATC)
- Electronic Brakeforce Distribution (EBD)
- Roll Over Mitigation (ROM)
- Emergency Brake Assist (EBA)
- Emergency Stop Signal (ESS)
- Hill Start Assist (HSA)



GLX LWB AUTOMATIC

INCLUDES ALL GLX SWB AUTOMATIC


- 2.0L Single Turbo Diesel Engine
- 6 Speed Dual Clutch Automatic Transmission
- Front Fog Lights

MiTEC Mitsubishi Motors Intuitive Technology

- Rear View Camera With Display In Interior Rear View Mirror
- Automatic Rain Sensing Wipers
- Automatic Dusk sensing Headlights



BETTER-FOR-BUSINESS ACCESSORIES





Towbar Kits, to suit with and without Rear Step



50mm Towball - Chrome



Tow Ball Cover



7 Pin to Round Large Trailer Plug



Electric Trailer Brake Kit



Rear Step without Towbar



Rear Step with Towbar



Aluminium Roof Bar with Stop (SWB & LWB)



Aluminium Roof Bars (Pair) with Stops (SWB & LWB)



Aluminium Roof Rack with Roller (SWB & LWB)



Steel Roof Rack (Barn Doors, SWB & LWB)



Steel Walkway (Barn Doors, SWB & LWB)



Galvanised Steel Ladder (Barn Doors)



Steel Ladder Epoxy (Barn Doors)



Front Wheel Arch Protector



Rear Wheel Arch Protector



Cargo Entry Protector



Barn Doors Protector



Barn Door Window Protection Grille



Front Weathershields



Cargo Barrier



Interior Roof Rack (SWB)



Horizontal Cargo Net



Tablet Support



A-Pillar Support Handle



D-Pillar Support handle



LED Interior Lights



Rubber Cargo Mat (SWB & LWB)



Wood Wheel Arch Protector (SWB & LWB)



Wood Wall Panels – 2 Sliding Doors (SWB & LWB)



Wood Flooring – 2 Sliding Doors (SWB & LWB)



Front Fog Lights



Front Park Assist




Mirror Rear View Camera



Alarm

Carpet Floor Mats (Front)



Rubber Floor Mats (Front)



Safety & First Aid Kit



Mitsubishi Genuine Accessories have been designed to maintain the integrity of your vehicle and work with all driving systems. Please ensure if fitting non-genuine accessories that they do not interfere with any of the vehicle safety sensors as this may lead to system malfunction and/or false activation. Some accessories are not offered by Mitsubishi on certain models as they interfere with vehicle safety sensors. GENUINE ACCESSORY WARRANTY Mitsubishi Motors Australia Limited warrants that Genuine Accessories will be free from defects in material under conditions of normal use and service within Australia. When Genuine Accessories are fitted prior to the owner taking delivery of the vehicle, Genuine Accessories are covered by a 36 months or 100,000km Warranty. When Genuine Accessories are fitted after the owner has taken delivery of the new vehicle, Genuine Accessories are warranted for whichever is the greater of the following. The balance of 36 months or 100,000km (whichever occurs first) from date of vehicle delivery: or 12 months or 20,000km (whichever occurs first) from date of fitment. Pictures shown for illustration purpose and may not be product specific. Please check with you Mitsubishi dealer for specific model application.

COLOUR



White

(M) Metallic





Silver (M)



Black (M)

BOOK A TEST DRIVE

BUILD AND PRICE

EXTERIOR DIMENSIONS (MM)







UPHOLSTERY



Black bolster with grey facing seat fabric



All Mitsubishi Motors vehicles come with the Mitsubishi Diamond Advantage[^] - Warranty, Capped Price Servicing and Roadside Assistance so that no matter where the road takes you, we will be there with you. Ask your Dealer or visit mitsubishi-motors.com.au to find out more.

See mitsubishi-motors.com.au for further information. Always consult your authorized Mitsubishi Dealer for the latest details on specifications, options, prices, availability and conditions of New Vehicle warranty. All product illustrations and specifications referred to herein are believed to be correct at the time of publication approval. Subject to any applicable Federal, State or Territory Laws or ordinances, which may apply from time to time, Mitsubishi Motors Australia Limited reserves the right, without notice, or obligation, to discontinue or make changes to design, specifications, colours and material of the options and products referred to herein at any time without incurring any liability to any purchaser thereof. Mitsubishi Motors Australia Limited ABN 53 007 870 395 EXP0520 21MY MMA1755