



THE ONLY ULTRA COMPACT SUV

Want something that stands out, but fits anywhere? Introducing the only ultra compact SUV. With bold distinctive styling and urban functionality, there's nothing else like it on the planet. Drive it for yourself and see where it takes you.



URBAN PROOF

The new Ignis has been designed to handle anything the city can throw at it—and coming from Japan, that says a lot. With its ultra compact body size, it easily manoeuvres through narrow city streets—and with SUV looks and crossover capabilities, you'll hop up curbs like a pro.



ICONIC DESIGN

The new Ignis has a distinctly Japanese design. Eye-catching, head-turning, bold—when you drive the Ignis, prepare to get noticed. From every angle it radiates a unique personality and presence—just like you! But unlike you, it has exterior detailing and funky colour options. Well, maybe you do have funky colour options.

COMPACT, YET SPACIOUS

Don't be fooled by its ultra compact size—the new Ignis has plenty of flexible luggage space, making it perfect for a weekend away.

LUGGAGE SPACE WITH ADJUSTABLE CAPACITY TO FIT YOUR LUGGAGE

The Ignis boasts luggage space volume measuring 505L* when the rear seats are folded down. The 60:40 split rear seats can be folded down from the luggage side as well, giving you plenty of options for various kinds of luggage.



^{*}Measured using the German Association of the Automotive Industry (VDA) method. Items are loosely placed in the rear storage area for illustrative purposes only and should be properly secured while driving.

DISTINCTIVE INTERIOR

With a sleek, premium look and flashes of funky colour, the interior of the new Ignis really enhances its urban style.



SMARTPHONE LINKAGE DISPLAY AUDIO (SLDA)

(Optional for GLX)

The audio system features a touch-panel display as intuitive as a smartphone. Connect your smartphone via Bluetooth[®] or USB cable to use your apps through the display, which is also equipped with a radio, rearview camera and navigation functions.

*Bluetooth is a registered trademark of Bluetooth SIG, Inc. For details of equipment availability, please refer to the major equipment list.



APPLE CARPLAY

Apple CarPlay lets you use your iPhone to make

calls, access your music, send and receive messages, and get directions all with your voice through Siri or by tapping on the audio display.

*For more details including iPhone models compatible with Apple CarPlay see:

*Apple, Apple CarPlay and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries



ANDROID AUTO™

Android Auto™ extends the Android platform

into the car in a way that's purpose-built for driving. It is designed to minimise distraction so you can enjoy driving with Google services like Google Maps and Google Play Music. Get the Android Auto app on the Google Play Store*.

*Most phones with Android 5.0+ works with Android Auto:

https://support.google.com/androidauto/answer/6348019?hl=en&ref_topic=6140477 *Google, Android, Google Play and Android Auto are trademarks of Google LLC.



MIRRORLINK

MirrorLink lets various applications on your smartphone appear on the vehicle's touchscreen

display, allowing you to access your smartphone's features

*MirrorLink™ is compatible with the smartphones listed at the following link:

*MirrorLink™ is a registered trademark of the Car Connectivity Consortium LLC.



METER CLUSTER

An information display in the fashionable meter cluster keeps you

informed of such basic information as fuel economy, outside temperature, time of day, fuel consumption and driving range. Switches on the steering wheel and beside the meter cluster let you choose what information is displayed.



AUDIO CONTROL SWITCHES

User-friendly switches on the steering wheel allow control of audio volume,

audio modes such as radio and Bluetooth® and the hands-free phone function.

*The accent colour differs depending on the body colour.





OUTSTANDING DRIVING PERFORMANCE

With its responsive engine and hill hold and descent control, the new Ignis puts the excitement back into driving. The Ignis balances responsive performance with outstanding fuel efficiency of just 4.7L/100km.*

A next-generation, stronger-but-lighter chassis provides a stable framework while reducing drag.

A more rigid, yet lighter suspension smooths out shocks and enables more responsive and controlled handling, while large diameter tyres and a minimum turning radius of just 4.7m make the Ignis easy to manoeuvre down narrow roads or in tight car parks.



1.2 PETROL ENGINE

The 1.2 litre petrol engine offers the best of two worldshigh output and good fuel economy. Despite the engine's small displacement, its heightened compression ratio results in better thermal efficiency for powerful driving. Knocking, which can result from high compression, is suppressed by the engine's augmented cooling performance. For good fuel economy without sacrificing output and torque, fuel combustion has been enhanced, friction has been reduced and efforts have been made to make the engine light and compact.



SUSPENSION

The lightweight, rigidly mounted suspension effectively absorbs road bumps for a smooth, comfortable ride. It also contributes to light steering that feels stable and direct for responsive handling.



LIGHT AND RIGID HEARTECT PLATFORM

The smoothly curving frame increases underbody stiffness that delivers excellent fundamental vehicle performance while also enhancing collision safety by efficiently dispersing energy. Despite the vehicle's compact SUV design, this platform enables optimal placement of components for a comfortably wide cabin and ample cargo space.





FUN, YET FUNCTIONAL

Flexible, functional, useful. There's more to the new Ignis than you think.

SEAT HEIGHTS DESIGNED FOR COMFORT

An elevated seating position makes it easier to get in and out and also creates a higher eye point for better visibility.

HIGH GROUND CLEARANCE

High 180mm ground clearance gives the Ignis an authentic SUV look despite its small size.



OUTSTANDING MANOEUVRABILITY AND HIGH TRAVELLING PERFORMANCE

With a minimum turning radius of 4.7m, the Ignis is easy to manoeuvre on narrow roads and parking lots. Large-diameter tyres and high ground clearance also provide peace of mind when driving over uneven or bumpy roads.



Approaching angle R
(excluding air dam)

aching angle Ramp breakover angle Departure



ENJOY EVERY MOMENT

Every time you drive the new Ignis, the city transforms into an adventure waiting to happen. You'll feel the fun personality of the Ignis every time you start the engine, and once you start driving you won't want to stop. Except for stop signs and stop lights—you should stop for those. But wherever the Ignis takes you, it's a journey to remember.

IGNIS GL





IGNIS GL

- 1.2L Dualjet engine
- 4.7L/100km fuel economy manual[^]
- 4.9L/100km fuel economy automatic[†]
- 5-speed manual or automatic CVT transmission
- 7-inch multimedia touchscreen with satellite navigation, reversing camera, Apple CarPlay® and Android Auto™
- Bluetooth[®] & iPod[®] USB connectivity with steering wheel audio controls
- 4 x speakers
- Cruise control
- 60:40 split rear seats
- Six airbags
- ESC. ABS. EBD. & BA
- 15" steel wheels
- Front fog lights
- Roof rails

IGNIS GLX





IGNIS GLX

(Additions to GL)

- Digital climate control
- Keyless start system
- 50:50 fold rear seats
- Sliding and reclining rear seats
- 2 x tweeters
- 16" alloy wheels
- Automatic LED headlights
- Daytime running lights
- Privacy glass

SPECIFICATIONS

		IG	INIS GL	IGINIS GLA		
POWERTRAIN						
ngine			1.2L D	ualjet		
Number of cylinders			4			
Number of valves			16			
Piston displacement (cm³)		1.242				
Bore x stroke (mm)			73.0 x 74.2			
Compression ratio		12.5				
Maximum output (kW/rpm)		66/6,000				
Maximum torque (Nm/rpm)		120/4,400				
uel distribution		Multipoint injection				
uel Tank Capacity (L)			32			
DIMENSIONS			5.			
Overall length (mm)			3.70	00		
Divorall width (mm)						
Overall width (mm)		1,660 1,595				
Overall height (mm)		2.435				
Vheelbase (mm)	Front	2,435 1,460 (175/65R15) 1,460(175/60R16				
read (mm)	Rear Rear	1,400 (1/5/65R15) 1,470 (175/65R15)		1,460(1/5/60R16) 1,470 (175/60R16)		
tining on the second of the last	real	1,4/0 (
Minimum turning radius (m)		4.7				
Minimum ground clearance (mm)			18			
Seating capacity (persons)			5	4		
uggage capacity (L)	Max. volume		1,101	1,104		
	Rear seatback folded		505	516		
	Rear seatback raised		271	264		
(erb weight (kg)		820	865	865		
Gross vehicle weight (kg)			1,33	80		
RANSMISSION						
ype		5MT		CVT		
	1st	3.545				
	2nd	1.904	100/ 0	2/10/1/ 100/ 100/		
	3rd	1.240		0 (LOW: 4.006 ~ 1.001,		
Gear ratio	4th	0.914	HIGH:	2.200 ~ 0.550)		
	5th	0.717	1			
	Reverse	3.272		3.771		
inal gear ratio	11046196	4.294		3.757		
		4.2.74		0.7 07		
FUEL CONSUMPTION*		4.7		40		
fuel consumption (L/100km) MT/AT		4.7		4.9		
CO2 emissions (G/km) MT/AT		107		114		
CHASSIS						
Steering			Rack &			
Brakas	Front		Ventilate			
Brakes	Rear	Drum, leading & trailing MacPherson strut with coil spring				
Vianansian	Front					
Suspension	Rear		orsion beam w			
WHEELS	·					
WHEELS yres (Width/Profile)		1	75/65	175/60		
Vheel Size		1/5/65		16"		
Vheel Type		15" Steel		Alloy		
Spare			space	pace Saver		
XTERIOR						
ront grille			Black with Ch			
Outside door handles	Body coloured	Std		Std		
Black-coloured A and B pillars		Std		Std		
ailgate opener	Handle-operated	Std		Std		
		Std		Std		
Roof rails			Std			
Roof rails //SIBILITY			Std			
/ISIBILITY		н		LED Projector		
/ISIBILITY Headlamps		Н	alogen	LED Projector		
/ISIBILITY Headlamps Guide me light function	Automatic	Н		Std		
/ISIBILITY Headlamps Guide me light function Headlamp leveling device	Automatic	Н		Std Std		
/ISIBILITY -leadlamps		Н	alogen — —	Std Std Std		
/ISIBILITY leadlamps duide me light function leadlamp leveling device uutomatic lamps og lamps	Automatic	Н		Std Std Std Std		
/ISIBILITY leadlamps Suide me light function leadlamp leveling device lutomatic lamps Tog lamps Jaytime Running Lamps		Н	alogen — —	Std Std Std Std Std LED		
/ISIBILITY leadlamps Suide me light function leadlamp leveling device lutomatic lamps Tog lamps Jaytime Running Lamps	Front	Н	alogen — —	Std Std Std Std		
toof rails ISIBILITY leadlamps authorized to be a considered to be	Front: 2 speeds (low,	Н	alogen Std	Std Std Std Std LED Std		
VISIBILITY leadlamps Suide me light function leadlamp levelling device utomatic lamps or lamps or lamps or lamps Privacy glass	Front	Н	alogen — —	Std Std Std Std Std LED		
/ISIBILITY leadlamps Suide me light function leadlamp leveling device lutomatic lamps Tog lamps Jaytime Running Lamps	Front: 2 speeds (low,	Н	alogen Std	Std Std Std Std LED Std		
VISIBILITY leadlamps Suide me light function leadlamp levelling device utomatic lamps or lamps or lamps or lamps Privacy glass	Front: 2 speeds (low, high) + intermittent	Н	alogen Std Std	Std Std Std Std LED Std		
VISIBILITY leadlamps Suide me light function leadlamp levelling device utomatic lamps or lamps or lamps or lamps Privacy glass	Front: 2 speeds (low, high) + intermittent + washer Rear: 1 speed +	Н	alogen Std	Std Std Std Std LED Std		
VISIBILITY leadlamps Suide me light function leadlamp levelling device utomatic lamps or lamps or lamps or lamps Privacy glass	Front: 2 speeds (low, high) + intermittent + washer Rear: 1 speed + intermittent + washer	Н	alogen	Std Std Std Std Std Std Std LED Std Std		
VISIBILITY leadlamps Suide me light function leadlamp leveling device uttomatic lamps og lamps bystime Running Lamps Privacy glass	Front 2 speeds (low, high) + intermittent + washer Rear: I speed + intermittent + washer Body coloured	H	alogen	Std		
VISIBILITY leadlamps Suide me light function leadlamp levelling device utomatic lamps or lamps or lamps or lamps Privacy glass	Front: 2 speeds (low, high) + intermittent + washer Rear: 1 speed + intermittent + washer	Н	alogen	Std Std Std Std Std Std Std LED Std Std		

IGNIS GL

IGNIS GLX

Speed limiter

Cabin lights

Cup holders Bottle holders Centre-lower box 12V accessory socket

Rear seats

IGNIS GL Leather covered With audio controls With cruise contro 3-spoke steering wheel With hands-free Tilt-adjust Digital clock Outside temperature Fuel consumption Information display Driving range Std (CVT) indicator (CVT) Meter illumination Centre & side louvre bezels Power windows With hazard lamp Remote-control door locks Keyless push start system Air conditioner Audio MP3/WMA + Bluetooth Satellite Navigation Apple CarPlay® & Android Auto®

Central cabin light

Instrument panel


Seat height adjuster (driver's side) Seatback pocket

(passenger's side) 60:40-split single-

fold 50:50-split single-

Slide and reclining Head restraint x 2

DIMENSIONS



COLOURS





Pure White (Blue interior accents)

(Silver interior accents)







Mineral Gray[†] (Blue interior accents)

Super Black[†] (Blue interior accents)







Fervent Red[†] (Silver interior accents)

Std		nead restraint x Z	_	Stu			
Std		Head restraint x 3 (separate type)	Std	_	Suu		
ED Projector	Seat upholstery material		Fabric	Fabric			
Std	LUGGAGE				F 10		
Std	Luggage area cover	Std	Std				
Std	SAFETY, SECURITY, AND ENVIRONMENTAL COMPATIBILITY						
Std	ABS with EBD function		Std	Std			
LFD	ESC		Std	Std			
Std	Hill hold control (CVT)		Std (CVT)	Std			
otu	Brake assist function		Std	Std			
Std	SRS front dual airbags		Std	Std			
	SRS side airbags	Front	Std	Std			
	SRS curtain airbags	·	Std	Std			
Std	Pedal release system	Brake and clutch	Std	Std			
Std	Seatbelts	Front: 3-point ELR seatbelts with	Std	Std			
ĪS		pretensioners,force limiters					
		Rear: 3-point ELR seatbelts x 2	-	Std			
		Rear: 3-point ELR seatbelts x 3	Std	_	F 10		
	ISOFIX child seat anchorages	x 2	Std	Std			
	Child seat tether anchorages	X 2	_	Std			
		X3	Std	_			
	Reversing Camera		Std	Std			
	Reversing Camera	į, ko		Std			

