



Commercial  
Vehicles



# The Crafter Range

# Ready for the toughest jobs

100% innovation. 100% Volkswagen



Specially designed in collaboration with our diverse customer groups, we have built a commercial vehicle unlike any other.

Crafted by you, engineered by us, the Crafter range offers customer oriented transport solutions showcasing a modern, aerodynamic design.

Packed with cutting edge safety & assistance technology, available with a variety of drivelines & engines developed for the rigors of commercial use, the result is an advanced, practical & efficient range of vans, single cab & dual cab chassis models.

### Your Choice of Engine & Transmission

Choose between two 2.0 TDI engines developed specifically for commercial applications – available in both 8-speed automatic and 6-speed manual transmissions.

Available in:

- 2.0 TDI 340 turbo (340Nm, 103kW)
- 2.0 TDI 410 bi-turbo (410Nm, 130kW)

Note: Engine availability varies depending on selected Van or Chassis variant.

### 3 Drive Concepts

#### 4Motion All-Wheel-Drive

- Available up to and including 4.0t GVM

#### Front-Wheel-Drive

- Available up to and including 4.0t GVM

#### Rear-Wheel-Drive

- Dual Rear Tyre Variants

- Available variants from 4.49t up to and including 5.5t GVM

Note: GVM availability varies depending on selected body, driveline and engine combinations.

### Customised For You

The Crafter has over 100 optional features to ensure that it meets your requirements in every way. With window packages, cargo area trim solutions, multiple door configurations, air-conditioning, battery and alternator upgrades available, you can build your Crafter your way.

Image shown for illustrative purposes only and varies from standard MY22 specification

\*Safety technologies are designed to assist the driver, but should not be used as a substitute for safe driving practices.

^App-Connect is compatible for selected apps with the latest smartphone versions of iOS and Android, active data service, and connection cable (sold separately).

#Excludes Crafter Vans with optional super-high roof, these are available with front and side airbags for driver and front passenger only.



### Standard for the Crafter Van

#### Interior

- Comfort Seat Plus for driver, longitudinal and height adjustment, electrical 4-way adjustable lumbar support, two adjustable armrests
- 2-seater front passenger bench seat with storage tray incl. 2 (two) cup holders and storage underneath
- LED lights in cabin
- Partition with fixed window and protective grille
- Storage system including overhead storage
- Four (4) 12 volt sockets
- Rubber flooring in the cabin

#### Functional

- Composition Colour 6.5" radio system with USB input and Bluetooth®
- 2 USB-C ports
- App-Connect^
- Four (4) loudspeakers
- Bluetooth® phone and audio streaming capability
- Multi-function steering wheel with audio controls, telescopic adjustment
- Cruise control with speed limiter
- Electronic immobiliser
- Electromechanical power steering
- Central locking with remote control
- Power windows and heated exterior mirrors
- Manual Climatic air-conditioning system
- Stop/start system with generative braking
- Customer-specific Function Control Unit (CFCU) with bodybuilder programming
- Trailer wiring preparation

#### Safety and Driver Assist Systems

- Front Assist with City Emergency Brake\*
- Driver Fatigue Detection\*
- Multi-Collision Brake (MCB)
- Driver and front passenger front, side and curtain airbags\*
- Front and Rear Parking Sensors\*
- Rear View Camera\*
- Crosswind Assist
- Hill Hold Assist
- Driver seat belt warning
- Adaptive Electronic Stabilisation Programme (ESP)
- Electronic Differential Lock (EDL)
- Traction Control System (TCS)
- Anti-lock Braking System and Brake Assist
- 10 lashing eyes for MWB and 12 for LWB

#### Exterior

- Halogen headlights
- Separate Daytime Running Lights (DRL)
- Side sliding door, left, 1,311mm wide
- Rear barn doors with window and wiper/washer
- 16" silver steel wheels with full sized steel spare wheel, tool kit and jack
- Side reflectors



### Standard for the Crafter Single Cab Chassis

#### Interior

- Comfort Seat Plus for driver, longitudinal and height adjustment, electrical 4-way adjustable lumbar support, two adjustable armrests
- 2-seater front passenger bench seat with storage tray incl. 2 (two) cup holders and storage underneath
- LED lights in cabin
- Storage system including overhead storage
- Two (2) 12 volt sockets in the cabin
- Rubber flooring in the cabin

#### Functional

- Composition Colour 6.5" radio system with USB input and Bluetooth®
- 2 USB-C ports
- App-Connect^
- Four (4) loudspeakers
- Bluetooth® phone and audio streaming capability
- Multi-function steering wheel with audio controls, telescopic adjustment
- Cruise control with speed limiter
- Electronic immobiliser
- Electromechanical power steering
- Central locking with remote control
- Power windows and heated exterior mirrors
- Manual Climatic air-conditioning system
- Stop/start system with generative braking
- Customer-specific Function Control Unit (CFCU) with body builder programming
- Trailer wiring preparation

#### Safety and Driver Assist Systems

- Front Assist with City Emergency Brake\*
- Driver Fatigue Detection\*
- Multi-Collision Brake (MCB)
- Driver and front passenger front, side and curtain airbags
- Hill Hold Assist
- Adaptive Electronic Stabilisation Programme (ESP)
- Anti-lock Braking System (ABS)
- Electronic Differential Lock (EDL)
- Driver seat belt warning
- Traction Control System (TCS)
- Anti-lock Braking System and Brake Assist

#### Exterior

- Halogen headlights
- Separate Daytime Running Lights (DRL)
- Rear panel with window
- 16" silver steel wheels with full sized steel spare wheel, tool kit and jack
- Side reflectors
- End cross member



### Standard for the Crafter Dual Cab Chassis

#### Interior

- Comfort Seat Plus for driver, longitudinal and height adjustment, electrical 4-way adjustable lumbar support, two adjustable armrests
- 2-seater front passenger bench seat with storage tray incl. 2 (two) cup holders and storage underneath
- 4-seater bench in the 2<sup>nd</sup> row of seats with under seat storage
- LED lights in cabin
- Storage system including overhead storage
- Two (2) 12 volt sockets in the cabin
- Rubber flooring in the cabin

#### Functional

- Composition Colour 6.5" radio system with USB input and Bluetooth®
- 2 USB-C ports
- App-Connect^
- Four (4) loudspeakers
- Bluetooth® phone and audio streaming capability
- Multi-function steering wheel with audio controls, telescopic adjustment
- Cruise control with speed limiter
- Electronic immobiliser
- Electromechanical power steering
- Central locking with remote control
- Power windows and heated exterior mirrors
- Manual Climatic air-conditioning system
- Stop/start system with generative braking
- Customer-specific Function Control Unit (CFCU) with body builder programming
- Trailer wiring preparation

#### Safety and Driver Assist Systems

- Front Assist with City Emergency Brake\*
- Driver Fatigue Detection\*
- Multi-Collision Brake (MCB)
- Driver and front passenger front, side and curtain airbags
- Hill Hold Assist
- Adaptive Electronic Stabilisation Programme (ESP)
- Anti-lock Braking System (ABS)
- Electronic Differential Lock (EDL)
- Driver seat belt warning
- Traction Control System (TCS)
- Anti-lock Braking System and Brake Assist

#### Exterior

- Halogen headlights
- Separate Daytime Running Lights (DRL)
- Rear panel with window
- 16" silver steel wheels with full sized steel spare wheel, tool kit and jack
- Side reflectors
- End cross member


\*Safety technologies are designed to assist the driver, but should not be used as a substitute for safe driving practices.

^App-Connect is compatible for selected apps with the latest smartphone versions of iOS and Android, active data service, and connection cable (sold separately).

# The Crafter Van

## Impressive loadability

With a choice of two wheelbases, an additional overhang option and three roof heights, the Crafter Van offers seriously impressive loadability with cargo volume ranging from 9.3m<sup>3</sup> – 18.4m<sup>3</sup> depending on configuration. In addition to impressive volume, the floor space of the medium wheelbase van allows the loading of four medium Euro pallets, while the long wheelbase with or without overhang fits six. Featuring the widest sliding door in its class with an opening width of 1,311mm and the option of a second sliding door, the Crafter makes loading and unloading a breeze.




The lashing eyes are recessed to lie flush with the floor.

# The Crafter Chassis

## Versatile and reliable transport solutions

The Crafter Single and Dual Cab Chassis form the perfect base for a wide range of specialist applications and conversions. With a sturdy ladder frame chassis at the heart of both models, as well as numerous task-specific options, our Cab Chassis enables virtually any kind of body to be mounted.

The Crafter Chassis is available with the optional factory-fitted aluminium tray with folding drop-sides, safety latches and an integrated step for easier access. The inclusive wooden floor is made of multi-layered birch plywood with a screen-printed finish. 10 lashing eyes are embedded in the load platform frame.



Single and Dual Cab Chassis with aluminium load platform.



10 lashing eyes to secure the load are recessed into the platform and can be folded flush with the surface.

# Three Drive Concepts



The **4Motion all-wheel drive** offers a transversely mounted front engine – available in 8-speed full automatic and 6-speed manual – distributing the drive power variably between front and rear axle.

- Optimum traction regardless of weather and surface.
- Safe straight driving even with side winds.
- Up to 4.0t GVM.
- Mechanical differential lock and hill descent assist optionally available.



The **Front Wheel Drive** offers a transversely mounted front engine – available in both 8-speed full automatic and 6-speed manual.

- Easier loading and unloading.
- 100mm lower loading sill.
- Increased load volume.
- Increased stability.
- More efficient power delivery.
- Up to 4.0t GVM.



The **Rear Wheel Drive** with single dual rear tyres offers a longitudinally mounted front engine is available in 8-speed full automatic and 6-speed manual.

- Maximum traction for full loads and tail-heavy body styles.
- Less demanding load distribution.
- Available from 4.49t to 5.5t GVM.
- Power-take off on the gearbox optionally available.



# Fully automatic

Powerful. Reliable. Durable. Designed & Developed Specifically for Commercial Vehicle Use

The Crafter Van and Chassis range offers a choice between an 8-speed automatic with torque converter and a 6-speed manual transmission, both of which have been calibrated especially for the Crafter's specific driving characteristics, providing great response even under load.

The 2.0L TDI engines have been developed specifically for commercial usage, meeting the highest performance and durability requirements. They are available in:

**2.0L TDI340 turbo (340Nm, 103kW)**

**2.0L TDI410 bi-turbo (410Nm, 130kW)**

Both feature BlueMotion technology including stop/start system and regenerative braking as standard.

**Start/stop system**~. The system helps to drive economically and switches off the engine when in neutral.

**Regenerative braking (recuperation).** Frictional energy is stored during braking and converted into electrical energy by a generator. This is then stored in the car battery and available for electricity consumption and acceleration.



# Playing it safe

## Prepared to handle almost any situation

The Crafter is your constant companion. And it always plays it safe. Standard safety systems such as the Front Assist with City Emergency Brake\*, Driver Fatigue Detection\*, Multi-Collision Braking and six airbags# support the driver and help to keep everyone safe.



**Driver Fatigue Detection\***. Uses visual and audible warning signals to recommend that the driver takes a break as soon as it registers driving behaviour that indicates fatigue. | V | CH |



**Seatbelt warning.** Visual warning when the engine is started and an audible warning is emitted, if the driver's seatbelt is not fastened. | V | CH |



**Airbags#.** Front, side and curtain airbags provide the best possible protection in the event of head-on or side impacts. | V | CH |



**Cruise Control with speed limiter.** At 30km/h and above, the system maintains the set speed throughout uphill and downhill inclines when activated. | V | CH |



**Anti-lock Braking System (ABS).** Prevents the wheels from locking and thereby maintains manoeuvrability. | V | CH |



**Electronic Stabilisation Program (ESP).** Standard feature that prevents under- and over-steering through targeted braking of the individual wheels. | V | CH |



**Traction Control Systems (TCS).** Prevents wheels from spinning excessively. | V | CH |




**Electronic Differential Lock (EDL).** Distributes the engine torque to the tyres without slippage. | V | CH |



**01 Rear View Camera (RVC)\*.** Simplifies parking by showing a limited view of the area behind the vehicle on the display of the radio. Additional guidelines help the driver manoeuvre into the space. | V |

**Front and Rear Park Distance Control (PDC)\*.** Emits audible warnings when obstacles are detected in front of or behind the vehicle when parking, and also provides a visual display of the vehicle's distance from these obstacles. | V |

**02 Rear Traffic Alert\*.** Provides an audible warning when reversing out of parking spaces if another vehicle is getting too close. In case the driver fails to react, then the system can minimise the consequences of a possible accident and, in the best case scenario, prevent an accident, through braking intervention. Forms part of 'Driver Assistance Package 2'. | V |




**03 Multi-Collision Braking.** Triggers braking after a collision, with the aim of preventing secondary crashes, activated when two independent sensors detect an accident. After a short delay, the vehicle begins a phased braking action down to 10 km/h, during which the driver can take over at any time. | V | CH |

**Electromechanical power steering.** The speed-dependent steering with active reset improves your driving feeling and safety and achieves steering precision. | V | CH |

**Hill Hold Assist.** This prevents the vehicle from rolling back on inclines, making it easier to start off on uphill slopes. | V | CH |



**04 Lane Keep Assist\*.** Countersteers if a lane is left unintentionally while alerting the driver at the same time by using a warning tone and information in the multifunction display. Forms part of 'Driver Assistance Package 2' and Driver Assistance Package 'Chassis'. | V | CH |




**08 Crosswind Assist.** The system is a sub-function of the Electronic Stabilisation Program (ESP) that helps dealing with high crosswinds by automatically activating the brakes if needed. | V |

**Hill Descent Assist.** Available with 4Motion, it allows you to descend slopes in a safe, controlled way by regulating the engine speed and applying the brakes as necessary. Forms part of the 'Driver Assist Package 4Motion'. | V |



**05 Sensor-Based Side Protection\*.** Monitors the vehicle sides and emits visual and audible warnings if coming dangerously close to pillars, walls or pedestrians. Forms part of 'Driver Assistance Package 2'. | V |



**09 Park Assist\*.** Handles multi-step parking into parallel parking spaces. When the reverse gear is engaged, the vehicle automatically assumes control of the steering. All the driver has to do is operate the clutch, accelerator, and the brake. Forms part of 'Driver Assistance package 3'. | V |

**Mechanical Differential Lock.** Available for the rear axle together with the 4MOTION all-wheel drive. This makes starting up in adverse, off-road conditions much easier. Forms part of the 'Driver Assist Package 4Motion'. | V |



**06 Front Assist with City Emergency Braking\*.** Uses a radar system to detect situations where the distance to the vehicle in front is critical and reduces the vehicle's stopping distance. In dangerous situations, the system alerts the driver using visual and acoustic signals, and with a warning jolt of the brakes. | V | CH |

**07 Adaptive Cruise Control ACC\*.** Automatically adapts the vehicle's speed to that of the vehicle driving in front and maintains the distance set by the driver. Forms part of 'Driver Assistance package 4'. | V | CH |

**Optional Driver Assistance Packages:**  
 Driver Assistance Package 1: Fog Lights with cornering function and Light & Sight. | V |  
 Driver Assistance Package 2: Side Protection, Rear Traffic Alert, Blind Spot Monitoring, Lane Keep Assist and Electric Folding Mirrors. | V |

Driver Assistance Package 3: Park Assist, Side Protection, Rear Traffic Alert, Blind Spot Monitoring, Lane Keep Assist and Electric Folding Mirrors. | V |

Driver Assistance Package 4: Adaptive Cruise Control. | V |

Driver Assistance Package 'Chassis': Adaptive Cruise Control and Lane Keep Assist. | CH |

Driver Assist Package 4Motion: Mechanical Differential Lock and Hill Descent Assist. | V |



01

## Take your office with you

Always well connected with state-of-the-art infotainment systems

Apart from transporting materials, carrying workers from A to B safely and serving as a comfortable space to take a break, commercial vehicles are increasingly being used as a mobile office. So staying connected and operating smartphone functions safely is crucial. That is why the Crafter is fitted with a range of intelligently designed connectivity solutions.

**01 Multi-Function Steering Wheel.** The rocker switches let you conveniently control the multi-function display, mobile phone hands-free system and the radio systems. |V| CH|

**02 The Composition Colour radio system** fitted as standard consists of a 6.5" TFT touch-screen colour display, four speakers, a USB (type-C) ports on the dash, a Bluetooth® connection for mobile phones and a dual tuner with phase diversity for optimal radio reception and App-Connect.^ |V| CH|



02



03

**02 App-Connect^ featuring Apple CarPlay®.** Experience even more infotainment on the road and integrate your smartphone into your vehicle with the USB-C port and App-Connect^ . It mirrors selected apps from your smartphone onto the touchscreen display. Using Apple CarPlay®, Android Auto™ or MirrorLink®, you can conveniently control selected apps via the touchscreen display while also having the ability to pair two phones at the same time. |V| CH|

**03 Discover Media satellite navigation system.** Discover Media satellite navigation system features an 8 inch colour touch-screen with proximity sensor. The system also includes a 32GB media storage, natural voice control and App-Connect.^ |V| CH|

Image shown for illustrative purposes only and varies from standard MY22 specification.  
 ^App-Connect is compatible for selected apps with the latest smartphone versions of iOS and Android, active data service, and connection cable (sold separately).

## The perfect workplace

Ergonomically designed. Loads of space

Generous storage solutions throughout the cabin, four cup holders, two 12 Volt sockets in the cabin as well as the USB port in the dashboard turn this into a practical work space. A grab handle on each side of the A pillar makes getting in and out of the vehicle a breeze. The LED lights in the cabin ensure this mobile office is optimally illuminated.

**04 Comfort Seat Plus.** The driver seat comes with longitudinal and height adjustment, electrical 4-way adjustable lumbar support, adjustable backrest and seat cushion angle as well as two adjustable armrests. This allows the driver to sit comfortably. |V| CH|

**05 Double Bench Seat.** Apart from seating two adults comfortably, it also offers generous storage underneath the bench as well as additional work space via the folding storage tray with two cup holders. |V| CH|

**Seat heating for front seats (not illustrated).** Heating function for the driver's seat and the outer front passenger seat is available upon request. |V| CH|

**06 'ErgoActive' Suspension Seat.** The driver and front passenger seats can be upgraded to the AGR ('Campaign for a Healthier Back') certified 14-way adjustable seat. In addition to Comfort Seat Plus, it offers a massage function and suspension which softens unpleasant bumps caused by poor road conditions. |V| CH|

**07 Trendline package.** In the cabin the package consists of an additional 12 Volt socket, step illumination and various chrome elements. The exterior components of the package include fog lights with integrated static cornering light, wheel trim with "VW" chrome emblem and chrome strips on the protective grille on the front bumper. Illustrated with optional LED headlights. |V| CH|

**Winter package (not illustrated).** This contains heat insulating, heat windshields and heated steering wheel. |V| CH|



04 05



06



07

# Clever load compartment solutions

The Crafter panel van offers excellent loadability and load securing. The factory-fitted preparation for shelves and cupboards, the optional universal floor and the internal roof rack create even greater flexibility in the load compartment.



01

**01 Partition with fixed window and protective grille.** The unique angled window prevents reflections from impairing the driver's field of vision. The grille also protects the window, the driver and passengers in the event of abrupt braking. |V|

**01 Rear barn doors.** The two roof-height doors provide an opening angle of 180°. The doors can be upgraded to 270° opening angle upon request. |V|

**01 Grab handle.** The vertical standard grab handle on the B pillar in the load or rear passenger area allows ergonomic entry into the load area. If the optional second sliding door is ordered, a grab handle on the right hand side is fitted. An additional grab handle on each D pillar can be fitted. Forms part of the 'Cargo Area Upgrade Package'. |V|

Standard equipment    Optional extra    |V| Delivery Van    |CH| Chassis



02

**02 LED load compartment lighting.** Four optional LEDs integrated into the headlining provide bright and evenly distributed illumination of the load compartment. Forms part of the 'Cargo Area Upgrade Package'. |V|

**12 V sockets (not illustrated).** Two 12 Volt socket are integrated into the load area, at an accessible location on the D-pillar of the rear barn door and one on the sliding door. Vehicles with the optional 2<sup>nd</sup> sliding door feature a 3<sup>rd</sup> socket. |V|



03 05

**03 Internal roof rack.** The two optional rails can be moved and adjusted inside the vehicle and enable easy transport of long objects. They can be removed when the roof rack is not needed. |V|

**Protective grills for the rear barn doors (not illustrated).** The optional grills protect the windows in the rear barn door against glass breakage and also help to prevent theft. |V|

Overseas model shown for illustrating purpose only.



04

**04 Climatic air conditioning with a 2<sup>nd</sup> evaporator and heater for the rear cargo/passenger area.**

The Crafter can also be equipped with a climate controlled rear load compartment for professional passenger transport or to transport temperature sensitive freight. The 2<sup>nd</sup> evaporator is integrated into the cabin roof with the vents located above the partition. The heater vents are floor-mounted. |V| CH|

**05 Half-height side panel trim.** The optional load compartment cladding made of plastic hollow chamber panels is especially robust. It is fitted from the floor to the roof frame and is exceptionally easy to clean. |V|

**06 Universal floor.** This optional floor is the ideal basis for retrofitting shelving and cupboard systems available from a range of manufacturers. Special adapters (A) enable cupboard systems to be easily fastened using the notches. Longitudinal and transverse lashing rails (B) are available. |V|

**07 Full-height plywood side cladding.** The optional 5mm thick plywood panels make this side cladding especially resistant to impacts and is highly durable. |V|

**08 Lashing rails.** Robust metal rails are optionally available for the side walls, the partition, the roof frame and universal floor for optimum load securing. |V|

**Wooden floor (not illustrated).** The optional 8mm thick wooden floor for the load compartment provides the optimum surface for your cargo to rest on. Robust beechwood ensures outstanding sturdiness and resilience. |V|

**Lashing eyes (not illustrated).** The Crafter features lashing eyes on the partition allowing you to securely fasten cargo with tensioning straps and nets. The adjustable lashing eyes are recessed to lie flush with the floor. To reduce the risk of stumbling, they can also be folded to the sides in the vicinity of the doors. |V|

**Window package (not illustrated).** The optional window package allows to configure the Crafter to meet your own individual needs, up to and including a van with windows all around. |V|



A

B

B

A

06 07 08

Please see your local dealer or the Volkswagen Crafter configurator for more available options across the Crafter Van and Chassis range. Overseas model shown for illustrating purpose only.

Standard equipment    Optional extra    |V| Delivery Van    |CH| Chassis

# Volkswagen Accessories

Ready to handle whatever your working day demands

Volkswagen Genuine Accessories ensures your Volkswagen remains 100% Volkswagen. Perfectly tailored to your vehicle and tested to Volkswagen engineering standards to ensure uncompromising safety, quality and design.



## 01 Cargo securing net

The securing net can be attached directly to the vehicle's factory lashing points or to any position on the optional airline rails integrated into the vehicle floor using the optional tie-down belt fittings.

**Part.no 7C0017230** (1400 x 1025mm)

**Part.no 7C0017230A** (1775 x 1150mm)

**Part.no 7C0017230B** (2275 x 1650mm)



## 02 Weathershields

Helps reduce window fogging and deflect wind and rain.

**Part.no 7C0072193** (front only)



## 03 Rubber floor mats, front

Keep the footwell clean all year round. The perfectly fitting and durable mats with Crafter insignia is attached to the floor using the integrated fastening system.


**Part.no 7C2061502A82V**



## 04 Rubber floor mats, rear

Protect your vehicle interior from dirt and moisture. They are designed to fit perfectly, are easy to clean and have a non-slip underside.

**Part.no 7C006151282V**




## 05 Roof bars

The Volkswagen roof bars serve as the ideal base system for all attachments. Easily transport larger and longer objects on the roof. Maximum roof bar load limit for 3-bar set is 150kg and 50kg for a single bar. Only available in conjunction with factory optional roof rail system.

**Part.no. 2E0071126A** (3-bar set)

**Part.no. 2E0071126B** (single bar)



## 06 Tie-down belt fitting set

The tie-down belt set is suitable for individual mounting to the lashing rails system. Delivery without belt and individual lashing point.

**Part.no 2E0017242** (set = 4 pieces)

**Wooden Floor** (not illustrated)  
European manufactured plywood in light grey top finish. Providing maximum protection for the rear cargo space of the Van.



## 07 Lashing Straps with Ratchets

The lashing straps provide you with a quick and simple way of securing your payload. Length: 3500mm.

**Part.no. 2E0017244**

**Towbar kit** (not illustrated)  
Rigorously tested to meet stringent Volkswagen engineering standards and Design rules. For Van models only.

# Conversions

When conventional is not enough

Does your business require a custom solution? With the Volkswagen Commercial Vehicles range you have all the flexibility you need. We'll listen to your brief and work with you to find the right solution, whether it's an off-the-shelf conversion or something totally bespoke.

For Technical Information on conversions, please consult the Bodybuilder Database <https://bb-database.com> or consult your Volkswagen Dealer.





# The Crafter Minibus

The people mover with more

Off the back of the success of the Crafter Van, comes the Crafter Minibus. It's built to handle any drive, from sightseeing on day trips, to airport pick-ups and travels off the beaten track. It's engineered to go with a powerful TDI410 Diesel Engine with 8-Speed Automatic Torque Converter gearbox and with your choice of FWD or 4Motion drive variants, it's our ready-to-drive solution.

The Crafter Minibus has a modern aerodynamic design and is available in either a 12 or 15 seat configuration to ensure your passengers arrive in complete comfort. Each configuration also includes additional luggage space options to ensure ample space for any length of drive or to suit any passenger combination.



Images shown for illustrative purposes only and varies from standard MY22 specification. Models shown also include optional tinted windows and electric open/close entry step for passenger compartment.

# Crafted to perfection

Standard features for the Crafter Minibus



Medium wheelbase (3,640mm).



Long wheelbase (4,490mm).

## Interior

- Comfort Seat Plus for driver, longitudinal and height adjustment, electrical 4-way adjustable lumbar support, two adjustable armrests
- 2-seater front passenger bench seat with storage tray incl. 2 (two) cup holders and storage underneath
- 9 (MWB) and 12(LWB) rear passenger compartment seats with recline functionality and folding table (n/a front row)
- LED lights in drivers and passenger cabin
- Drivers compartment storage system including overhead storage
- Four (4) 12 volt sockets
- Rubber flooring in the drivers cabin
- Wooden floor covering in passenger compartment, with edge protection on entry and rear
- Passenger grab handles on passenger compartment entry point

## Functional

- Composition Colour™ 6.5" radio system with USB input and Bluetooth®
- 2 USB-C ports
- App-Connect^
- Voice Control
- 6 (MWB) and 8 (LWB) loudspeakers throughout vehicle
- Bluetooth® phone and audio streaming capability
- Multi-function steering wheel with audio controls, telescopic adjustment
- Cruise control with speed limiter
- Electronic immobilizer
- Electromechanical power steering
- Central locking with remote control
- Power windows and heated exterior mirrors
- Manual Climatic air-conditioning system within driver and passenger cabins
- Stop/start system with generative braking
- Customer Specific Function Control Unit
- Trailer wiring preparation
- Acoustic reverse warning system

## Safety and Driver Assist Systems

- Front Assist with City Emergency Brake\*
- Driver Fatigue Detection\*
- Multi-Collision Brake (MCB)
- Driver and front passenger front, side and curtain airbags
- Front and Rear Parking Sensors\*
- Rear View Camera\*
- Crosswind Assist
- Hill Hold Assist
- Driver seat belt warning
- Adaptive Electronic Stabilisation Programme (ESP)
- Electronic Differential Lock (EDL)
- Traction Control System (TCS)
- Anti-lock Braking System and Brake Assist
- 4 x ISOFIX with top-tether for MWB
- 6 x ISOFIX with top-tether for LWB

## Exterior

- Fixed entry step for passenger compartment LHS
- Halogen headlights
- Separate Daytime Running Lights (DRL)
- Side sliding door, left, 1,311mm wide
- Rear barn doors with window and wiper/washer
- 16" silver steel wheels with full sized steel spare wheel, tool kit and jack
- Side reflectors
- Fixed side windows in passenger compartment
- Heavy-duty suspension system and shock absorption, reinforced heavy-duty stabilisers
- Reinforced front axle (2100kg)
- Separate Daytime Running Lights (DRL)

For more information, additional options and detailed specifications please refer to the Crafter Minibus brochure and specifications document.

\*Safety technologies are designed to assist the driver, but should not be used as a substitute for safe driving practices.

^App-Connect is compatible for selected apps with the latest smartphone versions of iOS and Android, active data service, and connection cable (sold separately).

# The Crafter Box Body

For anything you need to move, you need a vehicle you can trust

So, we've partnered with conversion specialists, Ingimex, to bring you exactly that. Tough and versatile, the new Crafter Box Body is based on the multi-award winning Volkswagen Crafter and designed to the latest European standards to bring you functionality and comfort packed into one.

Packed with features, the new Box Body has everything you need to be your office on wheels. Complete with 3 seats and a 17m<sup>3</sup> load volume in the rear box, you can transport your team, gear and an impressive amount of freight with ease. Plus, with a range of customisable options, you can create the perfect vehicle for your lifestyle. With the choice of a powerful TDI340 or TDI410 engine, optional 4Motion drive for all-terrain jobs and a GVM of 3.55t or 4t, the Crafter Box Body is a vehicle to meet your every need.



Images shown for illustrative purposes only and varies from standard MY22 specification.



# Lifting the benchmark

Standard features for the Crafter Box Body



## Interior

- "ergoActive" suspension seat for driver including longitudinal and height adjustment, electrical 4-way adjustable lumbar support, two adjustable armrests, massage function and suspension which softens unpleasant bumps caused by poor road conditions
- 2-seater front passenger bench seat with storage tray incl. 2 (two) cup holders and storage underneath
- LED lights in drivers and passenger cabin
- Drivers compartment storage system including overhead storage
- Four (4) 12 volt sockets
- Rubber flooring in the drivers cabin

## Functional

- Composition Colour 6.5" radio system with USB input and Bluetooth®
- App-Connect<sup>^</sup>
- Bluetooth® phone and audio streaming capability
- Multi-function steering wheel with audio controls, telescopic adjustment
- Cruise control with speed limiter
- Electronic immobilizer
- Electromechanical power steering
- Central locking with remote control
- Power windows and heated exterior mirrors
- Manual Climatic air-conditioning system within driver and passenger cabins
- Stop/start system with generative braking
- Customer Specific Function Control Unit
- Trailer wiring preparation

## Safety and Driver Assist Systems

- Front Assist with City Emergency Brake\*
- Driver Fatigue Detection\*
- Multi-Collision Brake (MCB)
- Driver and front passenger front, side and curtain airbags
- Rear View Camera\*
- Hill Hold Assist
- Driver seat belt warning
- Adaptive Electronic Stabilisation Programme (ESP)
- Electronic Differential Lock (EDL)
- Traction Control System (TCS)
- Anti-lock Braking System and Brake Assist
- Acoustic reverse warning system

## Exterior

- Halogen headlights
- Separate Daytime Running Lights (DRL)
- 16" silver steel wheels with full sized steel spare wheel, tool kit and jack
- Side reflectors
- Heavy-duty suspension system and shock absorption, reinforced heavy-duty stabilisers
- Reinforced front axle (2100kg)
- Body with lightweight sides and bulkhead with no visible fixings, perfect for signwriting / livery
- Bolted rear frame, dip painted and powder coated to resist corrosion
- High-strength shutter with no external cables and smooth finish suitable for livery
- Rear footstep
- Unique four-tier load restraint system for dek lashing, standard load lock lashing or for use with telescopic load poles
- Reinforced bottom plank to protect against movement of unsecured loads
- Full height grab handle with integrated 360° rotating spot lamp with load compartment

For more information, additional options and detailed specifications please refer to the Crafter Box Body brochure and specifications document.

Image shown for illustrative purposes only and varies from standard MY22 specification.

\*Safety technologies are designed to assist the driver, but should not be used as a substitute for safe driving practices.

<sup>^</sup>App-Connect is compatible for selected apps with the latest smartphone versions of iOS and Android, active data service, and connection cable (sold separately).

# Colours, Upholstery and Wheels

## Solid paint finishes



Candy White | Solid paint finish | B4B4



Cherry Red | Solid paint finish | 4B4B



Luminous Orange | Solid paint finish | E3E3



Deep Ocean Blue | Solid paint finish | OPOP

## Metallic and Pearlescent paint finishes



Reflex Silver | Metallic paint finish | 8E8E



Indium Grey | Metallic paint finish | X3X3



Deep Black | Pearlescent paint finish | 2T2T

## Two Tone paint finishes



Candy White | Deep Ocean  
Two Tone paint finish | 9583



Candy White | Cherry Red  
Two Tone paint finish | 9335



Candy White | Mojave Beige Metallic  
Two Tone paint finish | 9198



Reflex Silver Metallic | Indium Grey Metallic  
Two Tone paint finish | 9798

## Wheels



16" steel wheel (Silver)  
Standard on all Crafter 35 and 50 variants




16" steel wheel (Black)  
Optional on all Crafter 35 and 50 variants



17" steel wheels (Silver)  
Standard on all Crafter 55 variants

## Seat upholstery



Austin | Cloth seat upholstery | Titanium Black

Please note that Metallic, Pearl Effect and Two Tone paint are optional at extra cost. The print process does not allow for exact reproduction of the exterior or the upholstery colours. Not all colours are available with Cab Chassis variants, optional body coloured bumpers and/or roof height increases. Please contact your Volkswagen Dealer for further information on colours and upholstery combinations.

# Technical Specifications

|                                  |  |  |
|----------------------------------|--|--|
| <b>Engine</b>                    | 2.0 litre TDI340 BlueMotion with engine Stop/Start system~ and brake energy recovery   | 2.0 litre TDI410 BlueMotion with engine Stop/Start system~ and brake energy recovery |
| <b>Type</b>                      | 4-cylinder diesel engine, common rail turbo direct injection   | 4-cylinder diesel engine, common rail bi-turbo direct injection                      |
| <b>Max Power, kW @ rpm</b>       | 103 @ 3,500  | 130 @ 3,600  |
| <b>Max Torque, Nm @ rpm</b>      | 340 @ 2,000  | 410 @ 2,000  |
| <b>Cubic Capacity, litres/cc</b> | 2.0 / 1,968  | 2.0 / 1,968  |
| <b>Bore/stroke, mm</b>           | 81.0 x 95.5  | 81.0 x 95.5  |
| <b>Fuel Type</b>                 | Diesel, min. 51 CZ in accordance with DIN EN 590   | Diesel, min. 51 CZ in accordance with DIN EN 590                                     |
| <b>Fuel tank capacity, L</b>     | 75   | 75   |
| <b>Compression Ratio</b>         | 15.5 : 1   | 15.5 : 1   |
| <b>Brake Systems</b>             | Anti-lock Braking System (ABS) with Electronic Brake-pressure distribution (EBD), Brake Assist and Electronic Stabilisation Program (ESP), Brake energy recuperation |  |
| <b>Suspension Upgrades</b>       | Optionally available   |  |
| <b>Steering</b>                  | Electro-mechanical power-assisted rack & pinion steering   |  |

| <b>Transmission</b> | <b>Front Wheel Drive</b> | <b>4 Motion</b> | <b>Rear Wheel Drive</b> | <b>Front Wheel Drive</b> | <b>4 Motion</b> | <b>Rear Wheel Drive</b> |
|---------------------|--------------------------|-----------------|-------------------------|--------------------------|-----------------|-------------------------|
| 8-speed automatic   | o                        | —               | —                       | o                        | o               | o                       |
| 6-speed manual      | o                        | —               | —                       | o                        | o               | o                       |






| <b>Brakes</b>         | <b>Front Wheel Drive</b> | <b>4 Motion</b> | <b>Rear Wheel Drive</b> | <b>Front Wheel Drive</b> | <b>4 Motion</b>     | <b>Rear Wheel Drive</b> |
|-----------------------|--------------------------|-----------------|-------------------------|--------------------------|---------------------|-------------------------|
| Front disc brakes, mm | 303 x 28 ventilated      | —               | —                       | 303 x 28 ventilated      | 303 x 28 ventilated | 303 x 28 ventilated     |
| Rear disc brakes, mm  | 300 x 22 ventilated      | —               | —                       | 300 x 22 ventilated      | 300 x 22 ventilated | 303 x 28 ventilated     |

o Optional — Not available

~The Start/Stop system is designed to reduce fuel consumption and CO<sub>2</sub> emissions. It achieves this by automatically switching off the engine while the vehicle is stationary and then starting it again automatically when the driver wants to drive off. There are certain operating conditions where the Start/Stop system is deactivated (e.g. during engine warm-up), please refer to the owner's manual for full operating information.







# Weights and Capacities Crafter 35 Van

|   | MWB Standard Roof |            |                | LWB High Roof |            |                | LWB High Roof with Overhang |            |
|---|-------------------|------------|----------------|---------------|------------|----------------|-----------------------------|------------|
|   | TDI340 FWD        | TDI410 FWD | TDI410 4Motion | TDI340 FWD    | TDI410 FWD | TDI410 4Motion | TDI340 FWD                  | TDI410 FWD |
| <b>Weights &amp; Payloads - 3.5ST Standard Variants</b> |                   |            |                |               |            |                |                             |            |
| Gross Vehicle Mass (GVM), kg                            | 3,550             |            |                | 3,550         |            |                | 3,550                       |            |
| Unladen Weight <sup>1</sup> , kg (manual)               | 2,099             | 2,144      | 2,269          | 2,241         | 2,286      | 2,412          | —                           | —          |
| Payload Maximum <sup>2</sup> , kg (manual)              | 1,451             | 1,406      | 1,281          | 1,309         | 1,264      | 1,138          | —                           | —          |
| Unladen Weight <sup>1</sup> , kg (automatic)            | 2,172             | 2,181      | 2,301          | 2,309         | 2,318      | 2,444          | 2,381                       | 2,390      |
| Payload Maximum <sup>2</sup> , kg (automatic)           | 1,378             | 1,369      | 1,249          | 1,241         | 1,232      | 1,106          | 1,169                       | 1,160      |
| <b>Weights &amp; Payloads - GVM Upgrade Variants</b>    |                   |            |                |               |            |                |                             |            |
| Gross Vehicle Mass (GVM), kg                            | 3,880             |            |                | 4,000         |            |                | —                           |            |
| Unladen Weight <sup>1</sup> , kg (manual)               | —                 | 2,159      | 2,276          | —             | 2,307      | 2,419          | —                           | —          |
| Payload Maximum <sup>2</sup> , kg (manual)              | —                 | 1,721      | 1,604          | —             | 1,693      | 1,581          | —                           | —          |
| Unladen Weight <sup>1</sup> , kg (automatic)            | 2,187             | 2,196      | 2,308          | 2,330         | 2,339      | 2,451          | —                           | —          |
| Payload Maximum <sup>2</sup> , kg (automatic)           | 1,693             | 1,684      | 1,572          | 1,670         | 1,661      | 1,549          | —                           | —          |
| <b>Towing</b>   |                   |            |                |               |            |                |                             |            |
| Towing Capacity <sup>≠</sup> - Braked, kg               | 2,500             |            |                | 2,500         |            |                | 2,500                       |            |
| Towing Capacity <sup>≠</sup> - Unbraked, kg             | 750               |            |                | 750           |            |                | 750                         |            |
| Towing Downball Load, kg                                | 150               |            |                | 150           |            |                | 150                         |            |
| <b>Interior Dimensions</b>                              |                   |            |                |               |            |                |                             |            |
| Seating capacity  | 3                 | 3          | 3              | 3             | 3          | 3              | 3                           | 3          |
| Cargo Volume (L) - behind first row                     | 9,900             | 9,900      | 9,300          | 14,400        | 14,400     | 13,600         | 16,400                      | 16,400     |
| Load Compartment Length, mm                             | 3,450             | 3,450      | 3,450          | 4,300         | 4,300      | 4,300          | 4,855                       | 4,855      |
| Load Compartment Width, mm - maximum                    | 1,832             | 1,832      | 1,832          | 1,832         | 1,832      | 1,832          | 1,832                       | 1,832      |
| Load Compartment Width, mm at wheel arches              | 1,380             | 1,380      | 1,380          | 1,380         | 1,380      | 1,380          | 1,380                       | 1,380      |
| Load Compartment Height, mm                             | 1,726             | 1,726      | 1,626          | 1,961         | 1,961      | 1,861          | 1,961                       | 1,961      |
| Sliding Door Width, mm                                  | 1,311             | 1,311      | 1,311          | 1,311         | 1,311      | 1,311          | 1,311                       | 1,311      |
| Sliding Door Height, mm                                 | 1,587             | 1,587      | 1,487          | 1,822         | 1,822      | 1,722          | 1,822                       | 1,822      |
| Barn Door Width, mm                                     | 1,522             | 1,522      | 1,522          | 1,522         | 1,522      | 1,522          | 1,552                       | 1,552      |
| Barn Door Height, mm                                    | 1,605             | 1,605      | 1,505          | 1,840         | 1,840      | 1,740          | 1,840                       | 1,840      |
| Load Sill Height, mm                                    | 570               | 570        | 670            | 570           | 570        | 670            | 570                         | 570        |
| Turning Circle (m)                                      | 13.6              | 13.6       | 13.6           | 16.2          | 16.2       | 16.2           | 16.2                        | 16.2       |



# Weights and Capacities Crafter 50/55 Van

|   | Crafter 50 Van    |               |                             | Crafter 55 Van    |               |                             |
|---|-------------------|---------------|-----------------------------|-------------------|---------------|-----------------------------|
|   | MWB Standard Roof | LWB High Roof | LWB High Roof with Overhang | MWB Standard Roof | LWB High Roof | LWB High Roof with Overhang |
| <b>Weights &amp; Payloads</b>                 |                   |               |                             |                   |               |                             |
| Gross Vehicle Mass (GVM), kg                  | 4,490             |               |                             | 5,500             |               |                             |
| Unladen Weight <sup>1</sup> , kg (manual)     | —                 | —             | —                           | —                 | —             | —                           |
| Payload Maximum <sup>2</sup> , kg (manual)    | —                 | —             | —                           | —                 | —             | —                           |
| Unladen Weight <sup>1</sup> , kg (automatic)  | 2,475             | 2,616         | 2,693                       | 2,497             | 2,637         | 2,714                       |
| Payload Maximum <sup>2</sup> , kg (automatic) | 2,015             | 1,874         | 1,797                       | 3,003             | 2,863         | 2,786                       |
| Front Axle Load Limit, kg                     | 2,200             |               |                             | 2,200             |               |                             |
| Rear Axle Load Limit, kg                      | 3,500             |               |                             | 4,000             |               |                             |
| <b>Towing</b>                                 |                   |               |                             |                   |               |                             |
| Towing Capacity <sup>≠</sup> - Braked, kg     | 3,500             |               |                             | 3,500             |               |                             |
| Towing Capacity <sup>≠</sup> - Unbraked, kg   | 750               |               |                             | 750               |               |                             |
| Towing Downball Load, kg                      | 150               |               |                             | 150               |               |                             |
| <b>Interior Dimensions</b>                    |                   |               |                             |                   |               |                             |
| Seating capacity                              | 3                 | 3             | 3                           | 3                 | 3             | 3                           |
| Cargo Volume (L) - behind first row           | 9,300             | 13,600        | 15,500                      | 9,300             | 13,600        | 15,500                      |
| Load Compartment Length, mm                   | 3,450             | 4,300         | 4,855                       | 3,450             | 4,300         | 4,855                       |
| Load Compartment Width, mm - maximum          | 1,832             | 1,832         | 1,832                       | 1,832             | 1,832         | 1,832                       |
| Load Compartment Width, mm at wheel arches    | 1,030             | 1,030         | 1,030                       | 1,030             | 1,030         | 1,030                       |
| Load Compartment Height, mm                   | 1,626             | 1,861         | 1,861                       | 1,626             | 1,861         | 1,861                       |
| Sliding Door Width, mm                        | 1,311             | 1,311         | 1,311                       | 1,311             | 1,311         | 1,311                       |
| Sliding Door Height, mm                       | 1,487             | 1,722         | 1,722                       | 1,487             | 1,722         | 1,722                       |
| Barn Door Width, mm                           | 1,522             | 1,522         | 1,522                       | 1,522             | 1,522         | 1,522                       |
| Barn Door Height, mm                          | 1,505             | 1,740         | 1,740                       | 1,505             | 1,740         | 1,740                       |
| Load Sill Height, mm                          | 720               | 720           | 725                         | 720               | 720           | 725                         |
| Turning Circle (m)                            | 13.6              | 16.2          | 16.2                        | 13.6              | 16.2          | 16.2                        |



All dimensions shown in mm. Figures quoted are for base model vehicles only.

\*This value applies for 4Motion all-wheel drive. \*\*Load compartment length, max. (at floor level)/load compartment length, min. MWB = Medium Wheelbase LWB = Long Wheelbase LWO = Long Wheelbase with Overhang FWD = Front Wheel Drive RWD = Rear Wheel Drive

1. The Unladen Mass (UM) includes 10L of fuel, vehicle fluids and no occupants. Figures quoted are for base model vehicles only.

2. Payload figures determined by subtracting 'Unladen Weight' from total 'Gross Vehicle Mass' (GVM). A vehicle's final payload, given the different configurations, can only be determined by weighing the individual vehicle and comparing to the known GVM.

≠Towing capacities are applicable to Volkswagen Genuine Accessory Tow Bar. Towing capacity figures are maximum figures and actual towing capacity depends on factors including the laden mass of the vehicle, driving conditions and fitment of any accessories. Volkswagen Group Australia does not endorse or will not be held liable for any claim, loss or damage arising from the use or fitment of electronic trailer brakes.

All dimensions shown in mm. Figures quoted are for base model vehicles only.

\*This value applies for 4Motion all-wheel drive. \*\*Load compartment length, max. (at floor level)/load compartment length, min. MWB = Medium Wheelbase LWB = Long Wheelbase LWO = Long Wheelbase with Overhang FWD = Front Wheel Drive RWD = Rear Wheel Drive



1. The Unladen Mass (UM) includes 10L of fuel, vehicle fluids and no occupants. Figures quoted are for base model vehicles only.

2. Payload figures determined by subtracting 'Unladen Weight' from total 'Gross Vehicle Mass' (GVM). A vehicle's final payload, given the different configurations, can only be determined by weighing the individual vehicle and comparing to the known GVM.



≠Towing capacities are applicable to Volkswagen Genuine Accessory Tow Bar. Towing capacity figures are maximum figures and actual towing capacity depends on factors including the laden mass of the vehicle, driving conditions and fitment of any accessories. Volkswagen Group Australia does not endorse or will not be held liable for any claim, loss or damage arising from the use or fitment of electronic trailer brakes.

# Weights and Capacities Crafter 35 Cab Chassis

|   | Single Cab LWB |            |                | Dual Cab LWB |            |                |
|---|----------------|------------|----------------|--------------|------------|----------------|
|   | TDI340 FWD     | TDI410 FWD | TDI410 4Motion | TDI340 FWD   | TDI410 FWD | TDI410 4Motion |
| <b>Weights &amp; Payloads - 3.55T Standard Variants</b> |                |            |                |              |            |                |
| Gross Vehicle Mass (GVM), kg                            |                | 3,550      |                | 3,550        |            |                |
| Unladen Weight <sup>1</sup> , kg (manual)               | —              | —          | —              | —            | —          | —              |
| Payload Maximum <sup>2</sup> , kg (manual)              | —              | —          | —              | —            | —          | —              |
| Unladen Weight <sup>1</sup> , kg (automatic)            | 1,908          | 1,917      | 2,032          | 2,090        | 2,099      | 2,219          |
| Payload Maximum <sup>2</sup> , kg (automatic)           | 1,642          | 1,633      | 1,518          | 1,460        | 1,451      | 1,331          |
| <b>Weights &amp; Payloads - GVM Upgrade Variants</b>    |                |            |                |              |            |                |
| Gross Vehicle Mass (GVM), kg                            |                | 4,000      |                | 4,000        |            |                |
| Unladen Weight <sup>1</sup> , kg (manual)               | —              | —          | —              | —            | —          | —              |
| Payload Maximum <sup>2</sup> , kg (manual)              | —              | —          | —              | —            | —          | —              |
| Unladen Weight <sup>1</sup> , kg (automatic)            | 1,944          | 1,953      | 2,060          | 2,120        | 2,129      | 2,241          |
| Payload Maximum <sup>2</sup> , kg (automatic)           | 2,056          | 2,047      | 1,940          | 1,880        | 1,871      | 1,759          |
| <b>Towing</b>   |                |            |                |              |            |                |
| Towing Capacity <sup>‡</sup> - Braked, kg               |                | 2,500      |                | 2,500        |            |                |
| Towing Capacity <sup>‡</sup> - Unbraked, kg             |                | 750        |                | 750          |            |                |
| Towing Downball Load, kg                                |                | 150        |                | 150          |            |                |
| <b>Other</b>  |                |            |                |              |            |                |
| Seating capacity  | 3              | 3          | 3              | 7            | 7          | 7              |
| Turning Circle (m)                                      | 16.2           | 16.2       | 16.2           | 16.2         | 16.2       | 16.2           |





Crafter 35 Dual Cab Chassis LWB





# Weights and Capacities Crafter 35 Cab Chassis with Factory Tray

|   | Single Cab LWB with Factory Tray |            |                | Dual Cab LWB with Factory Tray |            |                |
|---|----------------------------------|------------|----------------|--------------------------------|------------|----------------|
|   | TDI340 FWD                       | TDI410 FWD | TDI410 4Motion | TDI340 FWD                     | TDI410 FWD | TDI410 4Motion |
| <b>Weights &amp; Payloads - 3.55T Standard Variants</b> |                                  |            |                |                                |            |                |
| Gross Vehicle Mass (GVM), kg                            |                                  | 3,550      |                | 3,550                          |            |                |
| Unladen Weight <sup>1</sup> , kg (manual)               | —                                | —          | —              | —                              | —          | —              |
| Payload Maximum <sup>2</sup> , kg (manual)              | —                                | —          | —              | —                              | —          | —              |
| Unladen Weight <sup>1</sup> , kg (automatic)            | 2,235                            | 2,244      | 2,364          | 2,370                          | 2,379      | —              |
| Payload Maximum <sup>2</sup> , kg (automatic)           | 1,315                            | 1,306      | 1,186          | 1,180                          | 1,171      | —              |
| <b>Weights &amp; Payloads - GVM Upgrade Variants</b>    |                                  |            |                |                                |            |                |
| Gross Vehicle Mass (GVM), kg                            |                                  | 4,000      |                | 4,000                          |            |                |
| Unladen Weight <sup>1</sup> , kg (manual)               | —                                | —          | —              | —                              | —          | —              |
| Payload Maximum <sup>2</sup> , kg (manual)              | —                                | —          | —              | —                              | —          | —              |
| Unladen Weight <sup>1</sup> , kg (automatic)            | 2,255                            | 2,264      | —              | 2,385                          | 2,394      | —              |
| Payload Maximum <sup>2</sup> , kg (automatic)           | 1,745                            | 1,736      | —              | 1,615                          | 1,606      | —              |
| <b>Towing</b>   |                                  |            |                |                                |            |                |
| Towing Capacity <sup>‡</sup> - Braked, kg               |                                  | 2,500      |                | 2,500                          |            |                |
| Towing Capacity <sup>‡</sup> - Unbraked, kg             |                                  | 750        |                | 750                            |            |                |
| Towing Downball Load, kg                                |                                  | 150        |                | 150                            |            |                |
| <b>Dimensions</b>                                       |                                  |            |                |                                |            |                |
| Seating capacity  | 3                                | 3          | 3              | 7                              | 7          | 7              |
| Factory Alloy Tray Load Platform, m <sup>2</sup>        | 8.8                              | 8.8        | 8.8            | 7.1                            | 7.1        | 7.1            |
| Load Compartment Length, mm                             | 4,300                            | 4,300      | 4,300          | 3,500                          | 3,500      | 3,500          |
| Load Compartment Width, mm - maximum                    | 2,040                            | 2,040      | 2,040          | 2,040                          | 2,040      | 2,040          |
| Load Compartment Width, mm at wheel arches              | 2,040                            | 2,040      | 2,040          | 2,040                          | 2,040      | 2,040          |
| Load Compartment Height, mm                             | 400                              | 400        | 400            | 400                            | 400        | 400            |
| Load Sill Height, mm                                    | 1,000                            | 1,000      | 1,000          | 1,000                          | 1,000      | 1,000          |
| Turning Circle (m)                                      | 16.2                             | 16.2       | 16.2           | 16.2                           | 16.2       | 16.2           |

Crafter 35 Single Cab LWB - with Optional Alloy Tray



Crafter 35 Dual Cab LWB - with Optional Alloy Tray





All dimensions shown in mm. Figures quoted are for base model vehicles only.  
 \*This value applies for 4Motion all-wheel drive. \*\*Load compartment length, max. (at floor level)/load compartment length, min.  
 MWB = Medium Wheelbase LWB = Long Wheelbase LWO = Long Wheelbase with Overhang FWD = Front Wheel Drive RWD = Rear Wheel Drive  
 1. The Unladen Mass (UM) includes 10L of fuel, vehicle fluids and no occupants. Figures quoted are for base model vehicles only.  
 2. Payload figures determined by subtracting 'Unladen Weight' from total 'Gross Vehicle Mass' (GVM). A vehicle's final payload, given the different configurations, can only be determined by weighing the individual vehicle and comparing to the known GVM.  
 ‡Towing capacities are applicable to Volkswagen Genuine Accessory Tow Bar. Towing capacity figures are maximum figures and actual towing capacity depends on factors including the laden mass of the vehicle, driving conditions and fitment of any accessories. Volkswagen Group Australia does not endorse or will not be held liable for any claim, loss or damage arising from the use or fitment of electronic trailer brakes.

All dimensions shown in mm. Figures quoted are for base model vehicles only.  
 \*This value applies for 4Motion all-wheel drive. \*\*Load compartment length, max. (at floor level)/load compartment length, min.  
 MWB = Medium Wheelbase LWB = Long Wheelbase LWO = Long Wheelbase with Overhang FWD = Front Wheel Drive RWD = Rear Wheel Drive  
 1. The Unladen Mass (UM) includes 10L of fuel, vehicle fluids and no occupants. Figures quoted are for base model vehicles only.  
 2. Payload figures determined by subtracting 'Unladen Weight' from total 'Gross Vehicle Mass' (GVM). A vehicle's final payload, given the different configurations, can only be determined by weighing the individual vehicle and comparing to the known GVM.  
 ‡Towing capacities are applicable to Volkswagen Genuine Accessory Tow Bar. Towing capacity figures are maximum figures and actual towing capacity depends on factors including the laden mass of the vehicle, driving conditions and fitment of any accessories. Volkswagen Group Australia does not endorse or will not be held liable for any claim, loss or damage arising from the use or fitment of electronic trailer brakes.



# Weights and Capacities Crafter 50/55 Cab Chassis

|   | Crafter 50     |                |                |              |              | Crafter 55     |                |                |              |
|---|----------------|----------------|----------------|--------------|--------------|----------------|----------------|----------------|--------------|
|   | Single Cab MWB | Single Cab LWB | Single Cab LWO | Dual Cab MWB | Dual Cab LWB | Single Cab MWB | Single Cab LWB | Single Cab LWO | Dual Cab LWB |
| <b>Weights &amp; Payloads</b>                 | TDI 410 RWD    |                |                |              |              | TDI 410 RWD    |                |                |              |
| Gross Vehicle Mass (GVM), kg                  | 4,490          |                |                |              |              | 5,500          |                |                |              |
| Unladen Weight <sup>1</sup> , kg (manual)     | —              | —              | —              | —            | —            | —              | —              | —              | —            |
| Payload Maximum <sup>2</sup> , kg (manual)    | —              | —              | —              | —            | —            | —              | —              | —              | —            |
| Unladen Weight <sup>1</sup> , kg (automatic)  | 2,110          | 2,154          | 2,169          | 2,267        | 2,315        | 2,132          | 2,175          | 2,190          | 2,337        |
| Payload Maximum <sup>2</sup> , kg (automatic) | 2,380          | 2,336          | 2,321          | 2,223        | 2,175        | 3,368          | 3,325          | 3,310          | 3,163        |
| Front Axle Load Limit, kg                     | 2,200          |                |                |              |              | 2,200          |                |                |              |
| Rear Axle Load Limit, kg                      | 3,500          |                |                |              |              | 4,000          |                |                |              |
| <b>Towing</b>                                 |                |                |                |              |              |                |                |                |              |
| Towing Capacity* - Braked, kg                 | 3,500          |                |                |              |              | 3,500          |                |                |              |
| Towing Capacity* - Unbraked, kg               | 750            |                |                |              |              | 750            |                |                |              |
| Towing Downball Load, kg                      | 150            |                |                |              |              | 150            |                |                |              |
| <b>Other</b>                                  |                |                |                |              |              |                |                |                |              |
| Seating capacity                              | 3              | 3              | 3              | 7            | 7            | 3              | 3              | 3              | 7            |
| Turning Circle (m)                            | 13.6           | 16.2           | 16.2           | 13.6         | 16.2         | 13.6           | 16.2           | 16.2           | 16.2         |



Crafter 50/55 Single Cab Chassis MWB





Crafter 50/55 Single Cab Chassis LWB





Crafter 50 Dual Cab Chassis MWB



Crafter 50/55 Dual Cab Chassis LWB





Crafter 50/55 Single Cab Chassis LWO





# Weights and Capacities Crafter 50/55 Cab Chassis with Factory Tray

|  | Crafter 50     |                |              |              | Crafter 55     |                |                |              |
|--|----------------|----------------|--------------|--------------|----------------|----------------|----------------|--------------|
|  | Single Cab LWB | Single Cab LWO | Dual Cab MWB | Dual Cab LWB | Single Cab MWB | Single Cab LWB | Single Cab LWO | Dual Cab LWB |
| <b>Weights &amp; Payloads</b>                    | TDI 410 RWD    |                |              |              | TDI 410 RWD    |                |                |              |
| Gross Vehicle Mass (GVM), kg                     | 4,490          |                |              |              | 5,500          |                |                |              |
| Unladen Weight <sup>1</sup> , kg (manual)        | —              | —              | —            | —            | —              | —              | —              | —            |
| Payload Maximum <sup>2</sup> , kg (manual)       | —              | —              | —            | —            | —              | —              | —              | —            |
| Unladen Weight <sup>1</sup> , kg (automatic)     | 2,553          | 2,604          | 2,538        | 2,654        | 2,476          | 2,573          | 2,626          | 2,676        |
| Payload Maximum <sup>2</sup> , kg (automatic)    | 1,937          | 1,886          | 1,952        | 1,836        | 3,024          | 2,927          | 2,874          | 2,824        |
| Front Axle Load Limit, kg                        | 2,200          |                |              |              | 2,200          |                |                |              |
| Rear Axle Load Limit, kg                         | 3,500          |                |              |              | 4,000          |                |                |              |
| <b>Towing</b>                                    |                |                |              |              |                |                |                |              |
| Towing Capacity* - Braked, kg                    | 3,500          |                |              |              | 3,500          |                |                |              |
| Towing Capacity* - Unbraked, kg                  | 750            |                |              |              | 750            |                |                |              |
| Towing Downball Load, kg                         | 150            |                |              |              | 150            |                |                |              |
| <b>Dimensions</b>                                |                |                |              |              |                |                |                |              |
| Seating capacity                                 | 3              | 3              | 7            | 7            | 3              | 3              | 3              | 7            |
| Factory Alloy Tray Load Platform, m <sup>2</sup> | 8.8            | 9.6            | 5.5          | 7.1          | 7.1            | 8.8            | 9.6            | 7.1          |
| Load Compartment Length, mm                      | 4,300          | 4,700          | 2,700        | 3,500        | 3,500          | 4,300          | 4,700          | 3,500        |
| Load Compartment Width, mm - maximum             | 2,040          | 2,040          | 2,040        | 2,040        | 2,040          | 2,040          | 2,040          | 2,040        |
| Load Compartment Width, mm at wheel arches       | 2,040          | 2,040          | 2,040        | 2,040        | 2,040          | 2,040          | 2,040          | 2,040        |
| Load Compartment Height, mm                      | 400            | 400            | 400          | 400          | 400            | 400            | 400            | 400          |
| Load Sill Height, mm                             | 1,035          | 1,050          | 1,040        | 1,035        | 1,040          | 1,035          | 1,050          | 1,035        |
| Turning Circle (m)                               | 16.2           | 16.2           | 13.6         | 16.2         | 13.6           | 16.2           | 16.2           | 16.2         |



Crafter 50/55 Single Cab Chassis MWB - with Optional Alloy Tray





Crafter 50/55 Dual Cab Chassis MWB - with Optional Alloy Tray





Crafter 50/55 Single Cab Chassis LWB - with Optional Alloy Tray



Crafter 50/55 Dual Cab Chassis LWB - with Optional Alloy Tray



Crafter 50/55 Single Cab Chassis LWO - with Optional Alloy Tray



All dimensions shown in mm. Figures quoted are for base model vehicles only.

\*This value applies for 4Motion all-wheel drive. \*\*Load compartment length, max. (at floor level)/load compartment length, min. MWB = Medium Wheelbase LWB = Long Wheelbase LWO = Long Wheelbase with Overhang FWD = Front Wheel Drive RWD = Rear Wheel Drive

1. The Unladen Mass (UM) includes 10L of fuel, vehicle fluids and no occupants. Figures quoted are for base model vehicles only.

2. Payload figures determined by subtracting 'Unladen Weight' from total 'Gross Vehicle Mass' (GVM). A vehicle's final payload, given the different configurations, can only be determined by weighing the individual vehicle and comparing to the known GVM.

⚠Towing capacities are applicable to Volkswagen Genuine Accessory Tow Bar. Towing capacity figures are maximum figures and actual towing capacity depends on factors including the laden mass of the vehicle, driving conditions and fitment of any accessories. Volkswagen Group Australia does not endorse or will not be held liable for any claim, loss or damage arising from the use or fitment of electronic trailer brakes.

All dimensions shown in mm. Figures quoted are for base model vehicles only.

\*This value applies for 4Motion all-wheel drive. \*\*Load compartment length, max. (at floor level)/load compartment length, min. MWB = Medium Wheelbase LWB = Long Wheelbase LWO = Long Wheelbase with Overhang FWD = Front Wheel Drive RWD = Rear Wheel Drive

1. The Unladen Mass (UM) includes 10L of fuel, vehicle fluids and no occupants. Figures quoted are for base model vehicles only.

2. Payload figures determined by subtracting 'Unladen Weight' from total 'Gross Vehicle Mass' (GVM). A vehicle's final payload, given the different configurations, can only be determined by weighing the individual vehicle and comparing to the known GVM.

⚠Towing capacities are applicable to Volkswagen Genuine Accessory Tow Bar. Towing capacity figures are maximum figures and actual towing capacity depends on factors including the laden mass of the vehicle, driving conditions and fitment of any accessories. Volkswagen Group Australia does not endorse or will not be held liable for any claim, loss or damage arising from the use or fitment of electronic trailer brakes.

# Features and Specifications

| Safety and Security   | Van | Single Cab | Dual Cab |
|---|-----|------------|----------|
| <b>Airbags</b>  |     |            |          |
| Front airbag for driver and front passenger   | ●   | ●          | ●        |
| Side and curtain airbags for driver and front passenger <sup>#</sup>  | ●   | ●          | ●        |
| <b>Seat belts</b>   |     |            |          |
| 3-point seat belts with height adjustment and belt tensioners for driver  | ●   | ●          | ●        |
| Seat belt warning light and buzzer for driver's seat  | ●   | ●          | ●        |
| <b>Brakes and Traction Control</b>  |     |            |          |
| Multi-Collision Brake (MCB)   | ●   | ●          | ●        |
| Adaptive Electronic Stabilisation Programme (ESP)   | ●   | ●          | ●        |
| Anti-Lock Braking System (ABS)  | ●   | ●          | ●        |
| Brake Assist (BA)   | ●   | ●          | ●        |
| Traction Control System (TCS)   | ●   | ●          | ●        |
| Electronic Differential Lock (EDL)  | ●   | ●          | ●        |
| Hill Hold Assist  | ●   | ●          | ●        |
| Crosswind Assist  | ●   | —          | —        |
| <b>Driver Assistance Technology</b>   |     |            |          |
| Front Assist with City Emergency Brake*   | ●   | ●          | ●        |
| Driver Fatigue Detection*   | ●   | ●          | ●        |
| Front and Rear Park Distance Control* (PDC) with Rear View Camera*  | ●   | —          | —        |
| Preparation for Rear View Camera*   | —   | ○          | ○        |
| <b>Driver Assistance Package 1</b>  |     |            |          |
| Fog Lights with cornering function, 'Light and Sight' windshield wiper intermittent control with light and rain sensor and separate daytime running light with automatic headlight control, 'Leaving Home' function and manual 'Coming Home' function | ○   | ○          | ○        |
| <b>Driver Assistance Package 2</b>  |     |            |          |
| Side Protection*, Rear Traffic Alert*, Blind Spot Monitoring*, Lane Keep Assist* and Electric Folding Mirrors   | ○   | —          | —        |
| <b>Driver Assistance Package 3</b>  |     |            |          |
| Park Assist*, Side Protection*, Rear Traffic Alert*, Blind Spot Monitoring*, Lane Keep Assist* and Electric Folding Mirrors   | ○   | —          | —        |
| <b>Driver Assistance Package 4</b>  |     |            |          |
| Adaptive Cruise Control (ACC)*  | ○   | —          | —        |
| <b>Driver Assistance Package 4Motion</b>  |     |            |          |
| Mechanical Differential Lock* and Hill Descent Assist*  | ○   | —          | —        |
| <b>Driver Assistance Package 'Chassis'</b>  |     |            |          |
| Adaptive Cruise Control (ACC)* and Lane Keep Assist*  | —   | ○          | ○        |

● Standard ○ Optional — Not Available MWB = Medium Wheelbase LWB = Long Wheelbase LWO = Long Wheelbase with Overhang FWD = Front Wheel Drive RWD = Rear Wheel Drive C35 = standard 3.55t GVM single rear tyre C50 = standard 4.49t GVM dual rear tyre C55 = standard 5.5t GVM dual rear tyre

<sup>#</sup>Excludes Crafter Van with high roof, without a partition and no right hand side sliding door. Vans with super-high roof have no curtain airbags. \*Safety technologies are designed to assist the driver, but should not be used as a substitute for safe driving practices.

| Safety and Security   | Van | Single Cab | Dual Cab |
|---|-----|------------|----------|
| <b>Locking and Security</b>   |     |            |          |
| Anti-theft alarm system with backup horn, interior monitoring and towing protection       | ○   | ○          | ○        |
| Central locking system with radio remote control and interior release mechanism           | ●   | ●          | ●        |
| Central locking system with radio remote control, interior release mechanism and SAFELOCK | ○   | ○          | ○        |
| Child safety lock in passenger compartment when removing partition                        | ○   | —          | —        |
| Two (2) remote control folding keys   | ●   | ●          | ●        |
| Engine immobiliser (electronic)   | ●   | ●          | ●        |
| One (1) Chock   | ○   | ○          | ○        |
| Two (2) Chocks  | ○   | —          | —        |
| First aid kit, warning triangle, safety vest and warning light                            | ○   | ○          | ○        |
| <b>Lighting</b>   |     |            |          |
| Twin Halogen headlights   | ●   | ●          | ●        |
| Headlight range adjustment  | ●   | ●          | ●        |
| Separate Daytime Running Lights (DRL)   | ●   | ●          | ●        |
| LED headlamps with separate LED Daytime Running Light                                     | ○   | ○          | ○        |
| High rear stop light  | ●   | —          | —        |
| Rear fog light  | ●   | ●          | ●        |
| <b>Head Restraints</b>  |     |            |          |
| Front safety optimised head restraints, height adjustable                                 | ●   | ●          | ●        |

## Exterior Equipment and Styling

|  |  |   |   |
|--|--|---|---|
| <b>Doors</b>   |  |   |   |
| Sliding door, left, in load/passenger compartment  | ●                                      | — | — |
| Sliding door, right, in load/passenger compartment with additional 12 Volt socket in load/passenger compartment and grab handle on partition in load/passenger compartment   | ○                                      | — | — |
| Sliding door, left/right, in load area with interlock for certain opening positions and increased lift-out distance, left and/or right and with additional 12 Volt socket in load/passenger compartment and grab handle on partition in load/passenger compartment | ○                                      | — | — |
| Rear barn doors with heated window, rear wiper and washer system   | ●                                      | — | — |
| 270 degree opening rear barn doors   | ○ MWB/LWB<br>● LWO                     | — | — |
| <b>Roofs</b>   |  |   |   |
| Medium roof - body coloured  | ● MWB<br>— LWB/LWO                     | ● | ● |
| High roof - body coloured  | ● LWB/LWO<br>○ MWB                     | — | — |
| Super high roof - body coloured  | ○ MWB/LWB/LWO<br>— MWB/LWB/LWO 4Motion | — | — |
| Roof trim molded headliner in cabin  | ●                                      | ● | ● |
| Roof trim molded headliner in load/passenger compartment (n/a with full height plywood side trim)  | ○                                      | — | — |
| Roof rails for roof rack   | ○                                      | — | — |
| Roof rack with two (2) movable bars under the roof and two (2) lashing rails under the roof  | ○                                      | — | — |

● Standard ○ Optional — Not Available MWB = Medium Wheelbase LWB = Long Wheelbase LWO = Long Wheelbase with Overhang FWD = Front Wheel Drive RWD = Rear Wheel Drive C35 = standard 3.55t GVM single rear tyre C50 = standard 4.49t GVM dual rear tyre C55 = standard 5.5t GVM dual rear tyre

## Exterior Equipment and Styling

|  | Van   | Single Cab         | Dual Cab      |
|--|---|--------------------|---------------|
| <b>Windows</b>   |   |                    |               |
| Heat-insulating windshield made of laminated glass   | ●   | ●                  | ●             |
| Heat-insulating glass (green)  | ●   | ●                  | ●             |
| Windscreen wiper intermittent control  | ●   | ●                  | ●             |
| Heated windows with wiper/washer system in rear barn doors   | ●   | —                  | —             |
| Electric power windows with comfort operation and circuit breaker (front)  | ●   | ●                  | ●             |
| Hinged side windows in 2 <sup>nd</sup> row (opening)   | —   | —                  | ●             |
| Rear privacy glass (with 2 <sup>nd</sup> sliding door)   | ○   | —                  | —             |
| Side window in load/passenger compartment, front left and/or right, fixed  | ○   | —                  | —             |
| Side window in load/passenger compartment, front left and/or right, sliding                                      | ○   | —                  | —             |
| Side window in load/passenger compartment, centre left and/or right, fixed                                       | ○ LWB/LWO<br>— MWB                                      | —                  | —             |
| Side window in load/passenger compartment, rear left and/or right, fixed   | ○   | —                  | —             |
| Security mesh for windows in rear barn doors   | ○   | —                  | —             |
| <b>Body Enhancements</b>   |   |                    |               |
| Black bumper bar in front with painted trim panel in body colour (grey bumper bar with optional luminous orange) | ●   | ●                  | ●             |
| Black exterior mirror housings and door handles  | ●   | ●                  | ●             |
| Black side protective strips   | ●   | ●                  | ●             |
| Unpainted radiator grille  | ●   | ●                  | ●             |
| Roof rack mounting points  | 10 MWB / 13 LWB / 15 LWO                                | —                  | —             |
| Trailer hitch preparation (including trailer stabilisation)  | ●   | ●                  | ●             |
| Side reflectors  | ●   | ●                  | ●             |
| Underbody stone guard  | ●   | ●                  | ●             |
| One towing eye in front and in rear  | ●   | —                  | —             |
| Painted Ladder Holder - Front and Rear, incl bulkhead protection grille at front                                 | —   | ○ C50/C55          | ○ C50/C55     |
| Painted Ladder Holder - Front only, incl bulkhead protection grille at front                                     | —   | ○ C50/C55          | ○ C50/C55     |
| Gross Vehicle Mass upgrade from 3.55t to 3.88t   | ○ MWB<br>— LWB/LWO                                      | —                  | —             |
| Gross Vehicle Mass upgrade from 3.55t to 4t  | ○ LWB/LWO<br>— MWB                                      | ○                  | ○             |
| <b>Wheels and Tyres</b>  |   |                    |               |
| 16" steel wheels with centre wheel trim - 205/75 R16 C113/111  | ● C35/C50   | ● C35/C50          | ● C35/C50     |
| 16" steel wheels with centre wheel trim - 235/65 R16 C121/119 R  | ● C35 w/GVM Upgade                                      | —                  | —             |
| 17" steel sheels with centre wheel trim - 205/70 R17 C115/113  | ● C55   | ● C55              | ● C55         |
| Steel spare wheel - full size  | ●   | ●                  | ●             |
| Tool kit with vehicle jack   | ●   | ●                  | ●             |
| Tyre mobility set (12 Volt compressor and tyre sealant)  | —   | ○                  | ○             |
| Tyre Pressure Monitoring System (TPMS)   | ○   | ○                  | ○             |
| <b>Suspension and Chassis</b>  |   |                    |               |
| Heavy-duty suspension system and shock absorpion   | ○   | ○                  | ○             |
| Standard suspension system and shock absorpion, heavy-duty stabiliser  | ○   | ○                  | ○             |
| Heavy-duty suspension system and shock absorpion, reinforced heavy-duty stabiliser                               | ○   | ○                  | ○             |
| Reinforced front axle  | ○ C35 FWD/4Motion MWB<br>● C35 LWB 4Motion<br>● C50/C55 | ○ C35<br>● C50/C55 | ● C35/C50/C55 |

● Standard ○ Optional — Not Available MWB = Medium Wheelbase LWB = Long Wheelbase LWO = Long Wheelbase with Overhang FWD = Front Wheel Drive RWD = Rear Wheel Drive C35 = standard 3.55t GVM single rear tyre C50 = standard 4.49t GVM dual rear tyre C55 = standard 5.5t GVM dual rear tyre

## Comfort and Convenience

|   | Van | Single Cab | Dual Cab |
|---|-----|------------|----------|
| <b>Air Conditioning, Batteries and Alternators</b>  |     |            |          |
| Climatic air conditioning system with dust and pollen filter in the cabin   | ●   | ●          | ●        |
| 2 <sup>nd</sup> evaporator (below roof in cabin; one 1-DIN slot in overhead compartment)  | ○   | ○          | ○        |
| 2 <sup>nd</sup> heater core (below right seat substructure) and 2 <sup>nd</sup> evaporator (below roof in cabin ; one 1-DIN slot in overhead compartment)   | ○   | ○          | ○        |
| Battery with increased capacity   | ○   | ○          | ○        |
| AGM battery and alternator with increased capacity  | ○   | ○          | ○        |
| Main battery switch   | ○   | ○          | ○        |
| 2 <sup>nd</sup> battery with cut-off relay and battery monitoring (AGM battery)   | ○   | ○          | ○        |
| 2 <sup>nd</sup> alternator with 180A  | ○   | ○          | ○        |
| <b>Cruise Control</b>   |     |            |          |
| Cruise Control, including speed limiter   | ●   | ●          | ●        |
| <b>Floor Covering and Side Trim</b>   |     |            |          |
| Rubber floor covering in cabin  | ●   | ●          | ●        |
| Wooden floor covering in load/passenger compartment, with loading edge protection in rear   | ○   | —          | —        |
| Wooden floor covering with wheel housing trim in load/passenger compartment   | ○   | —          | —        |
| Universal floor covering with lashing rings and longitudinal or transverse lashing rails  | ○   | —          | —        |
| Hardboard side trim panels - half height  | ○   | —          | —        |
| Plywood side trim panels - full height (n/a with moulded interior roof trim)  | ○   | —          | —        |
| C rails, side panel and partition   | ○   | —          | —        |
| <b>In-Car Entertainment and Technology</b>  |     |            |          |
| ' <a href="#">Composition Media</a> ' audio system with App-Connect^  |     |            |          |
| 6.5" colour touchscreen display, AM/FM radio, USB-C inputs and four (4) speakers. Car menu with convenience and service settings. Includes display for Park Distance Control* and Rear View Camera*. App-Connect^ USB interface for Apple CarPlay®, Android Auto™ and MirrorLink® in dash panel.                              | ●   | ●          | ●        |
| ' <a href="#">Discover Media</a> ' audio system with App-Connect^ and Satellite Navigation  |     |            |          |
| 8" colour touchscreen display, FM radio, USB-C inputs and four (4) speakers. 2D and 3D (bird's eye) map views. Car menu with convenience and service settings. Includes display for Park Distance Control* and Rear View Camera*. App-Connect^ USB interface for Apple CarPlay®, Android Auto™ and MirrorLink® in dash panel. | ○   | ○          | ○        |
| Bluetooth® phone connectivity with contacts display and Bluetooth® audio streaming, operation via touch-screen audio unit or Multi-Function Display   | ●   | ●          | ●        |
| Audio, telephone, cruise control and Multi-Function Display controls mounted on steering wheel  | ●   | ●          | ●        |
| <b>Instrumentation</b>  |     |            |          |
| Speedometer and tachometer, electronic odometer and trip meter, service interval display, fuel and coolant gauges, low fuel warning light and adjustable illumination   | ●   | ●          | ●        |
| Multi-Function Display (MFD Plus) - exterior temperature, speed limit warning, average fuel consumption, brake pad wear indicator, average speed, current fuel consumption, range, journey time, service, gear recommendation, time, digital speed display, digital oil temperature gauge, language setting, light and sound  | ●   | ●          | ●        |

● Standard ○ Optional — Not Available MWB = Medium Wheelbase LWB = Long Wheelbase LWO = Long Wheelbase with Overhang FWD = Front Wheel Drive RWD = Rear Wheel Drive C35 = standard 3.55t GVM single rear tyre C50 = standard 4.49t GVM dual rear tyre C55 = standard 5.5t GVM dual rear tyre  
^App-Connect is compatible for selected apps with the latest smartphone versions of iOS and Android, active data service, and connection cable (sold separately). \*Safety technologies are designed to assist the driver, but should not be used as a substitute for safe driving practices.



31 The Crafter Range

| Interior Lighting  |                          |                                  |                                    |
|--|--------------------------|----------------------------------|------------------------------------|
| Two (2) LED reading lights in cabin  | ●                        | ●                                | ●                                  |
| Two (2) roof lights in load compartment  | ●                        | —                                | —                                  |
| Two (2) roof lights in 2 <sup>nd</sup> row in cabin  | —                        | —                                | ●                                  |
| Four (4) LED roof lights in load compartment (part of 'Cargo Area Upgrade Package')  | ○                        | —                                | —                                  |
| <b>Load Compartment</b>  |                          |                                  |                                    |
| Lashing rings for load restraint   | 10 MWB / 12 LWB / 14 LWO | 10 (with optional load platform) | 10 LWB with optional load platform |
| Two (2) 12 Volt sockets in the load area   | ●                        | —                                | —                                  |
| Partition (high) with window and protective grille   | ●                        | —                                | —                                  |
| Grab handle on the partition in the load area on the passenger side  | ●                        | —                                | —                                  |
| Load platform with folding aluminium drop-sides, safety latches and step integrated in the tailboard   | —                        | ○                                | ○                                  |
| Underride guard (with optional load platform)  | —                        | ○                                | ○                                  |
| <b>Mirrors</b>   |                          |                                  |                                    |
| Exterior mirrors with integrated LED turn signal and wide angle range (left: convex, right: convex)  | ●                        | ●                                | ●                                  |
| Exterior mirrors, power adjustable and heated  | ●                        | ●                                | ●                                  |
| Dimming breakaway interior rear view mirror  | ●                        | ●                                | ●                                  |
| <b>Seating</b>   |                          |                                  |                                    |
| Comfort Seat "Plus" for driver, longitudinal and height adjustment, electronically 4-way adjustable lumbar support, dual adjustable armrests | ●                        | ●                                | ●                                  |
| 2-seater bench for front passengers with under seat storage and foldable table in the backrest   | ●                        | ●                                | ●                                  |
| 4-seater bench for passengers in 2 <sup>nd</sup> row   | —                        | —                                | ●                                  |
| "ergoActive" suspension seat - driver  | ○                        | ○                                | ○                                  |
| "ergoActive" suspension seat - front passenger (replacing 2-seater bench with single seat; n/a with 2 <sup>nd</sup> heater core)             | ○                        | ○                                | ○                                  |
| Swivel seat — driver   | ○                        | ○                                | ○                                  |
| Swivel seat — front passenger (replacing the 2-seater bench with single seat)  | ○                        | ○                                | ○                                  |
| Heated seats, separately controllable (driver & front passenger)   | ○                        | ○                                | ○                                  |
| <b>Steering Wheel</b>  |                          |                                  |                                    |
| Electro-mechanical power-assisted rack and pinion steering   | ●                        | ●                                | ●                                  |
| Multi-function steering wheel, height and reach adjustable   | ●                        | ●                                | ●                                  |
| Audio, telephone, cruise control and Multi-Function Display controls mounted on steering wheel   | ●                        | ●                                | ●                                  |
| <b>Cabin</b>   |                          |                                  |                                    |
| Storage compartment under front passenger bench seat   | ●                        | ●                                | ●                                  |
| Storage compartment under passenger bench seat in 2 <sup>nd</sup> row  | —                        | —                                | ●                                  |
| Illuminated glove compartment with lockable lid  | ●                        | ●                                | ●                                  |
| Overhead storage with two 1-DIN-slots and reading lamp   | ●                        | ●                                | ●                                  |
| Four (4) cup holders in the dashboard  | ●                        | ●                                | ●                                  |
| Front door pockets   | ●                        | ●                                | ●                                  |
| Front sunvisors (folding and swiveling) with ticket holder on both sides   | ●                        | ●                                | ●                                  |
| Open storage compartments in the dashboard above the glovebox  | ●                        | ●                                | ●                                  |
| Open storage compartment next to gear lever  | ●                        | ●                                | ●                                  |
| Two (2) 12 Volt sockets in the dashboard   | ●                        | ●                                | ●                                  |
| Grab handles for driver and front passenger on A pillar  | ●                        | ●                                | ●                                  |

● Standard ○ Optional — Not Available MWB = Medium Wheelbase LWB = Long Wheelbase LWO = Long Wheelbase with Overhang FWD = Front Wheel Drive RWD = Rear Wheel Drive C35 = standard 3.55t GVM single rear tyre C50 = standard 4.49t GVM dual rear tyre C55 = standard 5.5t GVM dual rear tyre

32 The Crafter Range

| Comfort and Convenience  | Van | Single Cab             | Dual Cab               |
|--|-----|------------------------|------------------------|
| <b>Functional Equipment</b>  |     |                        |                        |
| Acoustic warning when reverse gear is engaged, dimming   | ○   | ○                      | ○                      |
| Acoustic warning when reverse gear is engaged, with deactivation switch  | ○   | ○                      | ○                      |
| Customer-specific Function Control Unit (CFCU) with bodybuilder programming  | ●   | ●                      | ●                      |
| Customer-specific Function Control Unit (CFCU) with bodybuilder programming and telematics preparation   | ○   | ○                      | ○                      |
| Power take-off of transmission without lock and flange, with increased constant power output   | —   | ○ RWD<br>— FWD/4Motion | ○ RWD<br>— FWD/4Motion |
| <b>Cargo Area Upgrade Package</b>  |     |                        |                        |
| Load compartment lighting with four (4) LED spot lights and grab handles on each D pillar (2 in total)   | ○   | —                      | —                      |
| <b>Trendline Styling Package</b>   |     |                        |                        |
| Illuminated step in the cabin, one additional 12V outlet in cabin, chrome elements in the interior, hub caps with chrome emblems, radio grille painted with 3 (three) chrome molding, front fog lights with cornering function | ○   | ○                      | ○                      |
| <b>Winter Package</b>  |     |                        |                        |
| Heat-insulating windshield made of laminated glass (heated), leather-wrapped and heated multi-function steering wheel (3-spoke) and headlamp washer system with washer fluid level indicator                                   | ○   | ○                      | ○                      |

● Standard ○ Optional — Not Available MWB = Medium Wheelbase LWB = Long Wheelbase LWO = Long Wheelbase with Overhang FWD = Front Wheel Drive RWD = Rear Wheel Drive C35 = standard 3.55t GVM single rear tyre C50 = standard 4.49t GVM dual rear tyre C55 = standard 5.5t GVM dual rear tyre

# Peace of Mind



## 5 years Unlimited Kilometre Warranty

At Volkswagen, we pride ourselves on the highest quality standards that come with German engineering.

We back this commitment with a 5 year unlimited kilometre warranty on all new Volkswagen vehicles\*.



## 1 year Roadside Assist

Every new Volkswagen comes with a 1 year Roadside Assist membership<sup>^</sup>.

That's 24 hour roadside assistance, emergency accommodation, car rental and towing as well as property and other assistance, all included for added peace of mind.



## Volkswagen Care Plans

Volkswagen Care Plans<sup>†</sup> have you covered for your first 3 or 5 scheduled services, providing you savings off the total Assured Service Pricing RRP. It's convenient, hassle-free scheduled servicing easily available for purchase at your local Volkswagen Dealer.



## Assured Service Pricing

Assured Service Pricing<sup>#</sup> gives you the transparency of knowing how much your service will cost up front.

Our Volkswagen Dealers have access to the latest diagnostic equipment and tools. Plus, they use Volkswagen Genuine Parts<sup>®</sup> to ensure your Volkswagen stays a Volkswagen.


You're in safe hands at your Volkswagen Dealer when it comes to servicing.

# Volkswagen Choice<sup>^</sup>

Guarantee the minimum future value of your Volkswagen

Naturally we understand that your Volkswagen represents a valuable investment, so we understand that you want to maintain it in premium condition. Volkswagen Choice<sup>^</sup> is a finance program tailored to the requirements of Volkswagen owners by providing assurance around your Volkswagen's future value<sup>^</sup>, whilst offering simple monthly instalment financing options.

Whether you are selecting your new Volkswagen for business or personal use, you can choose the contract term that best suits your requirements. Enjoy the confidence that comes from having locked in a minimum value up front to be attributed to your vehicle at the end of your contract<sup>^</sup>. There are also no account keeping fees with a fixed interest rate.



\*Conditions and exclusions apply, see <https://www.volkswagen.com.au/en/owners-service/warranty.html>. Your rights under this warranty are provided in addition to, and in some cases overlap with, consumer guarantees under the Australian Consumer Law and do not limit or replace them.

<sup>^</sup>Volkswagen Roadside Assist is provided by AWP Australia Pty Ltd ABN 52 097 227 177 trading as Allianz Global Assistance, under an arrangement with Volkswagen Group Australia Pty Limited ABN 14 093 117 876. Conditions and exclusions apply, see <https://www.volkswagen.com.au/en/owners-service/roadside-assist.html>.

<sup>†</sup>Volkswagen Care Plans are available for purchase at <https://www.volkswagen.com.au/en/owners-service/care-plans.html> or from participating authorised Volkswagen Dealers for Eligible Vehicles and covers standard items as contained in each scheduled service interval only. The service intervals occur every 15,000 KM/12 months (whichever occurs first) for all models except MY18 – current Crafter vehicles and MY21 onwards Amarok vehicles, which are scheduled to occur every 20,000 km/12 months (whichever occurs first). These Care Plans can only be purchased prior to the first scheduled service and up to 22,500 km/15 months (whichever occurs first) for all models except MY18 – current Crafter vehicles and MY21 onwards Amarok vehicles which is 30,000 km/15 months (whichever occurs first). The timeframe takes effect from when the vehicle is first reported in our system as 'sold'. Discount structure varies by model. For details of what is not included in a scheduled service, please refer to the program terms and conditions.

<sup>#</sup>Assured Service Pricing applies to the first 5 standard scheduled services of your vehicle which are scheduled to occur at every 15,000 km/12 month interval (whichever occurs first) or for MY18 – current Crafter vehicles and MY21 onwards Amarok vehicles only, 20,000 km/12 month interval (whichever occurs first). On or before 31 December each year, Volkswagen will publish the maximum price for a specified Schedule Service that will be applicable from, and remain fixed for, the following calendar year only. For details on the Eligible Model List, pricing, items not included and for full terms and conditions, please see <https://www.volkswagen.com.au/app/locals/service-pricing-guide>.

<sup>^</sup>Volkswagen Guaranteed Future Value consists of an option to return your vehicle to Volkswagen Financial Services (VFS) ABN 20 097 071 460, Australian Credit Licence 389344, at the end of the term and requires VFS to purchase the vehicle at an agreed price determined by VFS, known as the Guaranteed Future Value (GFV). <sup>#</sup>Eligible loan terms include 12-60 months, vary by model and are subject to change, ask dealer for more information. At the end of the term, you can elect to: (1) trade-in; (2) return; or (3) retain the vehicle by paying the GFV, which is a lump sum owed to VFS at the end of the loan term after all repayments have been made. You will be liable for any loan contract deficit and additional charges if you exceed the nominated kilometre allowance and/or the vehicle is not in an acceptable condition. Available on new and demonstrator Volkswagen vehicles for selected models. Contact your Official Volkswagen Dealer to verify eligible vehicles for this program. Fleet, government, rental buyers, hire car and chauffeur companies excluded.

# The Crafter Range

Volkswagen Group Australia Pty Ltd  
24 Muir Road Chullora NSW 2190  
ABN 14 093 117 876

Printed in Australia  
July 2021  
[www.volkswagen.com.au](http://www.volkswagen.com.au)

Publication: VWCCRAPRESSPMY22

Your Volkswagen Dealer.

#### **Important information**

Apple CarPlay® is a registered trade mark of Apple Inc. Android Auto™ is a registered trade mark of Google Inc. MirrorLink® is a registered trade mark of Car Connectivity Consortium LLC. Bluetooth® is a registered trade mark of Bluetooth SIG Inc.

Volkswagen distributed by Volkswagen Group Australia Pty Ltd (ABN 14 093 117 876) of 24 Muir Road Chullora, NSW 2190. Specifications are as planned at July 2021, for Model Year 2022 and are subject to change without notice or obligation. All information in this brochure are correct at the time of publication, however variations may occur from time to time and Volkswagen, in so far as it is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this brochure. Authorised Volkswagen dealers will provide up-to-date information on model application, design feature, prices, and availability on request.