



Surgical Support Order of Procedures

Used throughout pre/surgery/post:

Basic Signature ID, Removal, & Attunement Basic Energy Generator

Pre-Operative Surgical Support

In a pre-surgery session:

- Use Hazardous Materials Gear if needed
- Use Sticky Box Sterile Field for Astral Removal & pre-surgery containment if needed
- o Assess Astral Weight: Do Removal if necessary
- Basic Signature ID of any related emotions, traumas or issues
- o Removal- of old drug signatures / other signatures
- Attunement of current medications supporting pre-surgery
- Salt & Soda Protocols- Bath, Shower, Dry Rub, Foot Soak
- Pre Op Basic Clearing of Specific Body Part-
- Build Up Stamina with Specific Energies
- Prepare list of drugs & any implants : anesthesia list, pain meds
- Attune before surgery begins: surgery implants, stents, splints, metal pins, prothesis
- Establish time of the surgery
- Align intention with the client for desired result-
- Remove Sticky Box
- Harmonizing Energies/IBWSIB

Surgery:

- Follow Holding and Supporting Surgery Protocol--
- Determine if surgery type: Removal, Replacement or Repair
- Apply Hazardous Materials Gear
- Use Haz Mat Tools as Needed

Holding and Supporting Surgery

- 1. With permission (from client or medical guardian) at the edge.
- 2. Build thought form of the client in safe place
- 3. Determine the Astral weight. Remove astral
- 4. Place a sticky box around the thought form as a sterile field
- 5. Connect the TF to the bio layer of the client-



SAEM Practitioner Training Surgical Protocol

- 6. **Record the percentage** of effectiveness of the bio layer & the unified percentage to track the 4 aspects. Draw star point pulse to track surgery
- 7. **Set up appropriate generators** on a time clock- keep them simple- *ULL/integration* and blending. Using organ vitality (relevant anatomy), blue light of healing & sanctuary. No more than 4 or 5. Program generators to increase or decrease potency as needed or to stop- to benefit of the client & surgery.
- 8. Support the Surgical Field with Specific Energies
- Check medications list used during surgery- including anesthesia meds (2-4 drugs woven together)- Attune each med before surgery. Remove one at a time after use. Attune any medications used in surgical procedure- refer to a prepared list
- 10. **At start of surgery** open HES to receive surgical cut- part it with *surrender* using knife light fingers.
- 12. **Hold the Human Energy Structure open** with *ULL* (Let it go at end- help sutures to hold & body heal
- 13. **During surgery create generators** as needed
- 14. Use the star point pulse to track the surgery to determine when it begins and when it is over
- 15. **At surgery conclusion- seal the wound** & structure using: *ULL*, *rejuvenation, sense of function, blue light of healing & sanctuary*.
- 16. **Attune anything used to close the wound** or shore up the body such as: net, metal plates, pins, staples, stitches or stents, any replacement parts.
- 17. Do blood transfusions protocol if needed
- 18. **Orthopedic surgeries**-rebuild with *Archangel Raphael, anti-inflammatory* into joint capsules.
- 19. **Bring in** *organ vitality* (of affected organs, systems & structure- whole body) *recreate* & *rejuvenation*.
- 20. **As a standard protocol** build *integration & blending* generators- run for 48 hours after surgery
- 21. **Do ending protocol** after you know the surgery is complete-
- 22. Remove Sticky Box
- 23. Harmonizing Energies/ IBWSIB

Removal Surgery Protocol

- 1. **Signature removal** Remove the signature of the trauma or malfunction.
- 2. **Encapsulate the problem**-Determine the location of the tumor, organ, injured part or cyst that is being removed and encapsulate in *ULL*. If cancerous or toxic encapsulate with hazmat.
- 3. **If the surgery has not yet occurred** lift encapsulation out prior to surgery.



SAEM Practitioner Training Surgical Protocol

- 4. **Remove by lifting out the encapsulation** If the surgery has already happened-remove encapsulation after the fact. Lift out the energy signature of removal with trauma of surgery.
- 5. Also lift out the signature of the encapsulation Remove a damaged organ, bone, or part at the same time as the surgery is less traumatic. Intervention BEFORE surgery -for tumors, cysts& scar tissue
- 6. **Bring in** *ULL* into the hole remaining and coat the area in *ULL*
- 7. IBWSIB
- 8. **Follow up** by bringing in specific energies to correct imbalances.
- 9. IBWSIB

NOTE: do not remove surgical trauma signature until surgery is over. That will be when post op begins.

Replacement and Repair Surgeries

- 1. With permission & Edge build a thought form of the client
- 2. Place the thought form in a sticky box and put on hazmat gear.
- 3. **As needed,** do signature removals of the trauma, injury & any earlier related surgical trauma.
- 4. **Attune parts** (pins, screws, stents, mesh, plates, joints) as needed.
- 5. **Surround all attuned parts**, the area of the repair or replacement with liberal amounts of *ULL*
- 6. **Bring in energies** such as: *blue light of healing, sanctuary* and *complete release* as needed.
- 7. **Bring in the rainbow light** for the replaced part & the repaired anatomy. Stroke as you are bringing it in- soothing with each pass.
- 8. If the surgery is to put in a replacement part bring in *organ vitality* for part replaced AFTER it is attuned- this will instruct the metal to behave as human bone, cartilage & flesh & to accept the connection to the bone. It will also allow the bones to accept the metal as skeletal structure. This is a critical point. Bring in loads of *ULL* while you are doing this as well as any other needed energy. Speak to the foreign substance like this: "*Titanium hip, please behave as if you are human bone to the benefit of client's name & in service to the fulfillment of their soul's purpose & highest good."*
- 9. **Bring in concluding:** *ULL* & *Harmonizing the Layers* & *Harmonizing the BOL*.
- 10. *IBWSIB*

NOTE: Do not remove surgical trauma signature until the surgery is over. This is the start of post op.



SAEM Practitioner Training Surgical Protocol

Post-Surgical Care:

- Use Sticky Box as sterile field to be extra safe
- Hazardous Materials Gear to be safe
- Assess Astral Weight- do needed removal

Post-Operative Support Techniques:

Post-operative support best personalized to each situation.

- 1. **Be specific**: remove the signatures
- 2. Remove the signature of the surgery: shock, trauma
- 3. **Keep generators up and running** 6 weeks after surgery- Check generators every 3- 4 days
- 4. Doing a clearing of the specific body part
- 5. **Rejuvenating and restoring energies** are very helpful in recovery from surgery.
- 6. Salt & Soda Protocols: Bath, Shower, Dry Rub, Foot Soak when needed
- 7. Use the appropriate *Harmonizing Energies*
- 8. IBWSIB.
- 9. Remove Sticky Box