Regulation (EU) n. 2020/878

Safety Data Sheet date: 28/7/2022, version 6

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name: HDL 2524 P SDS code: P43230

UFI: C9E3-UK1Y-D04P-YWQR

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Deoxidizer

Industrial uses

Uses advised against:

No uses advised against are identified.

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturers:

Socomore SASU

Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

Tel: +33 (0)2 97 43 76 83 - Fax: +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

#### **Distributors:**

Socomore SASU

Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

Tel: +33 (0)2 97 43 76 83 - Fax: +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

#### Competent person responsible for the safety data sheet:

techdirsocomore@socomore.com

#### 1.4. Emergency telephone number

France: ORFILA (INRS) +33 (0)1 45 42 59 59 International: CHEMTEL +1-813-248-0585.

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### EC regulation criteria 1272/2008 (CLP)

- Warning, Ox. Liq. 3, May intensify fire; oxidiser.
- Warning, Met. Corr. 1, May be corrosive to metals.
- Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.
- Danger, Eye Dam. 1, Causes serious eye damage.
- Warning, Aquatic Acute 1, Very toxic to aquatic life.
- Warning, Aquatic Chronic 1, Very toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

#### 2.2. Label elements

Hazard pictograms:



#### Danger

#### Hazard statements:

H272 May intensify fire; oxidiser.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H410 Very toxic to aquatic life with long lasting effects.

#### Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P220 Keep away from clothing and other combustible materials.

P273 Avoid release to the environment.

P280 Wear protective gloves and eye/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER if you feel unwell.

P370+P378 In case of fire, use a CO2 fire extinguisher to extinguish.

P391 Collect spillage.

#### **Special Provisions:**

None

# Contains

### **SODIUM PERMANGANATE**

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

#### 2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

Other Hazards:

No other hazards

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

N.A.

#### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number		Classification
>= 20% - < 25%	SODIUM PERMANGANATE	CAS: EC: REACH No.:	233-251-1 01- 2119495598	<ul> <li>\$2.13/2 Ox. Liq. 2 H272</li> <li>\$3.1/4/Oral Acute Tox. 4 H302</li> <li>\$3.2/1A Skin Corr. 1A H314</li> <li>\$4.1/A1 Aquatic Acute 1 H400</li> <li>\$4.1/C1 Aquatic Chronic 1 H410</li> </ul>

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

#### 4.2. Most important symptoms and effects, both acute and delayed

None

# 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media:

In case of fire, use a CO2 fire extinguisher to extinguish.

Extinguishing media which must not be used for safety reasons:

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

#### 5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

Suitable material for taking up: absorbing material, sand.

#### 6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

#### 6.4. Reference to other sections

See also section 8 and 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store at ambient temperatures. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.

Keep away from food, drink and feed.

Incompatible materials:

Keep away from combustible materials.

Instructions as regards storage premises:

Cool and adequately ventilated.

# 7.3. Specific end use(s)

None in particular

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Occupational exposure limit values

No occupational exposure limit available

**DNEL Exposure Limit Values** 

SODIUM PERMANGANATE - CAS: 10101-50-5

Worker Industry: 0.08 mg/kg b.w./day

Worker Industry: 0.07 mg/m3

PNEC Exposure Limit Values

SODIUM PERMANGANATE - CAS: 10101-50-5

Target: Fresh Water - Value: 0.00006 mg/l

Target: Microorganisms in sewage treatments - Value: 1.64 mg/l

Target: Marine water - Value: 0.000006 mg/l

Biological Exposure Index

N.A.

#### 8.2. Exposure controls

See below, example of PPE to use.

Eye protection:

Safety goggles (EN 166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

NR (natural rubber, natural latex).

NBR (nitrile rubber).

PVC (polyvinyl chloride).

Butyl rubber (isobutylene-isoprene copolymer)

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

Other conditions affecting workers exposure:

None

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Liquid		
Colour:	Dark violet		
Odour:	N.A.		
Melting point/freezing point:	Not Relevant		
Boiling point or initial boiling point and boiling range:	100 °C		
Flammability:	N.A.		
Lower and upper explosion limit:	N.A.		
Flash point (°C):	N.A.		

Auto-ignition temperature:	N.A.				
Decomposition temperature:	150 °C				
pH:	7.5	ISO 4316, ASTM E70			
Kinematic viscosity:	N.A.				
Solubility in water:	N.A.				
Solubility in oil:	N.A.				
Partition coefficient n-octanol/water (log value):	N.A.				
Vapour pressure:	> 23 hPa, 20°C				
Density and/or relative density:	1.16	ISO 649, ASTM D1298			
Relative vapour density:	<1.4767				
Particle characteristics:					
Particle size:	N.A.				

#### 9.2. Other information

No other relevant information

Volatile Organic compounds - VOCs = 0 g/l

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Stable under normal conditions

#### 10.2. Chemical stability

Stable under normal conditions

### 10.3. Possibility of hazardous reactions

None

#### 10.4. Conditions to avoid

Stable under normal conditions.

### 10.5. Incompatible materials

Avoid contact with combustible materials: the product may explode.

### 10.6. Hazardous decomposition products

None.

# **SECTION 11: Toxicological information**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

N.A.

Toxicological information of the main substances found in the product:

SODIUM PERMANGANATE - CAS: 10101-50-5

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg

Test: NOAEL - Route: Oral - Species: Rat = 40 - Notes: mg/kg/d

If not differently specified, the information required in Regulation (EU)2020/878 listed below must be considered as N.A.:

Acute toxicity;

Skin corrosion/irritation;

Serious eye damage/irritation;

Respiratory or skin sensitisation;

Germ cell mutagenicity;

Carcinogenicity;

Reproductive toxicity;

STOT-single exposure;

STOT-repeated exposure;

Aspiration hazard.

#### 11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

Other toxicological information:

SODIUM PERMANGANATE

Skin contact:

Corrosive

Eye contact:

Corrosive

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

SODIUM PERMANGANATE - CAS: 10101-50-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia = 0.06 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae = 0.8 mg/l - Duration h: 72 Endpoint: LC50 - Species: Fish = 0.47 mg/l - Duration h: 96

c) Bacteria toxicity:

Endpoint: EC50 - Species: bacteria = 164 mg/l - Duration h: 3

#### 12.2. Persistence and degradability

N.A.

#### 12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

#### 12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

WKG (Deutshcland): WGK 3 (VwVwS vom 27/07/2005, KBws): Stark wassergefährdend.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

Codes of wastes (Décision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste):

16 09 01\* permanganates, for example, potassium permanganate

### **SECTION 14: Transport information**





# 14.1. UN number or ID number

14.1.	ON HUILIDE OF ID HUILIDE							
	ADR-UN Number:	3214						
	IATA-UN Number:	3214						
	IMDG-UN Number:	3214						
14.2.	UN proper shipping name							
	ADR-Shipping Name:	PERN	1/	ANGAI	N۵	TES,	INORGANIC, AQUEOUS SOLUTIO	N,
		N.O.S	<b>}</b> .	(SODI	Įψ	M PE	RMANGANATE)	
	IATA-Shipping Name:	PERN	11	ANGAI	N۵	TES,	INORGANIC, AQUEOUS SOLUTIO	N,
		N.O.S	<b>.</b>	(SODI	ψı	M PE	RMANGANATE)	
	IMDG-Shipping Name:	PERN	11	ANGAI	N۵	TES,	INORGANIC, AQUEOUS SOLUTIO	N,
		N.O.S	<b>.</b>	(SODI	ΙŲΙ	М РЕ	RMANGANATE)	
14.3.	Transport hazard class(es)			,			·	
	ADR-Class:	5.1						
	ADR - Hazard identification num	nber:		50				
	IATA-Class:	5.1						
	IATA-Label:	5.1						
	IMDG-Class:	5.1						
14.4.	Packing group							
	ADR-Packing Group:	II						
	IATA-Packing group:	II						
	IMDG-Packing group:	II						
14.5.	Environmental hazards							
	ADR-Enviromental Pollutant:	Yes						
	IMDG-Marine pollutant:	Yes						

IMDG-EmS: F-H , S-Q

14.6. Special precautions for user

ADR-Subsidiary hazards:

ADR-S.P.: 274 353

ADR-Transport category (Tunnel restriction code): 2 (E)

IATA-Passenger Aircraft: 550
IATA-Subsidiary hazards: IATA-Cargo Aircraft: 554
IATA-S.P.: A37 A173

IATA-ERG: 5L IMDG-Subsidiary hazards: -

IMDG-Stowage and handling: Category D

IMDG-Segregation: "Separated from" ammonium compounds, cyanides, peroxides

and sulphur.

Q.L.: 1L Q.E.: E2

14.7. Maritime transport in bulk according to IMO instruments

N.A.

#### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP)

11. 2010/1400 (A11 10 OEI

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

No restriction.

Listed or in compliance with the following international inventories:

N.A.

Labelling of detergents (EC Regulations 648/2004 and 907/2006):

N.A.

Labelling of biocides (Regulations 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/EC):

N.A.

Where applicable, refer to the following regulatory provisions:

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.

1999/13/EC (VOC directive)

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

Product belongs to category: P8, E1

### 15.2. Chemical safety assessment

No

### **SECTION 16: Other information**

N.A.: Not Applicable or Not Available

Full text of phrases referred to in Section 3:

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Ox. Liq. 2	2.13/2	Oxidising liquid, Category 2
Ox. Liq. 3	2.13/3	Oxidising liquid, Category 3

Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1	
Acute Tox. 4 3.1/4/Oral		Acute toxicity (oral), Category 4	
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A	
Eye Dam. 1 3.3/1		Serious eye damage, Category 1	
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1	
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1	

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Ox. Liq. 3, H272	On basis of test data
Met. Corr. 1, H290	On basis of test data
Skin Corr. 1A, H314	Calculation method
Eye Dam. 1, H318	Calculation method
Aquatic Acute 1, H400	Calculation method
Aquatic Chronic 1, H410	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

Important confidentiality: this document contains confidential information that is proprietary to SOCOMORE. Subject to legal provisions determining otherwise, the distribution, republication or re-transmission of this document, in full or in part, must be limited to clearly identified individuals, either because they use the product, or to provide HSE information. Any communication of this document outside of this framework without our written consent is strictly forbidden.

SOCOMORE strongly advises every recipient of this safety data sheet to read it carefully and to consult experts in the field if necessary or appropriate, in order to understand the information it contains, notably the possible dangers associated with this product. The users must ensure the conformity and completeness of this information with regards to their specific use of the product.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the responsibility of the purchaser/user to ensure that their activities conform with current legislation in force.

The information is considered correct, but it is not exhaustive and it shall be used only as a guide which is based on the current knowledge of the substance or mixture and it is applicable to the safety precautions appropriate for the product.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LTE: Long-term exposure.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STE: Short-term exposure.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

STOT SE: May cause drowsiness or dizziness

TLV: Threshold Limiting Value.
TWA: Time-weighted average

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day.

(ACGIH Standard).

WGK: German Water Hazard Class.