

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))**  
**SOCOSURF A1855**

Regulation (EU) n. 2020/878

**Safety Data Sheet date: 1/2/2024, version 12**

---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Trade name: SOCOSURF A1855  
SDS code: P61855  
UFI: MMA1-88VA-FR5R-Y5JN

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Recommended use:

Deoxidizer  
Industrial uses

Uses advised against:

No uses advised against are identified.

**1.3. Details of the supplier of the safety data sheet****Manufacturers:**

Socomore SASU

Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

Tel : +33 (0)2 97 43 76 83 - Fax : +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

**Distributors:**

Socomore SASU

Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

Tel : +33 (0)2 97 43 76 83 - Fax : +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

**Competent person responsible for the safety data sheet:**

techdirsocomore@socomore.com

**1.4. Emergency telephone number**

France : ORFILA (INRS) +33 (0)1 45 42 59 59

International : CHEMTEL +1-813-248-0585.

---

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****EC regulation criteria 1272/2008 (CLP)**

- ⚠ Warning, Met. Corr. 1, May be corrosive to metals.
- ⚠ Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.
- ⚠ Danger, Eye Dam. 1, Causes serious eye damage.

Adverse physicochemical, human health and environmental effects:

No other hazards

**2.2. Label elements**

Hazard pictograms:

# Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

## SOCOSURF A1855



Danger

Hazard statements:

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P280 Wear protective gloves/clothing and eye/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER if you feel unwell.

P390 Absorb spillage to prevent material damage.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

None

Contains

nitric acid [C ≤ 70 %]

Ferric sulfate

sulphuric acid

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

### 2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration ≥ 0.1%

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

N.A.

### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>= 7% - < 10%	nitric acid [C ≤ 70 %]	Index number: CAS: 7697-37-2 EC: 231-714-2 REACH No.: 01-2119487297-23	⚠ 2.13/2 Ox. Liq. 2 H272 ⚠ 3.3/1 Eye Dam. 1 H318 ⚠ 2.16/1 Met. Corr. 1 H290 ⚠ 3.1/3/Inhal Acute Tox. 3 H331 ⚠ 3.2/1A Skin Corr. 1A H314 EUH071 Specific Concentration Limits: 0% ≤ C < 70%: Acute Tox. 3 H331

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))**  
**SOCOSURF A1855**

			5% <= C < 20%: Skin Corr. 1B H314 C >= 65%: Ox. Liq. 2 H272 C >= 20%: Skin Corr. 1A H314 Acute Toxicity Estimate: ATE - Inhalation (Vapours) 2,65 mg/l
>= 7% - < 10%	sulphuric acid	Index number: CAS: EC: REACH No.:	016-020-00-8 7664-93-9 231-639-5 01-2119458838-20
>= 5% - < 7%	Ferric sulfate	CAS: REACH No.:	15244-10-7 01-2119513202-59
			3.2/1A Skin Corr. 1A H314 Specific Concentration Limits: C >= 15%: Skin Corr. 1A H314 5% <= C < 15%: Skin Irrit. 2 H315 5% <= C < 15%: Eye Irrit. 2 H319 3.1/4/Oral Acute Tox. 4 H302 3.2/1B Skin Corr. 1B H314 3.3/1 Eye Dam. 1 H318

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

In case of skin contact:

- Immediately take off all contaminated clothing.
- OBTAIN IMMEDIATE MEDICAL ATTENTION.
- Remove contaminated clothing immediately and dispose of safely.
- After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

- After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.
- Protect uninjured eye.

In case of Ingestion:

- Do NOT induce vomiting.

In case of Inhalation:

- Remove casualty to fresh air and keep warm and at rest.

**4.2. Most important symptoms and effects, both acute and delayed**

None

**4.3. Indication of any immediate medical attention and special treatment needed**

- In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
- Treatment:  
No particular treatment.

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

Suitable extinguishing media:

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))**  
**SOCOSURF A1855**

Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

**5.2. Special hazards arising from the substance or mixture**

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

**5.3. Advice for firefighters**

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

---

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

**6.2. Environmental precautions**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

**6.3. Methods and material for containment and cleaning up**

Wash with plenty of water.

**6.4. Reference to other sections**

See also section 8 and 13

---

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, ensure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

**7.3. Specific end use(s)**

None in particular

---

**SECTION 8: Exposure controls/personal protection**

## Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

### SOCOSURF A1855

#### 8.1. Control parameters

##### Occupational exposure limit values

nitric acid [C <= 70 %] - CAS: 7697-37-2

- OEL Type: National - STEL: 2.6 mg/m<sup>3</sup>, 1 ppm - Behaviour: Indicative - Notes: France VLEP

- OEL Type: National - TWA(8h): 5.2 mg/m<sup>3</sup> - Notes: Germany - Notes DFG

- OEL Type: EU - STEL: 2.6 mg/m<sup>3</sup>, 1 ppm

- OEL Type: ACGIH - TWA(8h): 2 ppm - STEL: 4 ppm - Notes: URT and eye irr, dental erosion

- OEL Type: National - TWA(8h): 1.4 mg/m<sup>3</sup>, 2.6 ppm - Notes: Poland

- OEL Type: National - TWA: 5 mg/m<sup>3</sup>, 2 ppm - STEL(5 min (Mow)): 10 mg/m<sup>3</sup>, 4 ppm - Notes: Osterreich

sulphuric acid - CAS: 7664-93-9

- OEL Type: National - TWA(8h): 0.05 mg/m<sup>3</sup> - STEL: 3 mg/m<sup>3</sup> - Behaviour: Indicative - Notes: France VLEP - fraction thoracique

- OEL Type: National - TWA(8h): 5.2 mg/m<sup>3</sup> - Notes: Germany - Notes DFG

- OEL Type: EU - TWA(8h): 0.05 mg/m<sup>3</sup> - Notes: thoracic fraction

- OEL Type: ACGIH - TWA(8h): 0.2 mg/m<sup>3</sup> - Notes: (T), A2(M) - Pulm func

- OEL Type: National - TWA(8h): 0.1 mg/m<sup>3</sup> - Notes: TRGS 900 - Germany

- OEL Type: National - TWA(8h): 0.05 mg/m<sup>3</sup> - Notes: Poland - frakcja torakalna

- OEL Type: NIOSH REL - TWA(Up to 10h): 1 mg/m<sup>3</sup>

- OEL Type: National - TWA: 1 mg/m<sup>3</sup> - STEL(5 min (Mow)): 2 mg/m<sup>3</sup> - Notes: Osterreich - einatembare Fraktion

##### DNEL Exposure Limit Values

nitric acid [C <= 70 %] - CAS: 7697-37-2

Worker Industry: 2.6 mg/m<sup>3</sup> - Worker Professional: 2.6 mg/m<sup>3</sup> - Consumer: 1.3 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Short Term, local effects

Worker Industry: 1.3 mg/m<sup>3</sup> - Worker Professional: 2.6 mg/m<sup>3</sup> - Consumer: 1.3 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, local effects mg/m<sup>3</sup>

sulphuric acid - CAS: 7664-93-9

Worker Industry: 0.05 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, local effects

Worker Industry: 0.1 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Short Term, local effects

Ferric sulfate - CAS: 15244-10-7

Consumer: 0.28 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term, systemic effects

Consumer: 20 mg/kg b.w./day - Exposure: Human Oral - Frequency: Short Term, systemic effects

Worker Industry: 2.8 mg/kg b.w./day - Consumer: 1.4 mg/kg b.w./day - Exposure: Human Dermal - Frequency: Long Term, systemic effects

##### PNEC Exposure Limit Values

sulphuric acid - CAS: 7664-93-9

## Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

### SOCOSURF A1855

Target: Fresh Water - Value: 0.0025 mg/l  
 Target: Marine water - Value: 0.00025 mg/l  
 Target: Freshwater sediments - Value: 0.002 mg/kg  
 Target: Marine water sediments - Value: 0.002 mg/kg  
 Target: Microorganisms in sewage treatments - Value: 8.8 mg/l  
 Ferric sulfate - CAS: 15244-10-7  
 Target: Soil - Value: 55.5 mg/kg µg/l - Notes:: (soil dw (assesment factor: 1)  
 Target: Freshwater sediments - Value: 49.5 mg/kg µg/l - Notes:: (soil dw (assesment factor: 1)  
 Target: Marine water sediments - Value: 49.5 mg/kg µg/l - Notes:: (soil dw (assesment factor: 1)  
 Target: Sewage treatment plant - Value: 500 mg/l µg/l - Notes:: (assesment factor: 1)

Biological Exposure Index  
 N.A.

#### 8.2. Exposure controls

See below, example of PPE to use.

Eye protection:

Safety goggles (EN 166)

Face protection shield. (EN 166)

Use closed fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Boots.

Apron.

Protection for hands:

Suitable gloves type: NF EN374

NR (natural rubber, natural latex).

NBR (nitrile rubber).

PVC (polyvinyl chloride).

Butyl rubber (isobutylene-isoprene copolymer)

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

Other conditions affecting workers exposure:

None

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Liquid	--	--
Colour:	Yellow	--	--

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))**  
**SOCOSURF A1855**

Odour:	N.A.	--	--
Melting point/freezing point:	Not Relevant	--	--
Boiling point or initial boiling point and boiling range:	100°C	--	--
Flammability:	N.A.	--	--
Lower and upper explosion limit:	Not Relevant	--	Waterbased
Flash point (°C):	N.A.	--	--
Auto-ignition temperature:	Not Relevant	--	--
Decomposition temperature:	N.A.	--	--
pH:	1	ISO 4316, ASTM E70	--
Kinematic viscosity:	N.A.	--	--
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient n-octanol/water (log value):	N.A.	--	--
Vapour pressure:	9.5 hPa	--	--
Density and/or relative density:	> 1	--	--
Relative vapour density:	N.A.	--	--
Particle characteristics:			
Particle size:	N.A.	--	--

9.2. Other information

No other relevant information

Volatile Organic compounds - VOCs = 0 %

Volatile Organic compounds - VOCs = 0 g/l

N.A. = not available

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))**  
**SOCOSURF A1855**

---

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Stable under normal conditions

**10.2. Chemical stability**

Stable under normal conditions

**10.3. Possibility of hazardous reactions**

None

**10.4. Conditions to avoid**

Stable under normal conditions.

**10.5. Incompatible materials**

None in particular.

**10.6. Hazardous decomposition products**

None.

---

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Toxicological information of the product:

SOCOSURF A1855

Acute toxicity

Not classified

Based on available data, the classification criteria are not met

ATEmix - Oral 8996,85 mg/kg bw

ATEmix - Inhalation (Vapours) 35,1459 mg/l

Skin corrosion/irritation

The product is classified: Skin Corr. 1A H314

Serious eye damage/irritation

The product is classified: Eye Dam. 1 H318

Respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

Germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

Carcinogenicity

Not classified

Based on available data, the classification criteria are not met

Reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

Aspiration hazard



**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))**  
**SOCOSURF A1855**

Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

nitric acid [C ≤ 70 %] - CAS: 7697-37-2

Acute toxicity

ATE - Inhalation (Vapours) 2,65 mg/l

Test: LC50 - Route: Inhalation - Species: Rat = 1.56 mg/l - Duration: 4h

Reproductive toxicity:

Test: Reproductive Toxicity - Route: Oral - Species: Rat > 1500 mg/kg - Duration: 28 days

STOT-repeated exposure:

Test: NOAEL - Route: Oral - Species: Rat = 1500 mg/kg

Test: NOAEC - Route: Inhalation - Species: Rat > 2.15 ppm - Duration: 28 days

Test: NOAEC (KNO<sub>3</sub>) - Route: Inhalation - Species: Rat > 2.15 ppm - Duration: 90 days

sulphuric acid - CAS: 7664-93-9

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 2140 mg/kg

Test: LC50 - Route: Inhalation Dust - Species: Rat = 0.375 mg/l - Duration: 4h

Test: LC50 - Route: Inhalation Vapour - Species: Rat < 0.5 mg/l

Test: LD50 - Route: Oral - Species: Mouse = 0.85 mg/l

Test: LC50 - Route: Inhalation Mist - Species: Rat = 0.375 mg/l - Duration: 4h

Test: LC50 - Route: Inhalation Dust - Species: Mouse = 0.600 mg/l - Duration: 8h

Test: LC50 - Route: Inhalation Mist - Species: Mouse = 0.600 mg/l - Duration: 8h

STOT-repeated exposure:

Route: Inhalation - Species: Rat = 0.3 mg/m<sup>3</sup> - Source: NOAEC

Ferric sulfate - CAS: 15244-10-7

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 500 mg/kg

**11.2. Information on other hazards**

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration ≥ 0.1%

Other toxicological information:

nitric acid [C ≤ 70 %]

Skin corrosion/skin irritation:

Corrosive, causes severe burns

Eye damage / eye irritation:

Corrosive, causes severe burns

Inhalation: May be harmful by inhalation. Causes irritation of the respiratory system.

Ingestion:

May cause burns to mouth, throat and stomach.

Absorption: Quickly absorbed.

-

Ferric sulfate

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))**  
**SOCOSURF A1855**

Acute toxicity:  
Irritating to eyes and skin.

---

**SECTION 12: Ecological information****12.1. Toxicity**

Adopt good working practices, so that the product is not released into the environment.

SOCOSURF A1855

Not classified for environmental hazards

Based on available data, the classification criteria are not met

nitric acid [C ≤ 70 %] - CAS: 7697-37-2

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 100 mg/l - Duration h: 96

Endpoint: LC50 - Species: Daphnia = 180 mg/l - Duration h: 48

sulphuric acid - CAS: 7664-93-9

a) Aquatic acute toxicity:

Endpoint: NOEC - Species: Algae = 0.13 mg/l

Endpoint: LC50 - Species: Fish > 16 mg/l - Duration h: 96 - Notes: Lepomis macrochirus

Endpoint: EC50 - Species: Daphnia = 29 mg/l - Duration h: 24

Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72 - Notes: Desmodesmus subspicatus

Endpoint: LC50 - Species: Daphnia > 100

Endpoint: LC50 - Species: Fish = 82 mg/l - Duration h: 24

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish = 0.025 mg/l - Duration h: 1560 - Notes: Jordanella floridae

Endpoint: NOEC - Species: Daphnia = 0.15 mg/l - Notes: Tanytarsus

Tanytarsus dissimilis

c) Bacteria toxicity:

Endpoint: NOEC - Species: bacteria = 26.000 mg/l - Duration h: 888 - Notes: Boue activée

Ferric sulfate - CAS: 15244-10-7

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae = 3.7 mg/kg - Duration h: 96

Endpoint: EC50 - Species: Daphnia = 1000 mg/kg - Duration h: 48

**12.2. Persistence and degradability**

N.A.

**12.3. Bioaccumulative potential**

N.A.

**12.4. Mobility in soil**

Ferric sulfate - CAS: 15244-10-7

low-polluting

**12.5. Results of PBT and vPvB assessment**

vPvB Substances: None - PBT Substances: None

**12.6. Endocrine disrupting properties**

No endocrine disruptor substances present in concentration ≥ 0.1%

**12.7. Other adverse effects**

No harmful effects expected.

---

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

## Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

### SOCOSURF A1855

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

Codes of wastes (Décision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste):

06 01 99 wastes not otherwise specified

#### SECTION 14: Transport information



##### 14.1. UN number or ID number

ADR-UN Number: 3264  
 IATA-UN Number: 3264  
 IMDG-UN Number: 3264

##### 14.2. UN proper shipping name

ADR-Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid [C <= 70 %], sulphuric acid)  
 IATA-Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid [C <= 70 %], sulphuric acid)  
 IMDG-Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid [C <= 70 %], sulphuric acid)

##### 14.3. Transport hazard class(es)

ADR-Class: 8  
 ADR - Hazard identification number: 80  
 IATA-Class: 8  
 IATA-Label: 8  
 IMDG-Class: 8

##### 14.4. Packing group

ADR-Packing Group: II  
 IATA-Packing group: II  
 IMDG-Packing group: II

##### 14.5. Environmental hazards

ADR-Environmental Pollutant: No  
 IMDG-Marine pollutant: No  
 IMDG-EmS: F-A , S-B

##### 14.6. Special precautions for user

ADR-Subsidiary hazards: -  
 ADR-S.P.: 274  
 ADR-Transport category (Tunnel restriction code): 2 (E)  
 IATA-Passenger Aircraft: 851  
 IATA-Subsidiary hazards: -  
 IATA-Cargo Aircraft: 855  
 IATA-S.P.: A3 A803  
 IATA-ERG: 8L  
 IMDG-Subsidiary hazards: -  
 IMDG-Stowage and handling: Category B SW2

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))**  
**SOCOSURF A1855**

IMDG-Segregation: -

Q.L.: 1L

Q.E.: E2

**14.7. Maritime transport in bulk according to IMO instruments**

N.A.

---

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2021/849 (ATP 17 CLP)

Regulation (EU) n. 2022/692 (ATP 18 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

Restriction 75

Listed or in compliance with the following international inventories:

N.A.

Labelling of detergents (EC Regulations 648/2004 and 907/2006):

N.A.

## Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

### SOCOSURF A1855

Labelling of biocides (Regulations 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/EC):

N.A.

N.A.

Where applicable, refer to the following regulatory provisions :

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.

1999/13/EC (VOC directive)

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

#### 15.2. Chemical safety assessment

No

---

### SECTION 16: Other information

N.A.: Not Applicable or Not Available

Full text of phrases referred to in Section 3:

H272 May intensify fire; oxidiser.

H318 Causes serious eye damage.

H290 May be corrosive to metals.

H331 Toxic if inhaled.

H314 Causes severe skin burns and eye damage.

EUH071 Corrosive to the respiratory tract.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H302 Harmful if swallowed.

Hazard class and hazard category	Code	Description
Ox. Liq. 2	2.13/2	Oxidising liquid, Category 2
Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1
Acute Tox. 3	3.1/3/Inhal	Acute toxicity (inhalation), Category 3

## Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

### SOCOSURF A1855

Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Met. Corr. 1, H290	On basis of test data
Skin Corr. 1A, H314	Calculation method
Eye Dam. 1, H318	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

- ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities
- SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold
- CCNL - Appendix 1
- Insert further consulted bibliography

Important confidentiality : this document contains confidential information that is proprietary to SOCOMORE. Subject to legal provisions determining otherwise, the distribution, republication or re-transmission of this document, in full or in part, must be limited to clearly identified individuals, either because they use the product, or to provide HSE information. Any communication of this document outside of this framework without our written consent is strictly forbidden.

SOCOMORE strongly advises every recipient of this safety data sheet to read it carefully and to consult experts in the field if necessary or appropriate, in order to understand the information it contains, notably the possible dangers associated with this product. The users must ensure the conformity and completeness of this information with regards to their specific use of the product.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))**  
**SOCOSURF A1855**

responsibility of the purchaser/user to ensure that their activities conform with current legislation in force.

The information is considered correct, but it is not exhaustive and it shall be used only as a guide which is based on the current knowledge of the substance or mixture and it is applicable to the safety precautions appropriate for the product.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
STOT SE:	May cause drowsiness or dizziness
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.