

Regulation (EU) n. 2020/878

Safety Data Sheet date: 16/2/2023, version 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: SOCOSURF A1850

SDS code: P61850

UFI: QCGK-K7RF-1R5A-H8X2

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Deoxidizer

Industrial uses

Uses advised against:

No uses advised against are identified.

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturers:

Socomore SASU

Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

Tel: +33 (0)2 97 43 76 83 - Fax: +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax

+353 21 4889923 / ireland@socomore.com

## **Distributors:**

Socomore SASU

Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

Tel: +33 (0)2 97 43 76 83 - Fax: +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax

+353 21 4889923 / ireland@socomore.com

## Competent person responsible for the safety data sheet:

techdirsocomore@socomore.com

# 1.4. Emergency telephone number

France: ORFILA (INRS) +33 (0)1 45 42 59 59 International: CHEMTEL +1-813-248-0585.

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

- ♦ Warning, Met. Corr. 1, May be corrosive to metals.
- Danger, Acute Tox. 3, Toxic if inhaled.
- Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.
- Danger, Eye Dam. 1, Causes serious eye damage.

Adverse physicochemical, human health and environmental effects:

No other hazards

## 2.2. Label elements



Hazard pictograms:



#### Danger

## Hazard statements:

H290 May be corrosive to metals.

H331 Toxic if inhaled.

H314 Causes severe skin burns and eye damage.

## Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/clothing and eye/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER if you feel unwell.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

### **Special Provisions:**

None

## Contains

nitric acid [C <= 70 %]

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

# 2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

Other Hazards:

No other hazards

## **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

N.A.

#### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number		Classification
>= 50% - < 60%	nitric acid [C <= 70 %]	Index number: CAS: EC: REACH No.:	7697-37-2 231-714-2	<ul> <li>\$ 2.13/2 Ox. Liq. 2 H272</li> <li>\$ 3.3/1 Eye Dam. 1 H318</li> <li>\$ 2.16/1 Met. Corr. 1 H290</li> <li>\$ 3.1/3/Inhal Acute Tox. 3 H331</li> </ul>



	-23	♦ 3.2/1A Skin Corr. 1A H314 EUH071 Specific Concentration Limits: 0% <= C < 70%: Acute Tox. 3 H331 5% <= C < 20%: Skin Corr. 1B H314 C >= 65%: Ox. Liq. 2 H272 C >= 20%: Skin Corr. 1A H314 Acute Toxicity Estimate: ATE - Inhalation (Vapours) 2,65 mg/I
--	-----	---

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

# 4.2. Most important symptoms and effects, both acute and delayed

None

### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

## 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

# 5.3. Advice for firefighters



Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

## 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

### 6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

#### 6.4. Reference to other sections

See also section 8 and 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

## 7.2. Conditions for safe storage, including any incompatibilities

Always keep in a well ventilated place.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

## 7.3. Specific end use(s)

None in particular

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

Occupational exposure limit values

nitric acid [C <= 70 %] - CAS: 7697-37-2



- OEL Type: National - STEL: 2.6 mg/m3, 1 ppm - Behaviour: Indicative - Notes: France VLEP

- OEL Type: National - TWA(8h): 5.2 mg/m3 - Notes: Germany - Notes DFG

- OEL Type: EU - STEL: 2.6 mg/m3, 1 ppm

- OEL Type: ACGIH - TWA(8h): 2 ppm - STEL: 4 ppm - Notes: URT and eye irr, dental erosion

- OEL Type: National - TWA(8h): 1.4 mg/m3, 2.6 ppm - Notes: Poland

- OEL Type: National - TWA: 5 mg/m3, 2 ppm - STEL(5 min (Mow)): 10 mg/m3, 4 ppm -

Notes: Osterreich

#### **DNEL Exposure Limit Values**

nitric acid [C <= 70 %] - CAS: 7697-37-2

Worker Industry: 2.6 mg/m3 - Worker Professional: 2.6 mg/m3 - Consumer: 1.3 mg/m3 -

Exposure: Human Inhalation - Frequency: Short Term, local effects

Worker Industry: 1.3 mg/m3 - Worker Professional: 2.6 mg/m3 - Consumer: 1.3 mg/m3 -

Exposure: Human Inhalation - Frequency: Long Term, local effects

mg/m3

PNEC Exposure Limit Values

N.A.

Biological Exposure Index

N.A.

#### 8.2. Exposure controls

See below, example of PPE to use.

Eye protection:

Safety goggles (EN 166)

Face protection shield. (EN 166)

Use closed fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Boots.

Overall.

Protection for hands:

Suitable gloves type: NF EN374 NR (natural rubber, natural latex).

NBR (nitrile rubber).

PVC (polyvinyl chloride).

Respiratory protection:

Use adequate protective respiratory equipment.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

Other conditions affecting workers exposure:

None



# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes		
Physical state:	Liquid				
Colour:	Light yellow				
Odour:	N.A.				
Melting point/freezing point:	Not Relevant				
Boiling point or initial boiling point and boiling range:	100°C				
Flammability:	N.A.				
Lower and upper explosion limit:	N.A.				
Flash point (°C):	N.A.				
Auto-ignition temperature:	N.A.				
Decomposition temperature:	N.A.				
pH:	0.5				
Kinematic viscosity:	N.A.				
Solubility in water:	N.A.				
Solubility in oil:	N.A.				
Partition coefficient n- octanol/water (log value):	N.A.				
Vapour pressure:	>6.44 kPa, 20°C		calculated		
Density and/or relative density:	1.325				
Relative vapour density:	<1.445		calculated		
Particle characteristics:					
Particle size:	N.A.				



### 9.2. Other information

No other relevant information

Volatile Organic compounds - VOCs = 0 g/l

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Stable under normal conditions

### 10.2. Chemical stability

Stable under normal conditions

## 10.3. Possibility of hazardous reactions

None

### 10.4. Conditions to avoid

Stable under normal conditions.

## 10.5. Incompatible materials

None in particular.

## 10.6. Hazardous decomposition products

None.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

SOCOSURF A1850

Acute toxicity:

ATEmix - Inhalation (Vapours) 5,6591 mg/l

Toxicological information of the main substances found in the product:

nitric acid [C <= 70 %] - CAS: 7697-37-2

Acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat = 1.56 mg/l - Duration: 4h

ATE - Inhalation (Vapours) 2,65 mg/l

Reproductive toxicity:

Test: Reproductive Toxicity - Route: Oral - Species: Rat > 1500 mg/kg - Duration: 28 days

STOT-repeated exposure:

Test: NOAEL - Route: Oral - Species: Rat = 1500 mg/kg

Test: NOAEC - Route: Inhalation - Species: Rat > 2.15 ppm - Duration: 28 days

Test: NOAEC (KNO3) - Route: Inhalation - Species: Rat > 2.15 ppm - Duration: 90 days

If not differently specified, the information required in Regulation (EU)2020/878 listed below must be considered as N.A.:

Acute toxicity;

Skin corrosion/irritation;

Serious eye damage/irritation;

Respiratory or skin sensitisation;

Germ cell mutagenicity;

Carcinogenicity;



Reproductive toxicity;

STOT-single exposure;

STOT-repeated exposure;

Aspiration hazard.

#### 11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

## Other toxicological information:

nitric acid [C <= 70 %]

Skin corrosion/skin irritation:

Corrosive, causes severe burns

Eye damage / eye irritation:

Corrosive, causes severe burns

Inhalation: May be harmful by inhalation. Causes irritation of the respiratory system.

Ingestion:

May cause burns to mouth, throat and stomach.

Absorption: Quickly absorbed.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

nitric acid [C <= 70 %] - CAS: 7697-37-2

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 100 mg/l - Duration h: 96 Endpoint: LC50 - Species: Daphnia = 180 mg/l - Duration h: 48

# 12.2. Persistence and degradability

N.A.

## 12.3. Bioaccumulative potential

N.A.

# 12.4. Mobility in soil

N.A

#### 12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

Wassergefährdungsklasse (Deutschland): WGK 1

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

Codes of wastes (Décision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste):

06 01 99 wastes not otherwise specified



## **SECTION 14: Transport information**



#### 14.1. UN number or ID number

ADR-UN Number: 2031 IATA-UN Number: 2031 IMDG-UN Number: 2031

## 14.2. UN proper shipping name

ADR-Shipping Name: NITRIC ACID other than red fuming, with less than 65% nitric

acid

IATA-Shipping Name: NITRIC ACID other than red fuming, with less than 65% nitric

acid

IMDG-Shipping Name: NITRIC ACID other than red fuming, with less than 65% nitric

acid

## 14.3. Transport hazard class(es)

ADR-Class: 8

ADR - Hazard identification number: 80

IATA-Class:8IATA-Label:8IMDG-Class:8

## 14.4. Packing group

ADR-Packing Group: II
IATA-Packing group: II
IMDG-Packing group: II

#### 14.5. Environmental hazards

ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No

IMDG-EmS: F-A , S-B

# 14.6. Special precautions for user

ADR-Subsidiary hazards: - ADR-S.P.: -

ADR-Transport category (Tunnel restriction code): 2 (E)

IATA-Passenger Aircraft: 851
IATA-Subsidiary hazards: IATA-Cargo Aircraft: 855
IATA-S.P.: IATA-ERG: 8L
IMDG-Subsidiary hazards: -

IMDG-Stowage and handling: Category D

IMDG-Segregation: -

Q.L.: 1L Q.E.: E2

## 14.7. Maritime transport in bulk according to IMO instruments

N.A.



## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2021/849 (ATP 17 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

Restriction 75

Listed or in compliance with the following international inventories:

N.A.

Labelling of detergents (EC Regulations 648/2004 and 907/2006):

N.A.

Labelling of biocides (Regulations 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/EC):

N.A.

Where applicable, refer to the following regulatory provisions:

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent



amendments.

1999/13/EC (VOC directive) Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 Product belongs to category: H2

## 15.2. Chemical safety assessment

No

## **SECTION 16: Other information**

N.A.: Not Applicable or Not Available

Full text of phrases referred to in Section 3:

H272 May intensify fire; oxidiser.

H318 Causes serious eye damage.

H290 May be corrosive to metals.

H331 Toxic if inhaled.

H314 Causes severe skin burns and eye damage.

EUH071 Corrosive to the respiratory tract.

Hazard class and hazard category	Code	Description
Ox. Liq. 2	2.13/2	Oxidising liquid, Category 2
Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1
Acute Tox. 3	3.1/3/Inhal	Acute toxicity (inhalation), Category 3
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Eye Dam. 1	3.3/1	Serious eye damage, Category 1

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:



Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Met. Corr. 1, H290	On basis of test data
Acute Tox. 3, H331	Calculation method
Skin Corr. 1A, H314	Calculation method
Eye Dam. 1, H318	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

Important confidentiality: this document contains confidential information that is proprietary to SOCOMORE. Subject to legal provisions determining otherwise, the distribution, republication or re-transmission of this document, in full or in part, must be limited to clearly identified individuals, either because they use the product, or to provide HSE information. Any communication of this document outside of this framework without our written consent is strictly forbidden.

SOCOMORE strongly advises every recipient of this safety data sheet to read it carefully and to consult experts in the field if necessary or appropriate, in order to understand the information it contains, notably the possible dangers associated with this product. The users must ensure the conformity and completeness of this information with regards to their specific use of the product.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the responsibility of the purchaser/user to ensure that their activities conform with current legislation in force.

The information is considered correct, but it is not exhaustive and it shall be used only as a guide which is based on the current knowledge of the substance or mixture and it is applicable to the safety precautions appropriate for the product.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.



GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LTE: Long-term exposure.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STE: Short-term exposure.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

STOT SE: May cause drowsiness or dizziness

TLV: Threshold Limiting Value.
TWA: Time-weighted average

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day.

(ACGIH Standard).

WGK: German Water Hazard Class.