

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))
SYNCLAIR A/C**

Regulation (EU) n. 2020/878

Safety Data Sheet date: 4/3/2024, version 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Trade name: SYNCLAIR A/C
SDS code: P40448
UFI: K6PJ-NJX0-6R3Q-MK2V

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Cleaner

Industrial uses

Uses advised against:

No uses advised against are identified.

1.3. Details of the supplier of the safety data sheet**Manufacturers:**

Socomore SASU

Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

Tel : +33 (0)2 97 43 76 83 - Fax : +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

Distributors:

Socomore SASU

Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

Tel : +33 (0)2 97 43 76 83 - Fax : +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

Competent person responsible for the safety data sheet:

techdirsocomore@socomore.com

1.4. Emergency telephone number

France : ORFILA (INRS) +33 (0)1 45 42 59 59

International : CHEMTEL +1-813-248-0585.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****EC regulation criteria 1272/2008 (CLP)**

⚠ Danger, Skin Corr. 1B, Causes severe skin burns and eye damage.

⚠ Danger, Eye Dam. 1, Causes serious eye damage.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SYNCLAIR A/C



Danger

Hazard statements:

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P280 Wear protective gloves/clothing and eye/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor/... if you feel unwell.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

None

Contains

ISOTRIDECANOL ETHOXYLATED (5-20 OE)

disodium metasilicate

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration \geq 0.1%




SECTION 3: Composition/information on ingredients

3.1. Substances







N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
\geq 7% - < 10%	ISOTRIDECANOL ETHOXYLATED (5-20 OE)	CAS: 69011-36-5 EC: 500-241-6 REACH No.: 01- 2119976362 -32	 3.1/4/Oral Acute Tox. 4 H302  3.3/1 Eye Dam. 1 H318 Acute Toxicity Estimate: ATE - Oral 555,56 mg/kg bw
\geq 3% - < 5%	Tetrapotassium pyrophosphate	CAS: 7320-34-5 EC: 230-785-7 REACH No.: 01- 2119489369	 3.3/2 Eye Irrit. 2 H319

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))
SYNCLAIR A/C

			-18	
>= 3% - < 5%	POTASSIUM 3,5,5- TRIMETHYLHEXANOATE	CAS: EC: REACH No.:	93918-10-6 299-890-3 Exempted---- ----	 3.3/2 Eye Irrit. 2 H319  3.2/2 Skin Irrit. 2 H315
>= 1% - < 3%	disodium metasilicate	Index number: CAS: EC: REACH No.:	014-010-00-8 6834-92-0 229-912-9 01- 2119449811 -37	 2.16/1 Met. Corr. 1 H290  3.3/1 Eye Dam. 1 H318  3.2/1B Skin Corr. 1B H314  3.8/3 STOT SE 3 H335

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH)) SYNCLAIR A/C

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, ensure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

No occupational exposure limit available

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH)) SYNCLAIR A/C

DNEL Exposure Limit Values

Tetrapotassium pyrophosphate - CAS: 7320-34-5

Worker Professional: 2.79 mg/m³ - Consumer: 0.68 mg/l - Exposure: Human Inhalation -
Frequency: Long Term, systemic effects

Consumer: 70 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term, systemic
effects

disodium metasilicate - CAS: 6834-92-0

Worker Industry: 6.22 mg/m³ - Consumer: 1.55 mg/m³ - Exposure: Human Inhalation -
Frequency: Long Term, systemic effects - Notes: CAS 10213-79-3 (pentahydrate)

Worker Industry: 1.49 mg/kg b.w./day - Consumer: 0.74 mg/kg b.w./day - Exposure:
Human Dermal - Frequency: Long Term, systemic effects - Notes: CAS 10213-79-3
(pentahydrate)

Consumer: 0.74 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term,
systemic effects - Notes: CAS 10213-79-3 (pentahydrate)

PNEC Exposure Limit Values

Tetrapotassium pyrophosphate - CAS: 7320-34-5

Target: Fresh Water - Value: 0.05 mg/l

Target: Marine water - Value: 0.005 mg/l

Target: Freshwater sediments - Value: 0.5 mg/l - Notes:: PNEC aqua (intermittente, eau
douce)

Target: Microorganisms in sewage treatments - Value: 50 mg/l

disodium metasilicate - CAS: 6834-92-0

Target: Fresh Water - Value: 7.5 mg/l - Notes:: CAS 10213-79-3 (pentahydrate)

Target: Marine water - Value: 1 mg/l - Notes:: CAS 10213-79-3 (pentahydrate)

Target: PNEC intermittent (fresh water) - Value: 7.5 mg/l - Notes:: CAS 10213-79-3
(pentahydrate)

Target: Sewage treatment plant - Value: 1000 mg/l - Notes:: CAS 10213-79-3
(pentahydrate)

Biological Exposure Index

N.A.

8.2. Exposure controls

See below, example of PPE to use.

Eye protection:

Safety goggles (EN 166)

Face protection shield. (EN 166)

Use closed fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable gloves type: NF EN374

NR (natural rubber, natural latex).

PVC (polyvinyl chloride).

PVA (Polyvinyl alcohol).

NBR (nitrile rubber).

Butyl rubber (isobutylene-isoprene copolymer)

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SYNCLAIR A/C

Respiratory protection:

In case of Aerosol or mist formation, use respiratory protection such as P2 (filters at least 94 % of airborne particles; colour code: White).

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

Other conditions affecting workers exposure:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Liquid	--	--
Colour:	Light yellow	--	--
Odour:	N.A.	--	--
Melting point/freezing point:	Not Relevant	--	--
Boiling point or initial boiling point and boiling range:	>100 °C/ >212°F	--	--
Flammability:	N.A.	--	--
Lower and upper explosion limit:	Not Relevant	--	--
Flash point (°C):	Not Relevant	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
pH:	12.8	ISO 4316, ASTM E70	--
Kinematic viscosity:	N.A.	--	--
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient n-octanol/water (log value):	N.A.	--	--

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SYNCLAIR A/C

Vapour pressure:	17.5 mmHg	--	20°C
Density and/or relative density:	1.084	ISO 649, ASTM D1298	--
Relative vapour density:	.67	--	--
Particle characteristics:			
Particle size:	N.A.	--	--

9.2. Other information

No other relevant information

Volatile Organic compounds - VOCs = 0 %

Volatile Organic compounds - VOCs = 0 g/l

N.A. = not available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

SYNCLAIR A/C

Acute toxicity

Not classified

Based on available data, the classification criteria are not met

ATEmix - Oral 3584,35 mg/kg bw

Skin corrosion/irritation

The product is classified: Skin Corr. 1B H314

Serious eye damage/irritation

The product is classified: Eye Dam. 1 H318

Respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))
SYNCLAIR A/C**

Germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

Carcinogenicity

Not classified

Based on available data, the classification criteria are not met

Reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

Aspiration hazard

Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

ISOTRIDECANOL ETHOXYLATED (5-20 OE) - CAS: 69011-36-5

Acute toxicity

ATE - Oral 555,56 mg/kg bw

Test: LD50 - Route: Oral - Species: Rat > 300 mg/kg - Source: OECD 423

Test: LD50 - Route: Oral - Species: Rat <= 2000 mg/kg - Source: OECD 423

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: OECD 402

Reproductive toxicity:

Test: NOAEL - Route: Oral - Species: Rat > 250 mg/kg bw/day

Test: NOAEL - Route: Oral - Species: Rat > 50 mg/kg bw/day

STOT-repeated exposure:

Test: NOAEL - Route: Oral - Species: Rat = 50 mg/kg

Tetrapotassium pyrophosphate - CAS: 7320-34-5

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 1.1 mg/l

disodium metasilicate - CAS: 6834-92-0

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat (Male, female) > 1152 mg/kg - Notes: CAS 10213-79-3 (pentahydrate) - Experimental value

Test: LD50 - Route: Oral - Species: Rat (Male, female) < 1349 mg/kg - Notes: CAS 10213-79-3 (pentahydrate) - Experimental value

Test: LC50 - Route: Inhalation - Species: Rat (Male, female) > 2.06 g/m³ - Source: EPA OPPTS 870.1300 - Notes: CAS 10213-79-3 (pentahydrate) - Experimental value

Test: LD50 - Route: Skin - Species: Rat (Male, female) > 5000 mg/kg - Source: EPA OPPTS 870.1200 - Notes: CAS 10213-79-3 (pentahydrate) - Experimental value

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SYNCLAIR A/C

Reproductive toxicity:

Test: NOAEL - Species: Rat > 159 mg/kg bw/day - Duration: 18d. - Notes: CAS 10213-79-3 (pentahydrate) - Experimental value

Test: NOAEL - Species: mouse (Male) > 200 mg/kg bw/day - Duration: 18d. - Notes: CAS 10213-79-3 (pentahydrate) - Experimental value

STOT-repeated exposure:

Test: NOAEL - Species: Rabbit (male, female) = 227 mg/kg bw/day - Duration: 3 months - Source: OECD 408 - Notes: CAS 10213-79-3 (pentahydrate) - Experimental value

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration $\geq 0.1\%$

Other toxicological information:

ISOTRIDECANOL ETHOXYLATED (5-20 OE)

Eye contact:

Severe eye damage

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

SYNCLAIR A/C

Not classified for environmental hazards

Based on available data, the classification criteria are not met

ISOTRIDECANOL ETHOXYLATED (5-20 OE) - CAS: 69011-36-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae > 1 mg/l - Duration h: 72 - Notes: Desmodesmus subspicatus

Endpoint: EC50 - Species: Daphnia > 1 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: LC50 - Species: Fish > 1 mg/l - Duration h: 96 - Notes: Cyprinus carpio

Endpoint: EC10 - Species: Daphnia = 2.6 mg/l - Duration h: 504 - Notes: Daphnia magna

Endpoint: EC10 - Species: Algae > 1 mg/l - Duration h: 72 - Notes: Desmodesmus subspicatus

c) Bacteria toxicity:

Endpoint: EC50 - Species: bacteria = 140 mg/l

f) Effects in sewage plants:

Endpoint: NOEC = 220 mg/kg

Tetrapotassium pyrophosphate - CAS: 7320-34-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 100 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72

Endpoint: EC50 > 1000 mg/l - Duration h: 3 - Notes: Activated sludge

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish = 100 mg/l - Duration h: 96

Endpoint: NOEC - Species: Algae > 100 mg/l - Duration h: 72

disodium metasilicate - CAS: 6834-92-0

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))
SYNCLAIR A/C

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae = 207 mg/l - Duration h: 72 - Notes: DIN 38412-9 ; EbC50 ;
 Desmodesmus
 subspicatus

Endpoint: LC50 - Species: Fish = 210 mg/l - Duration h: 96 - Notes: ISO 7346-1 ; Brachydanio
 rerio - Semi-static system

Endpoint: EC50 - Species: Daphnia = 1700 mg/l - Duration h: 48 - Notes: EU Method C2 - Test
 Type: Static Test

Endpoint: EC0 - Species: Microorganisms > 1000 mg/l - Duration h: 0.5 - Notes: DIN 38412-27 ;
 Pseudomonas putidas / CAS 10213-79-3 (pentahydrate)

Endpoint: EC50 - Species: Microorganisms > 100 mg/l - Duration h: 3 - Notes: OECD 209 / CAS
 10213-79-3 (pentahydrate) - Activated sludge

12.2. Persistence and degradability

ISOTRIDEKANOL ETHOXYLATED (5-20 OE) - CAS: 69011-36-5

Biodegradability: Readily biodegradable - Test: OECD 301B - Duration: 28 days - %: >60% -
 Notes: aerobic

Biodegradability: Readily biodegradable - Test: OECD 310 - Duration: 60 days - %: >60% - Notes:
 anaerobic

Biodegradability: Chemical Oxygen Demand (COD) - Notes: 2100 mg/g

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

ISOTRIDEKANOL ETHOXYLATED (5-20 OE) - CAS: 69011-36-5

Log Koc > 5000

High adsorption on soils

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration \geq 0.1%

12.7. Other adverse effects

Wassergefährdungsklasse (Deutschland): 2

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In
 so doing, comply with the local and national regulations currently in force.

Codes of wastes (Décision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous
 waste):

06 02 05* other bases

SECTION 14: Transport information



14.1. UN number or ID number

ADR-UN Number: 3267

IATA-UN Number: 3267

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SYNCLAIR A/C

IMDG-UN Number:	3267
14.2. UN proper shipping name	
ADR-Shipping Name:	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (disodium metasilicate)
IATA-Shipping Name:	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (disodium metasilicate)
IMDG-Shipping Name:	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (disodium metasilicate)
14.3. Transport hazard class(es)	
ADR-Class:	8
ADR - Hazard identification number:	80
IATA-Class:	8
IATA-Label:	8
IMDG-Class:	8
14.4. Packing group	
ADR-Packing Group:	III
IATA-Packing group:	III
IMDG-Packing group:	III
14.5. Environmental hazards	
ADR-Environmental Pollutant:	No
IMDG-Marine pollutant:	No
IMDG-EmS:	F-A , S-B
14.6. Special precautions for user	
ADR-Subsidiary hazards:	-
ADR-S.P.:	274
ADR-Transport category (Tunnel restriction code):	3 (E)
IATA-Passenger Aircraft:	852
IATA-Subsidiary hazards:	-
IATA-Cargo Aircraft:	856
IATA-S.P.:	A3 A803
IATA-ERG:	8L
IMDG-Subsidiary hazards:	-
IMDG-Stowage and handling:	Category A
IMDG-Segregation:	Clear of living quarters. "Separated from" acids.
Q.L.:	5L
Q.E.:	E1
14.7. Maritime transport in bulk according to IMO instruments	
	N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)
 Dir. 2000/39/EC (Occupational exposure limit values)
 Regulation (EC) n. 1907/2006 (REACH)
 Regulation (EC) n. 1272/2008 (CLP)
 Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))
SYNCLAIR A/C**

Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)
Regulation (EU) n. 2018/669 (ATP 11 CLP)
Regulation (EU) n. 2018/1480 (ATP 13 CLP)
Regulation (EU) n. 2019/521 (ATP 12 CLP)
Regulation (EU) n. 2020/217 (ATP 14 CLP)
Regulation (EU) n. 2020/1182 (ATP 15 CLP)
Regulation (EU) n. 2021/643 (ATP 16 CLP)
Regulation (EU) n. 2021/849 (ATP 17 CLP)
Regulation (EU) n. 2022/692 (ATP 18 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

Restriction 75

Listed or in compliance with the following international inventories:

N.A.

Labelling of detergents (EC Regulations 648/2004 and 907/2006):

SYNCLAIR A/C

phosphates < 5%

phosphonate < 5%

anionic surface active agents < 5%

non-ionic surface active agents $\geq 5\%$ - < 15%

Labelling of biocides (Regulations 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/EC):

N.A.

N.A.

Where applicable, refer to the following regulatory provisions :

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SYNCLAIR A/C

amendments.

1999/13/EC (VOC directive)

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No

SECTION 16: Other information

N.A.: Not Applicable or Not Available

Full text of phrases referred to in Section 3:

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Hazard class and hazard category	Code	Description
Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC)

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SYNCLAIR A/C

1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Corr. 1B, H314	Calculation method
Eye Dam. 1, H318	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

Important confidentiality : this document contains confidential information that is proprietary to SOCOMORE. Subject to legal provisions determining otherwise, the distribution, republication or re-transmission of this document, in full or in part, must be limited to clearly identified individuals, either because they use the product, or to provide HSE information. Any communication of this document outside of this framework without our written consent is strictly forbidden.

SOCOMORE strongly advises every recipient of this safety data sheet to read it carefully and to consult experts in the field if necessary or appropriate, in order to understand the information it contains, notably the possible dangers associated with this product. The users must ensure the conformity and completeness of this information with regards to their specific use of the product.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the responsibility of the purchaser/user to ensure that their activities conform with current legislation in force.

The information is considered correct, but it is not exhaustive and it shall be used only as a guide which is based on the current knowledge of the substance or mixture and it is applicable to the safety precautions appropriate for the product.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))
SYNCLAIR A/C**

	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
STOT SE:	May cause drowsiness or dizziness
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.