Master item code: P10103

Safety Data Sheet date: 9/8/2021, version 1

1. Identification

GHS Product Identifier

Mixture identification:

Trade name: WADIS 24 AEROSOL

SDS code: P10105

Recommended use of the chemical and restrictions on use

Recommended use:

Lubricant

Industrial uses

Restrictions on use:

No uses advised against are identified.

Supplier's details

Manufacturers:

Socomore SASU

Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

Tel: +33 (0)2 97 43 76 83 - Fax: +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

Distributors:

Surface Prep Australia Pty Ltd, 13 – 15 Park Avenue, Coffs Harbour, NSW 2450 Australia / john@surfaceprepaustralia.com / Tel. 0484255361

Competent person responsible for the safety data sheet:

techdirsocomore@socomore.com

Emergency phone number:

Australia emergency phone number: 13 11 26 (Australian Poisons Information Centre)

2. Identification des dangers

Classification complies with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS Ed.7) and is conform to Safe Work Australia Regulation.

- Danger, Aerosol 1, Extremely flammable aerosol. Pressurized container: may burst if heated.
- ◆ Warning, Skin Sens. 1B, May cause an allergic skin reaction.
- Warning, STOT SE 3, May cause drowsiness or dizziness.

GHS label elements, including precautionary statements

Hazard pictograms:



Danger

Hazard statements:

H222, H229 Extremely flammable aerosol. Pressurized container: may burst if heated.

H317 May cause an allergic skin reaction.

H336 May cause drowsiness or dizziness.

Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing vapours.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/clothing and eye/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

None

Other hazards which do not result in a classification

No other hazards

3. Composition/information on ingredients

Substances

N.A.

Mixtures

Hazardous components within the meaning of GHS and related classification:

Qty	Name	Ident. Number		Classification
>= 60% - < 70%	HYDROCARBONS, C9-C11, N-ALKANES,	EC:	919-857-5	◆ 2.6/3 Flam. Liq. 3 H226
	ISOALKANES,			

	CYCLICS, <2% AROMATICS	REACH No.:	01- 2119463258 -33	◆ 3.10/1 Asp. Tox. 1 H304◆ 3.8/3 STOT SE 3 H336
>= 3% - < 5%	Dinitrogen oxide	CAS: EC: REACH No.:	10024-97-2 233-032-0 01- 2119970538 -25	ॐ 2.4/1 Ох. Gas. 1 Н270
>= 1% - < 3%	BENZENESULFONIC ACID, DI-C10-14- ALKYL DERIVS, CALCIUM SALTS	EC: REACH No.:	939-603-7 01- 2119978241 -36	¹ 3.4.2/1B Skin Sens. 1B H317

4. First-aid measures

Description of necessary first-aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose of safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not induce vomiting. Obtain a medical examination.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed, if necessary

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

5. Fire-fighting measures

Suitable extinguishing media

CO2 or Dry chemical fire extinguisher.

Unsuitable extinguishing media

None in particular.

Special hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products:

None

Explosive properties: N.A.

Oxidizing properties: N.A.

Special protective actions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove all sources of ignition.

Remove persons to safety.

See protective measures under point 7 and 8.

Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

Methods and material for containment and cleaning up

Wash with plenty of water.

7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

Conditions for safe storage, including any incompatibilities

Always keep in a well ventilated place.

Store at ambient temperatures. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

8. Exposure controls/personal protection

Control parameters

HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

- OEL Type: National - TWA: 1200 mg/m3, 197 ppm - Notes: ExxonMobil

Dinitrogen oxide - CAS: 10024-97-2

- OEL Type: ACGIH - TWA(8h): 50 ppm - Notes: A4 - CNS impair, hematologic eff, embryo/fetal dam

- OEL Type: National - TWA: 100 mg/m3, 183 ppm - Notes: UK

- OEL Type: National - TWA: 100 mg/m3, 180 ppm - Notes: Germany

(Überschreitungsfaktor 2 (II) - DFG, Y

DNEL Exposure Limit Values

HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

Worker Industry: 208 mg/kg b.w./day - Consumer: 125 mg/kg b.w./day - Exposure: Human

Dermal - Frequency: Long Term, systemic effects

Worker Industry: 871 mg/m3 - Consumer: 185 mg/kg b.w./day - Exposure: Human

Inhalation - Frequency: Long Term, systemic effects

Consumer: 125 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term,

systemic effects

PNEC Exposure Limit Values

N.A.

Appropriate engineering controls:

None

Individual protection measures, such as personal protective equipment (PPE) Eye protection:

Safety goggles (EN 166)

Protection for skin:

Chemical protection clothing. (type 4 - EN14605)

Protection for hands:

Suitable gloves type: NF EN374

Respiratory protection:

Mask with filter "A1" , brown colour (NF EN14387)

Filtering Half-face mask (NF EN 149), class FFP1

Filtering device (NF EN 143): P1, white

Thermal Hazards:

None

9. Physical and chemical properties

Properties	Value	Method:	Notes
Appearance and colour:	CLEAR BROWN / SPRAY		
Odour:	N.A.		

pH:	N.A.				
Kinematic viscosity:	N.A.				
Melting point / freezing point:	Not Relevant				
Initial boiling point and boiling range:	150 °C				
Flammability:		N.A.			
Flash point (°C):	Not Relevant				
Upper/lower flammability or explosive limits:	N.A.				
Vapour pressure:	N.A.				
Vapour density:	N.A.				
Relative density:	< 1				
Solubility in water:	N.A.				
Solubility in oil:	N.A.				
Partition coefficient (n-octanol/water):	N.A.				
Auto-ignition temperature:	N.A.				
Decomposition temperature:	N.A.				
Particle characteristics:					
Particle size:	N.A.				

10. Stability Toxicological information

Reactivity
Stable under normal conditions
Chemical stability

Stable under normal conditions

Possibility of hazardous reactions

None

Conditions to avoid

Stable under normal conditions.

Incompatible materials

Avoid contact with combustible materials. The product could catch fire.

Hazardous decomposition products

None.

11. Toxicological information

Information on toxicological effects Toxicological information of the product:

N.A.

Toxicological information of the main substances found in the product:

HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg - Duration: 24 hours Test: LC50 - Route: Inhalation - Species: Rat > 4951 mg/m3 - Duration: 8h

Dinitrogen oxide - CAS: 10024-97-2

Acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat > 30000 ml/m3 - Duration: 4h BENZENESULFONIC ACID, DI-C10-14-ALKYL DERIVS, CALCIUM SALTS

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

If not differently specified, the information listed below must be considered as non applicable:

Acute toxicity;

Skin corrosion/irritation;

Serious eye damage/irritation;

Respiratory or skin sensitisation;

Germ cell mutagenicity;

Carcinogenicity;

Reproductive toxicity;

STOT-single exposure;

STOT-repeated exposure;

Aspiration hazard.

12. Ecological information

Toxicity

Adopt good working practices, so that the product is not released into the environment. HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss Endpoint: EC50 - Species: Algae > 1000 mg/l - Duration h: 72 - Notes: Pseudokirchnerella subcapitata

Endpoint: EC50 - Species: Daphnia > 1000 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: DSEO-R (NOELR) - Species: Algae = 3 mg/l - Duration h: 72 - Notes:

Pseudokirchnerella subcapitata - biomass - OECD 201)

Endpoint: DSEO-R (NOELR) - Species: Algae = 100 mg/l - Duration h: 72 - Notes:

Pseudokirchnerella subcapitata - growth rate - EOCD 201)

b) Aquatic chronic toxicity:

Endpoint: DSEO-R (NOELR) - Species: Daphnia = 0.23 mg/l - Duration h: 504 - Notes: Daphnia magna - QSAR Petrotox

Endpoint: DSEO-R (NOELR) - Species: Fish = 0.13 mg/l - Duration h: 672 - Notes:

Oncorhynchus mykiss - QSAR Petrotox

BENZENESULFONIC ACID, DI-C10-14-ALKYL DERIVS, CALCIUM SALTS

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 100 mg/l - Duration h: 96 - Notes: Truite arc-en-ciel Endpoint: NOEC - Species: Fish > 100 mg/l - Duration h: 96 - Notes: Truite arc-en-ciel Endpoint: LC0 - Species: Fish > 10000 mg/kg/d - Duration h: 96 - Notes: Cyprinodon variegatus

Endpoint: EC50 - Species: Daphnia > 1000 mg/l - Duration h: 48 - Notes: Cladocère Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72 - Notes: Selenestrum capricomutum

Persistence and degradability

HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

Biodegradability: Biodegradability rate - Duration: 28 days - %: 80

Biodegradability: Photodegradation (in air)

BENZENESULFONIC ACID, DI-C10-14-ALKYL DERIVS, CALCIUM SALTS

Biodegradability: Oxygen depletion - %: 8

Bioaccumulative potential

BENZENESULFONIC ACID, DI-C10-14-ALKYL DERIVS, CALCIUM SALTS Log Kow 26.22

Mobility in soil

N.A.

Other adverse effects

No harmful effects expected.

13. Disposal considerations

Disposal methods:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Please consult Technical Data Sheet for details.

14. Transport information



UN number

ADR-UN Number: 1950 IATA-UN Number: 1950 IMDG-UN Number: 1950

UN proper shipping name

ADR-Shipping Name: AEROSOLS FLAMMABLE IATA-Shipping Name: AEROSOLS FLAMMABLE IMDG-Shipping Name: AEROSOLS FLAMMABLE

Transport hazard class(es)

ADR-Class: 2

ADR - Hazard identification number:

IATA-Class: 2
IATA-Label: 2.1
IMDG-Class: 2

Packing group, if applicable

ADR-Packing Group: IATA-Packing group: IMDG-Packing group: -

Environmental hazards

ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No

Special precautions for user

ADR-Subsidiary hazards: See SP63

ADR-S.P.: 190 327 344 625

ADR-Transport category (Tunnel restriction code): 2 (D)
IATA-Passenger Aircraft: 203
IATA-Subsidiary hazards: See SP63

IATA-Cargo Aircraft: 203

IATA-S.P.: A145 A167 A802

IATA-ERG: 10L

IMDG-EmS:F-D , S-UIMDG-Subsidiary hazards:See SP63IMDG-Stowage and handling:SW1 SW22IMDG-Segregation:SG69

Transport in bulk according to IMO instruments

N.A.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question.

This Safety Data Sheet has been prepared according to the Globally Harmonized System of

Classification and Labelling of Chemicals (GHS), Seventh revised edition.

International Inventories:

The substances are listed or exempted from registration in the following international inventories:

16. Other information

This document was prepared by a competent person who has received appropriate training. Classification complies with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS Ed.7) and is conform to Safe Work Australia Regulation. Full text of phrases referred to in Section 3:

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H270 May cause or intensify fire; oxidiser.

H317 May cause an allergic skin reaction.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van

Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

Important confidentiality: this document contains confidential information that is proprietary to SOCOMORE. Subject to legal provisions determining otherwise, the distribution, republication or re-transmission of this document, in full or in part, must be limited to clearly identified individuals, either because they use the product, or to provide HSE information. Any communication of this document outside of this framework without our written consent is strictly forbidden.

SOCOMORE strongly advises every recipient of this safety data sheet to read it carefully and to consult experts in the field if necessary or appropriate, in order to understand the information it contains, notably the possible dangers associated with this product. The users must ensure the conformity and completeness of this information with regards to their specific use of the product.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the responsibility of the purchaser/user to ensure that their activities conform with current legislation in force.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling, Packaging.

P10105/1 Page 10 / 11

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWA: Time-weighted average

WGK: German Water Hazard Class.