

according to Regulation (EC) No. 1907/2006

BOLICONE M4 PARTIE B

Version 1.5	Revision Date: 06.03.2020	-	DS Number: 02000004023	Date of last issue: 08.02.2019 Date of first issue: 13.07.2017
SECTIO	N 1: Identification o	f th	e substance/mix	ture and of the company/undertaking
1.1 Produ	ıct identifier			
Trade	e name	:	BOLICONE M4 P	ARTIE B
Ident	ification of the article	:	045990205R	
Use	ant identified uses of of the Sub- ce/Mixture	the :	substance or mix Hardener	ture and uses advised against
1.3 Detail Com	s of the supplier of th pany	ne sa :	afety data sheet MÄDER AERO Rue Jean Baptist FR - 61300 L'AIO	
Telef E-ma	phone ax ail address of person onsible for the SDS	:	products-safety.m	nader-france@mader-group.com
	gency telephone num rgency telephone per	iber :		33(0)1 45 42 59 59 Mr Yves ROMBAUT 82/ +33(0)3 20 12 79 50

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)							
Flammable liquids, Category 3	H226: Flammable liquid and vapour.						
Acute toxicity, Category 4	H302: Harmful if swallowed.						
Acute toxicity, Category 4	H332: Harmful if inhaled.						
Skin irritation, Category 2	H315: Causes skin irritation.						
Serious eye damage, Category 1	H318: Causes serious eye damage.						
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.						
Specific target organ toxicity - single ex- posure, Category 2	H371: May cause damage to organs.						
Specific target organ toxicity - single ex-	H336: May cause drowsiness or dizziness.						



according to Regulation (EC) No. 1907/2006

BOLICONE M4 PARTIE B

ersion 5	Revision Date: 06.03.2020	SDS Number: 102000004023	Date of last issue: 08.02.2019 Date of first issue: 13.07.2017
posure system	e, Category 3, Central	nervous	
	ic target organ toxicity e, Category 3, Respira		35: May cause respiratory irritation.
Long-t egory 2	erm (chronic) aquatic 2	hazard, Cat- H41	1: Toxic to aquatic life with long lasting effects
2 Label e	lements		
	ing (REGULATION (E d pictograms	EC) No 1272/2008)	
Signal	word	: Danger	
Hazaro	d statements	H302 + H332 H315 Causes H317 May ca H318 Causes H335 May ca H336 May ca H371 May ca	able liquid and vapour. Harmful if swallowed or if inhaled skin irritation. use an allergic skin reaction. serious eye damage. use respiratory irritation. use drowsiness or dizziness. use damage to organs.
Precau	utionary statements	: Prevention:	
		flames and othe P260 Do not P273 Avoid re	way from heat, hot surfaces, sparks, open er ignition sources. No smoking. breathe dust/ fume/ gas/ mist/ vapours/ spray. elease to the environment. rotective gloves/ eye protection/ face protection
		with water for s sent and easy t POISON CENT P370 + P378	P338 + P310 IF IN EYES: Rinse cautiously everal minutes. Remove contact lenses, if pre- o do. Continue rinsing. Immediately call a ER/ doctor. In case of fire: Use dry sand, dry chemical or it foam to extinguish.



according to Regulation (EC) No. 1907/2006

BOLICONE M4 PARTIE B

Version	Revision Date:	SDS Number:	Date of last issue: 08.02.2019
1.5	06.03.2020	102000004023	Date of first issue: 13.07.2017

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Hardener

Components

Chemical name	CAS-No. EC-No. Index-No.	Classification	Concentration (% w/w)
1-Butanol	Registration number 71-36-3 200-751-6 603-004-00-6 01-2119484630-38	Flam. Liq. 3; H226 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H336 STOT SE 3; H335	>= 30 - < 50
N1-[3-(Trimethoxysilyl)prop-1- yl]ethane-1,2-diamine	1760-24-3 217-164-6 01-2119970215-39	Acute Tox. 4; H332 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 2; H411	>= 30 - < 50
Methanol	67-56-1 200-659-6 603-001-00-X 01-2119433307	Flam. Liq. 2; H225 Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 3; H311 STOT SE 1; H370	>= 3 - < 10
1,2-Ethanediamine, N,N-bis[3- (trimethoxysilyl)propyl]-	74956-86-8	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT SE 3; H335	>= 3 - < 10
N,N'-bis[3- (trimethoxysi- lyl)propyl]ethylenediamine	68845-16-9 272-453-4	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT SE 3; H335	>= 3 - < 10

For explanation of abbreviations see section 16.

:

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.

according to Regulation (EC) No. 1907/2006



BOLICONE M4 PARTIE B

Version 1.5	Revision Date: 06.03.2020	SDS Number: 102000004023	Date of last issue: 08.02.2019 Date of first issue: 13.07.2017
lf inha	aled		an or poison control centre immediately. s, place in recovery position and seek medical
In case of skin contact		If on skin, rins	n persists, call a physician. e well with water. remove clothes.
In case of eye contact		sue damage a In the case of of water and s Continue rinsi Remove conta Protect unhar Keep eye wid	
lf swa	illowed	Do NOT induc Do not give m Never give ar If symptoms p	ory tract clear. ce vomiting. ilk or alcoholic beverages. lything by mouth to an unconscious person. persist, call a physician. nmediately to hospital.
4.2 Most i	mportant symptoms	and effects, both a	cute and delayed
Risks		Causes skin i	allowed or if inhaled. rritation. a allergic skin reaction.

Causes serious eye damage. May cause respiratory irritation. May cause drowsiness or dizziness. May cause damage to organs.

4.3 Indication of any immediate medical attention and special treatment needed

	ing initioalate	mou	lioui	attontion	ana	opoola
Treatment		:	No	informatio	n ava	ailable.

SECTION 5: Firefighting measures

5.1	Extinguishing media		
	Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
	Unsuitable extinguishing media	:	High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-	:	Do not allow run-off from fire fighting to enter drains or water
fighting		courses.



according to Regulation (EC) No. 1907/2006

BOLICONE M4 PARTIE B

Vers 1.5	sion	Revision Date: 06.03.2020		9S Number: 2000004023	Date of last issue: 08.02.2019 Date of first issue: 13.07.2017
	Hazard ucts	lous combustion prod-	:	No hazardous co	nbustion products are known
5.3 Advice for firefighters Special protective equipment for firefighters		:	In the event of fire	e, wear self-contained breathing apparatus.	
	Further	r information	:	must not be disch Fire residues and be disposed of in For safety reason rately in closed co	contaminated fire extinguishing water must accordance with local regulations. s in case of fire, cans should be stored sepa-

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.
	Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.
.2 Environmental precautions	

6.2 Environmental precautions Environmental precautions Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

Not applicable Not applicable

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: Avoid formation of aerosol.
	Do not breathe vapours/dust.
	Avoid exposure - obtain special instructions before use.
	Avoid contact with skin and eyes.
	Avoid contact with skin and eyes.

according to Regulation (EC) No. 1907/2006



BOLICONE M4 PARTIE B

Ver 1.5	sion	Revision Date: 06.03.2020		DS Number: 2000004023	Date of last issue: 08.02.2019 Date of first issue: 13.07.2017
				Smoking, eating a plication area. Take precautiona Provide sufficient Open drum carefu To avoid spills du Dispose of rinse v regulations. Persons suscepti allergies, chronic	ection see section 8. and drinking should be prohibited in the ap- ry measures against static discharges. air exchange and/or exhaust in work rooms. ully as content may be under pressure. ring handling keep bottle on a metal tray. water in accordance with local and national ble to skin sensitisation problems or asthma, or recurrent respiratory disease should not ny process in which this mixture is being
		on protection against d explosion	:	Take necessary a (which might cause	a naked flame or any incandescent material. action to avoid static electricity discharge se ignition of organic vapours). Keep away , hot surfaces and sources of ignition.
	Hygien	e measures	:	eat or drink. Whe	n skin, eyes and clothing. When using do not n using do not smoke. Wash hands before diately after handling the product.
7.2	Conditi	ons for safe storage,	inc	luding any incom	patibilities
		ements for storage and containers	:	tightly closed in a which are opened to prevent leakag	ized access. No smoking. Keep container dry and well-ventilated place. Containers must be carefully resealed and kept upright e. Observe label precautions. Electrical in- ng materials must comply with the technolog- rds.
		r information on stor- nditions	:	To protect from h	umid air, and water
	Furthe age sta	r information on stor- ability	:	No decomposition	n if stored and applied as directed.
7.3	Specifi	c end use(s)			

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Specific use(s)

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis			
		of exposure)					
1-Butanol	71-36-3	STEL	50 ppm	GB EH40			
			154 mg/m3				
	Further information: Can be absorbed through the skin. The assigned sub-						
	stances are those for which there are concerns that dermal absorption will						

: No information available.



according to Regulation (EC) No. 1907/2006

BOLICONE M4 PARTIE B

		Number: 00004023	Date of last issue: 08.02.2019 Date of first issue: 13.07.2017					
			lead to system	nic toxicity.				
	Methanol		67-56-1	TWA	200 ppm 260 mg/m3	2006/15/EC		
			Further inform through the sk	,	Identifies the possibility of signi	ficant uptake		
				TWA	200 ppm 266 mg/m3	GB EH40		
		:	Further information: Can be absorbed through the skin. The assigned sub- stances are those for which there are concerns that dermal absorption will lead to systemic toxicity.					
				STEL	250 ppm 333 mg/m3	GB EH40		

8.2 Exposure controls

Personal protective equipment							
Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.					
Hand protection							
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.					
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and con- centration of the dangerous substance at the work place.					
Respiratory protection	:	In the case of vapour formation use a respirator with an approved filter.					

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	colourless
Odour	:	solvent-like
рН	:	Not applicable
Melting point/range	:	Not applicable
Boiling point/boiling range	:	> 36 °C
Flash point	:	ca. 30 °C
Evaporation rate	:	No data available





BOLICONE M4 PARTIE B

Ver 1.5	sion	Revision Date: 06.03.2020		S Number: 2000004023	Date of last issue: 08.02.2019 Date of first issue: 13.07.2017
		explosion limit / Upper ability limit	:	No data available	9
		explosion limit / Lower ability limit	:	No data available	9
	Vapou	r pressure	:	< 1.000 hPa (50	°C)
	Relativ	e vapour density	:	No data available)
	Density	4	:	ca. 0,91 g/cm3 (2	23 °C)
	Solubil Wa	ity(ies) ter solubility	:	immiscible	
	Partitio octano	n coefficient: n- I/water	:	No data available	9
	Auto-ig	nition temperature	:	No data available	9
	Decom	position temperature	:	Not applicable	
	Viscos Visc	ity cosity, dynamic	:	No data available	9
	Viso	cosity, kinematic	:	> 20,6 mm2/s (4	0 °C)
	Explos	ive properties	:	No data available	9
	Oxidizi	ng properties	:	No data available	9
9.2	9.2 Other information Self-ignition		:	No data available	9

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

10.5 FOSSIDIIILY OF Hazaruous rea	CIII	
Hazardous reactions :		No dangerous reaction known under conditions of normal use.
		No decomposition if stored and applied as directed.
		Vapours may form explosive mixture with air.
10.4 Conditions to avoid		
Conditions to avoid	:	Heat, flames and sparks.



according to Regulation (EC) No. 1907/2006

BOLICONE M4 PARTIE B

Version 1.5	Revision Date: 06.03.2020	SDS Number: 102000004023	Date of last issue: 08.02.2019 Date of first issue: 13.07.2017
10.5 Inco	mpatible materials		
Mate	rials to avoid	: Strong oxidizi	ng agents
		Strong oxidizi	ng agents
40.0 110-0			
	ardous decompositio	•	
	N 11: Toxicological	-	
SECTION		mormation	
11.1 Infor	mation on toxicologi	cal effects	
Acut	e toxicity		
Harm	nful if swallowed or if in	haled.	
Prod	uct:		
Acute	e oral toxicity	: Acute toxicity Method: Calcu	estimate: 526,32 mg/kg lation method
Acute	e inhalation toxicity	Exposure time Test atmosphe	ere: vapour
		Method: Calcu	lation method
Acute	e dermal toxicity	: Acute toxicity Method: Calcu	estimate: > 2.000 mg/kg lation method
	corrosion/irritation		
Caus	es skin irritation.		
Prod			
Rem	arks	: Extremely corr	osive and destructive to tissue.
	ous eye damage/eye i		
Caus	es serious eye damag	е.	
Prod			
Rema	arks	: May cause irre	eversible eye damage.
Resp	biratory or skin sensi	tisation	
Skin	sensitisation		
May	cause an allergic skin	reaction.	
Resp	piratory sensitisation		
-	lassified based on ava		
Prod	uct:		
Rem		: Causes sensit	isation.



according to Regulation (EC) No. 1907/2006

BOLICONE M4 PARTIE B

Version 1.5	Revision Date: 06.03.2020	SDS Number: 102000004023	Date of last issue: 08.02.2019 Date of first issue: 13.07.2017		
	n cell mutagenicity	ailable information.			
Carc Not c					
Reproductive toxicity Not classified based on available information.					
STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness. May cause damage to organs.					
STOT - repeated exposure Not classified based on available information.					
•	i ration toxicity classified based on av	ailable information.			
Furt	her information				
<u>Prod</u> Rem		: Solvents may d	legrease the skin.		
SECTIO	N 12: Ecological in	formation			

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Toxic to aquatic life with long lasting effects.



according to Regulation (EC) No. 1907/2006

BOLICONE M4 PARTIE B

Version	Revision Date:	SDS Number:	Date of last issue: 08.02.2019
1.5	06.03.2020	102000004023	Date of first issue: 13.07.2017

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number

:	UN 1263
:	UN 1263
:	PAINT RELATED MATERIAL ()
	(methanol, N-(3-(triméthoxysilyl)propyl)éthylenediamine)
:	PAINT RELATED MATERIAL
	(methanol, N-(3-(triméthoxysilyl)propyl)éthylenediamine)
:	PAINT RELATED MATERIAL
	() (methanol, N-(3-(triméthoxysilyl)propyl)éthylenediamine)
:	PAINT RELATED MATERIAL
	() (methanol, N-(3-(triméthoxysilyl)propyl)éthylenediamine)
:	PAINT RELATED MATERIAL
	() (methanol, N-(3-(triméthoxysilyl)propyl)éthylenediamine)
:	3
:	3
:	3





BOLICONE M4 PARTIE B

Version 1.5	Revision Date: 06.03.2020	SDS Num 10200000		Date of last issue: 08.02.2019 Date of first issue: 13.07.2017
IMDO	6	: 3		
ΙΑΤΑ	(Cargo)	: 3		
	ting group			
Class	ing group sification Code rd Identification Number Is	: III : F1 : 30 : 3		
Class Haza Labe	ing group sification Code rd Identification Number Is el restriction code	: III : F1 : 30 : 3 : (D/E)		
Class	ing group sification Code rd Identification Number Is	: III : F1 : 30 : 3		
Labe	ing group	: III : 3 : F-E, <u>S</u>	<u>)-E</u>	
Pack aircra Pack	ing instruction (LQ) ing group	: 366 : Y344 : III : Flamr	nable Liqui	ds
14.5 Envi	ronmental hazards		1	
ADN Envir	onmentally hazardous	: yes		
ADR Envir	onmentally hazardous	: yes		
RID Envir	onmentally hazardous	: yes		
IMDO Marin	5 ne pollutant	: yes		
4.6 Spec	ial precautions for use	r		
base	d upon the properties of	the unpack	aged mate	or informational purposes only, and solely rial as it is described within this Safety Data ode of transportation, package sizes, and va

based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.



according to Regulation (EC) No. 1907/2006

BOLICONE M4 PARTIE B

Version	Revision Date:	SDS Number:	Date of last issue: 08.02.2019
1.5	06.03.2020	102000004023	Date of first issue: 13.07.2017

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
		Methanol (Number on list 69)
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. P5c FLAMMABLE LIQUIDS

E2	ENVIRONMENTAL HAZARDS
22	Methanol
Volatile organic compounds :	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 51,25 %, 466,38 g/l

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.



according to Regulation (EC) No. 1907/2006



BOLICONE M4 PARTIE B


Version	Revision Date:	SDS Number:	Date of last issue: 08.02.2019
1.5	06.03.2020	102000004023	Date of first issue: 13.07.2017

SECTION 16: Other information

Full text of H-Statements		
H225	:	Highly flammable liquid and vapour.
H226		Flammable liquid and vapour.
H301	÷	Toxic if swallowed.
H302	:	Harmful if swallowed.
H311	:	Toxic in contact with skin.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H331	:	Toxic if inhaled.
H332	:	Harmful if inhaled.
H335	:	May cause respiratory irritation.
H336	:	May cause drowsiness or dizziness.
H370	:	Causes damage to organs.
H411	:	Toxic to aquatic life with long lasting effects.
Full text of other abbreviat	ions	
Acute Tox.	:	Acute toxicity
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Flam. Liq.	:	Flammable liquids
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT SE	:	Specific target organ toxicity - single exposure
2006/15/EC	:	Europe. Indicative occupational exposure limit values
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
2006/15/EC / TWA	:	Limit Value - eight hours
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)

GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New





BOLICONE M4 PARTIE B

Version	Revision Date:	SDS Number:	Date of last issue: 08.02.2019
1.5	06.03.2020	102000004023	Date of first issue: 13.07.2017

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information Classification of the mixt	Classification procedure:	
Flam. Liq. 3	H226	On basis of test data.
Acute Tox. 4	H302	Calculation method
Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 2	H371	Calculation method
STOT SE 3	H336	Calculation method
STOT SE 3	H335	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB/EN