

Safety Data Sheet dated 9/14/2018, version 3

1. IDENTIFICATION

Product identifier

Mixture identification:

Trade name: KEMSTRIP-596

Other means of identification:

SDS code: P54010-NA

Recommended use of the chemical and restrictions on use

Recommended use:

Solvent

Cleaner

Industrial uses

Professional uses

Restrictions on use:

No uses advised against are identified.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company:

Dysol Inc. - 791 Westport Parkway - Fort Worth, TX 76177 / Phone: 1-817-335-1826 /

csr-na@socomore.com/ Fax Number: 817-335-2405

Distributor: SOCOMORE S.A.S. - Zone Industrielle du Prat - CS 23707 - 56037 VANNES

CEDEX - France - Tel: +33 (0)2 97 43 76 83 - Fax: +33 (0)2 97 54 20 26

Distributor: Socomore Ltd - 5, Coe Avenue - Loughborough - Leicestershire - LE11 4SE - UK

- Tel: +44 1509 262040 - Fax: +44 1509 262046

Distributor: Socomore Iberia - Calle Diputacio, 260 - 08007 Barcelona - Espana - Tel: +34 917

693 962 - Fax: +34 902 908 966

Distributor: MagChem Inc. 1271, rue Ampere, suite 101, Boucherville, QC, J4B 5Z5 Canada -

Tel: 1-450 641 8500 - Fax: 1-450 655 1717

Distributor: Socomore GmbH - c/o MAZARS GmbH - Theodor-Stern-Kai 1 - 60596 Frankfurt

am Main - Deutschland - Tel: +49 (0)89 20 70 28 83 - Fax: +49 (0) 89 88 91 98 16

Distributor: Socomore Trading Shangai - 355 East Kang Qiao Road - Kang Qiao Industrial

Zone - Pudong - 201315 Shangai - Tel: 862158131133 - Fax: 862158131933

Dystrybutor : SOCOMORE SPzoo - UI. Piekna 18, 00-549 Warszawa Polska - Tel : +48 608

454 114 - Fax : +48 (22) 621 61 09

Competent person responsible for the safety data sheet:

techdirsocomore@socomore.com

Emergency phone number

CHEMTEL: 1-800-255-3924 (USA) / CANUTEC: 1-613-996-6666 (CANADA)

2. HAZARD(S) IDENTIFICATION

Classification of the chemical

Warning, Acute Tox. 4, Harmful if swallowed.

Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.

Danger, Eye Dam. 1, Causes serious eye damage.



Label elements Hazard pictograms:



Danger

Hazard statements:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Precautionary statements:

P260 Do not breathe spray.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves and eye/face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER if you feel unwell.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

None

Hazards not otherwise classified identified during the classification process:

Ingredient(s) with unknown acute toxicity:

None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

N.A.

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

>= 30% - < 40% 2-PHENOXYETHANOL

Index number: 603-098-00-9, CAS: 122-99-6, EC: 204-589-7

4.3/2A Eye Irrit. 2A H319

A.1/4/Oral Acute Tox. 4 H302

>= 20% - < 25% 2-AMINOETHANOL

REACH No.: 01-2119486455-28, CAS: 141-43-5, EC: 205-483-3

A.1/4/Inhal Acute Tox. 4 H332

A.1/4/Dermal Acute Tox. 4 H312



A.1/4/Oral Acute Tox. 4 H302

4.2/1B Skin Corr. 1B H314

US-HAE/C3 Aquatic Chronic 3 H412

>= 15% - < 20% N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone Index number: 606-021-00-7, CAS: 872-50-4, EC: 212-828-1

4.3/2A Eye Irrit. 2A H319

A.8/3 STOT SE 3 H335

4.2/2 Skin Irrit. 2 H315

>= 5% - < 7% ALKYL ALCOHOLS (C10) ETHOXYLATES

CAS: 68439-46-3, EC: 614-482-0 A.1/4/Oral Acute Tox. 4 H302

♦ A.3/1

A.3/1 Eye Dam. 1 H318

4. FIRST-AID MEASURES

Description of necessary measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

Give nothing to eat or drink.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

P54010-NA - version 3



Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products:

None

Explosive properties: Not Relevant Oxidizing properties: Not Relevant

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into

drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Wear personal protection equipment.

Remove all sources of ignition.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Remove persons to safety.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

Methods and materials for containment and cleaning up

Wash with plenty of water.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not use on extensive surface areas in premises where there are occupants.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Storage temperature:

Store at ambient temperature.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

2-AMINOETHANOL - CAS: 141-43-5

- OEL Type: National - TWA(8h): 5.1 mg/m3 - Notes: Germany- Notes DFG, H, Y

- OEL Type: National - TWA(8h): 2.5 mg/m3, 1 ppm - STEL: 7.6 mg/m3, 3 ppm -

Notes: France VLEC - TMP N2 49, 49 Bis

- OEL Type: EU - TWA(8h): 2.5 mg/m3, 1 ppm - STEL: 7.6 mg/m3, 3 ppm - Notes:



Skin

- OEL Type: ACGIH - TWA(8h): 3 ppm - STEL: 6 ppm - Notes: Eye and skin irr - OEL Type: National - TWA(8h): 2.5 mg/m3, 0.98 ppm - STEL: 7.6 mg/m3, 3 ppm -

Notes: Netherland

- OEL Type: National - TWA(8h): 2.5 mg/m3, 1 ppm - STEL: 7.6 mg/m3, 3 ppm -

Notes: Belgium

- OEL Type: National - TWA(8h): 2.5 mg/m3, 1 ppm - STEL: 7.6 mg/m3, 3 ppm - Notes: UK

N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone - CAS: 872-50-4

- OEL Type: EU - TWA(8h): 40 mg/m3, 10 ppm - STEL: 80 mg/m3, 20 ppm - Notes: Skin

DNEL Exposure Limit Values

2-PHENOXYETHANOL - CAS: 122-99-6

Worker Professional: 17.43 mg/kg bw/day - Exposure: Human Oral - Frequency: Short Term (acute)

Worker Professional: 2.41 mg/m3 - Consumer: 8.07 mg/m3 - Exposure: Human

Inhalation - Frequency: Long Term, local effects

Worker Professional: 2.41 mg/m3 - Consumer: 8.07 mg/m3 - Exposure: Human

Inhalation - Frequency: Long Term, systemic effects

Worker Professional: 17.43 mg/kg bw/day - Exposure: Human Oral - Frequency: Long Term, systemic effects

Worker Professional: 20.83 mg/kg bw/day - Consumer: 34.72 mg/kg bw/day -

Exposure: Human Dermal - Frequency: Long Term, systemic effects

2-AMINOETHANOL - CAS: 141-43-5

Worker Industry: 1 mg/kg - Consumer: 0.24 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects

Worker Industry: 3.3 mg/m3 - Consumer: 2 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, local effects

Consumer: 3.75 mg/kg - Exposure: Human Oral - Frequency: Long Term, local effects

PNEC Exposure Limit Values

2-PHENOXYETHANOL - CAS: 122-99-6

Target: Fresh Water - Value: 0.943 mg/l

Target: Marine water - Value: 0.094 mg/l

Target: Freshwater sediments - Value: 7.23 mg/kg Target: Marine water sediments - Value: 0.723 mg/kg

Target: Microorganisms in sewage treatments - Value: 24.8 mg/l

Target: Soil (agricultural) - Value: 1.26 mg/kg

Target: Water (intermittent discharge) - Value: 3.44 mg/l

2-AMINOETHANOL - CAS: 141-43-5

Target: Fresh Water - Value: 0.085 mg/l

Target: Marine water - Value: 0.0085 mg/l

Target: Freshwater sediments - Value: 0.425 mg/l Target: Marine water sediments - Value: 0.0425 mg/l

Target: Microorganisms in sewage treatments - Value: 100 mg/l

Target: Soil (agricultural) - Value: 0.035 mg/kg Target: PNEC intermittent - Value: 0.025 mg/l

Appropriate engineering controls:

. None

Individual protection measures

Eye protection:

Safety goggles (EN 166)

Face protection shield. (EN 166)

Use close fitting safety goggles, don't use eye lens.



Protection for skin:

Chemical protection clothing. (type 3 - EN14605) Chemical protection clothing. (type 6 - EN13034)

Boots (NF EN13832-3)

Protection for hands:

Suitable gloves type: NF EN374 NR (natural rubber, natural latex). PVC (polyvinyl chloride).

PVA (Polyvinyl alcohol).

Respiratory protection:

Use adequate protective respiratory equipment. Mask with filter "A1", brown colour (NF EN14387)

Thermal Hazards: None

9. PHYSICAL AND CHEMICAL PROPERTIES

Properties	Value	Method:	Notes
Appearance and colour:	2 COLOURLES S/YELLOW LAYERS		
Odour:	N.A.		
Odour threshold:	N.A.		
pH:	12.4		
Melting point / freezing point:	Not Relevant		
Initial boiling point and boiling range:	111 170 232°C/232 339 451°F		
Flash Point (°F):	300 °F		
Flash point (°C):	149 °C		
Evaporation rate:	Not Relevant		
Solid/gas flammability:	Not Relevant		
Upper/lower flammability or explosive limits:	1		
Vapour pressure:	1.9@20°C/68 °F		
Vapour density:	2.9		
Relative density:	1.03		
Solubility in water:	N.A.		
Solubility in oil:	N.A.		
Partition coefficient (n-octanol/water):	N.A.		
Auto-ignition temperature:	343 °C / 650 °F		
Decomposition temperature:	N.A.		
Viscosity:	N.A.		
Explosive properties:	Not Relevant		
Oxidizing properties:	Not Relevant		



9.2. Other information

Properties	Value	Method:	Notes
Miscibility:	N.A.		
Fat Solubility:	N.A.		
Conductivity:	N.A.		
Substance Groups	N.A.		
Substance Groups relevant properties	N.A.		

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Stable under normal conditions

Possibility of hazardous reactions

None

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Toxicological information of the product:

N.A.

Toxicological information of the main substances found in the product:

2-PHENOXYETHANOL - CAS: 122-99-6

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 1.840 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 2.214 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat = 1 mg/l - Notes: aerosol

2-AMINOETHANOL - CAS: 141-43-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 1089 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 1000 mg/kg

Test: LC50 - Route: Inhalation Dust > 1 mg/l - Duration: 4h

g) reproductive toxicity:

Test: NOAEL - Species: Rat = 225 MGKGBWDAY - Notes: development

Test: NOAEL - Species: Rat = 300 MGKGBWDAY - Notes: fertility

h) STOT-single exposure:

Test: C - Route: Inhalation Dust > 5 mg/l - Duration: 4h

i) STOT-repeated exposure:

Test: NOAEL - Route: Oral - Species: Rat = 300 mg/kg/d - Duration: > 75 days - Source: OECD 416, Experimental value - Notes: Effect: Body weight, weight of organs,

consumption food

Test: NOAEC - Route: Inhalation - Species: Rat = 10 mg/m3 - Duration: 4 weeks (daily, 5 days/week) - Source: OECD 412, Experimental value - Notes: Effect: Lesions to the

larynx, trachea and lungs

Test: NOEC - Route: Inhalation - Species: Rabbit = 150 mg/m3 - Duration: 4 weeks (daily, 5 days/week) - Source: OECD 412, Experiemental value - Notes: No adverse

systemic effects



```
ALKYL ALCOHOLS (C10) ETHOXYLATES - CAS: 68439-46-3
            a) acute toxicity:
                  Test: LD50 - Route: Oral - Species: Rat = 1000 mg/kg
                  Test: LD50 - Route: Skin - Species: Rat > 4000 mg/kg
                  Test: LC50 - Route: Inhalation - Species: Rat > 0,22 mg/l
                  Test: LD50 - Route: Oral - Species: Rabbit > 2000 mg/kg
                  Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg
            2-PHENOXYETHANOL - CAS: 122-99-6
                  LD50 (RABBIT) SKIN: 5000 MG/KG
      Substance(s) listed on the NTP report on Carcinogens:
            None.
      Substance(s) listed on the IARC Monographs:
            None.
      Substance(s) listed as OSHA Carcinogen(s):
      Substance(s) listed as NIOSH Carcinogen(s):
            None.
12. ECOLOGICAL INFORMATION
      Ecotoxicity
            Adopt good working practices, so that the product is not released into the environment.
            2-PHENOXYETHANOL - CAS: 122-99-6
            a) Aquatic acute toxicity:
                  Endpoint: LC50 - Species: Fish = 344 mg/l - Duration h: 96 - Notes: Pimephales
                  Endpoint: EC50 - Species: Daphnia > 500 mg/l - Duration h: 48
                  Endpoint: EC50 - Species: Algae > 500 mg/l - Duration h: 72 - Notes: Desmodesmus
                  subspicatus
            b) Aquatic chronic toxicity:
                  Endpoint: NOEC - Species: Fish = 23 mg/l - Duration h: 816 - Notes: Pimephales
                  promelas, LOEC:50 mg/l
                  Endpoint: NOEC - Species: Daphnia = 9.43 mg/l - Duration h: 504 - Notes: LOEC: 22,5
                  ma/l
            2-AMINOETHANOL - CAS: 141-43-5
            a) Aquatic acute toxicity:
                  Endpoint: LC50 - Species: Fish = 349 mg/l - Duration h: 96 - Notes: Cyprinus carpio
                  Endpoint: NOEC - Species: Fish = 1.2 mg/l - Duration h: 720 - Notes: Oryzias latipes
                  Endpoint: EC50 - Species: Daphnia = 65 mg/l - Duration h: 48
                  Endpoint: NOEC - Species: Daphnia = 0.85 mg/l - Duration h: 504
                  Endpoint: NOEC - Species: Algae = 1 mg/l - Duration h: 72 - Notes:
                  Pseudokirchneriella subcapitata
                  Endpoint: EC50 - Species: Algae = 2.5 mg/l - Duration h: 72 - Notes:
                  Pseudokirchneriella subcapitata
            c) Bacteria toxicity:
                  Endpoint: EC50 - Species: bacteria > 1000 mg/l
            ALKYL ALCOHOLS (C10) ETHOXYLATES - CAS: 68439-46-3
            a) Aquatic acute toxicity:
                  Endpoint: LC50 - Species: Fish = 11 mg/l - Duration h: 96 - Notes: Oncorhynchus
                  mykiss
                  Endpoint: EC50 - Species: Daphnia = 5.3 mg/l - Duration h: 48 - Notes: Daphnia
```

Endpoint: EC50 - Species: Algae > 8.9 mg/l - Duration h: 72



b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish = 1.47 mg/l - Duration h: 672 - Notes: Vairon a grosse

Endpoint: EC10 - Species: Daphnia = 2.579 mg/l - Duration h: 504 - Notes: Daphnia magna

c) Bacteria toxicity:

Endpoint: EC50 - Species: bacteria > 10 mg/l - Duration h: 72 - Notes: Bacille Pseudomonas putida)):

d) Terrestrial toxicity:

Endpoint: LC50 > 1000 mg/kg - Duration h: 336 - Notes: Eisenia fetida

e) Plant toxicity:

Endpoint: NOEC > 100 mg/kg - Duration h: 456

Persistence and degradability

2-PHENOXYETHANOL - CAS: 122-99-6

Biodegradability: Biodegradability rate - Test: N.A. - Duration: 28 days - %: 90 - Notes:

2-AMINOETHANOL - CAS: 141-43-5

Biodegradability: Biodegradability rate - Test: N.A. - Duration: 21 days - %: > 90 -Notes: N.A.

ALKYL ALCOHOLS (C10) ETHOXYLATES - CAS: 68439-46-3

Biodegradability: Dissolved organic carbon - Test: N.A. - Duration: N.A. - %: 80 - Notes:

Method: OCDE - 301C

Biodegradability: Porous crucible, Active substance bismut - Test: N.A. - Duration: N.A. - %: 97 - Notes: N.A.

Biodegradability: Manometer Breathing - Test: EU 301F - Duration: 28 days - %: 81.4 -Notes: N.A.

Bioaccumulative potential

2-PHENOXYETHANOL - CAS: 122-99-6

Log Pow - Test: N.A. 1.2 - Duration: N.A. - Notes: N.A.

BCF - Test: N.A. 0.35 - Duration: N.A. - Notes: N.A.

2-AMINOETHANOL - CAS: 141-43-5

Log Pow - Test: N.A. -1.91 - Duration: N.A. - Notes: N.A.

Mobility in soil

2-PHENOXYETHANOL - CAS: 122-99-6

Log Koc - Test: N.A. 40.70 - Duration: N.A. - Notes: N.A.

Volality (H: Henry's Law Constant) - Test: N.A. 2,0E-07 atm*m3/mole - Duration: N.A. -

Notes: 25?C, measured

2-AMINOETHANOL - CAS: 141-43-5

Log Koc - Test: N.A. 1.17 - Duration: N.A. - Notes: N.A.

Other adverse effects

No harmful effects expected.

13. DISPOSAL CONSIDERATIONS

Waste treatment and disposal methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.



14. TRANSPORT INFORMATION



UN number

ADR-UN Number: UN3267
DOT number: UN3267
IATA-UN Number: UN3267
IMDG-UN Number: UN3267

UN proper shipping name

ADR-Shipping Name: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

(2-AMINOETHANOL, 2-phenoxyethanol)

DOT-Shipping Name: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

(2-AMINOETHANOL, 2-phenoxyethanol)

IATA-Shipping Name: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

(2-AMINOETHANOL, 2-phenoxyethanol)

IMDG-Shipping Name: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

(2-AMINOETHANOL, 2-phenoxyethanol)

Transport hazard class(es)

ADR-Class: 8
DOT Hazard Class: 8
IATA-Class: 8
IATA-Label: 8
IMDG-Class: 8

Packing group

ADR-Packing Group: III
DOT Packing group: III
IATA-Packing group: III
IMDG-Packing group: III

Environmental hazards

ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

N.A.

Special precautions

DOT Special provisions: IB3, T7, TP1, TP28

ADR-Subsidiary risks:

ADR-S.P.: IB3, T7, TP1, TP28 ADR-Transport category (Tunnel restriction code): (E)

IATA-Passenger Aircraft: 852
IATA-Subsidiary risks: IATA-Cargo Aircraft: 856
IATA-S.P.: A3 A803
IATA-ERG: 8L
IMDG-EmS: F-A , S-B

IMDG-Subsidiary risks: -

IMDG-Stowage and handling: Category A

IMDG-Segregation: Clear of living quarters. "Separated from" acids.

Q.L.: 5L Q.E.: E1



15. REGULATORY INFORMATION

USA - Federal regulations

TSCA - Toxic Substances Control Act

TSCA inventory: all the components are listed on the TSCA inventory.

TSCA listed substances:

2-PHENOXYETHANOL is listed in TSCA Section 8b, Section 8d HSDR

2-AMINOETHANOL is listed in TSCA Section 8b

N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone is listed in TSCA Section 8b ALKYL ALCOHOLS (C10) ETHOXYLATES is listed in TSCA Section 8b.

SARA - Superfund Amendments and Reauthorization Act

Section 302 - Extremely Hazardous Substances: no substances listed.

Section 304 - Hazardous substances: no substances listed.

Section 313 - Toxic chemical list: N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone.

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act No substances listed.

CAA - Clean Air Act

CAA listed substances:

2-PHENOXYETHANOL is listed in CAA Section 111, Section 112(b) - HON 2-AMINOETHANOL is listed in CAA Section 111, Section 112(b) - HON

N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone is listed in CAA Section 111.

CWA - Clean Water Act

CWA listed substances:

None.

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone - Listed as reproductive toxicant.

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

2-AMINOETHANOL

N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone.

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

2-AMINOETHANOL

N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone.

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

2-AMINOETHANOL

N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone.

The following substance(s) in this product has/have an identification by CAS number either in countries not affected by the REACH regulation or in regulations not yet updated to reflect the new naming convention for hydrocarbon solvents:

16. OTHER INFORMATION

Full text of phrases referred to in Section 3:

H319 Causes serious eye irritation.

H302 Harmful if swallowed.

H332 Harmful if inhaled.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H412 Harmful to aquatic life with long lasting effects.

H335 May cause respiratory irritation.



H315 Causes skin irritation. H318 Causes serious eye damage.

Safety Data Sheet dated 9/14/2018, version 3 Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Safety Data Sheet cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.
GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average