

**Safety Data Sheet**  
**SOCOCEL B0102 PART C**

Safety Data Sheet dated 1/21/2022, version 4

**1. IDENTIFICATION****Product identifier**

Mixture identification:

Trade name: SOCOCEL B0102 PART C

Other means of identification:

SDS code: P14171

**Recommended use of the chemical and restrictions on use**

Recommended use:

Paint/Coating

Industrial uses

Restrictions on use:

No uses advised against are identified.

**Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party****Manufacturers:**

Socomore SASU

Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

Tel : +33 (0)2 97 43 76 83 - Fax : +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 /

Fax +353 21 4889923 / ireland@socomore.com

**Distributors:**

Dysol Inc. - 791 Westport Parkway - Fort Worth, TX 76177 / Phone: 1-817-335-1826 /

csr-na@socomore.com/ Fax Number: 817-335-2405

Socomore Canada Limited - Unit 204, 6741 Cariboo Road, Burnaby V3N 4A3, British

Columbia, Canada / Email: csr-ca@socomore.com / Phone: +1 604 420 7707 / Fax: +1 604

420 7701

**Competent person responsible for the safety data sheet:**

techdirsocomore@socomore.com

**Emergency phone number:**

CHEMTEL: +1-813-248-0585 (International); 1-800-255-3924 (USA); CANUTEC:

1-613-996-6666 (CANADA)

**2. HAZARD(S) IDENTIFICATION****Classification of the chemical**

Danger, Eye Dam. 1, Causes serious eye damage.

**Label elements**

Hazard pictograms:



Danger

Hazard statements:

H318 Causes serious eye damage.

## Safety Data Sheet

### SOCOGEL B0102 PART C

**Precautionary statements:**

P280 Wear protective gloves and eye/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER.

**Special Provisions:**

None

**Hazards not otherwise classified identified during the classification process:**

None

**Ingredient(s) with unknown acute toxicity:**

None.

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Substances**

N.A.

**Mixtures**

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

>= 90% [3-(2,3-EPOXYPROPOXY)PROPYL]TRIMETHOXYSILANE  
REACH No.: 01-2119513212-58, CAS: 2530-83-8, EC: 219-784-2



A.3/1 Eye Dam. 1 H318

---

### 4. FIRST-AID MEASURES

**Description of necessary measures****In case of skin contact:**

Immediately take off all contaminated clothing.  
Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.  
OBTAIN IMMEDIATE MEDICAL ATTENTION.  
Wash thoroughly the body (shower or bath).  
Remove contaminated clothing immediately and dispose of safely.

**In case of eyes contact:**

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.  
Protect uninjured eye.

**In case of Ingestion:**

Do not induce vomiting. Obtain a medical examination.

**In case of Inhalation:**

Remove casualty to fresh air and keep warm and at rest.

**Most important symptoms/effects, acute and delayed**

None

**Indication of immediate medical attention and special treatment needed**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

---

### 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media:**

Water.

## Safety Data Sheet

### SOCOGEL B0102 PART C

Carbon dioxide (CO<sub>2</sub>).

#### Unsuitable extinguishing media

None in particular.

#### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

#### Hazardous combustion products:

None

**Explosive properties:** N.A.

**Oxidizing properties:** N.A.

#### Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

---

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment, and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

#### Methods and materials for containment and cleaning up

Wash with plenty of water.

---

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not use on extensive surface areas in premises where there are occupants.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

#### Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Storage temperature:

Store at ambient temperature.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

No occupational exposure limit available

#### DNEL Exposure Limit Values

[3-(2,3-EPOXYPROPOXY)PROPYL]TRIMETHOXYSILANE - CAS: 2530-83-8

Worker Industry: 70.5 mg/m<sup>3</sup> - Consumer: 17 mg/m<sup>3</sup> - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Worker Industry: 10 mg/kg - Consumer: 5 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects

Consumer: 5 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

## Safety Data Sheet

### SOCOGEL B0102 PART C

#### PNEC Exposure Limit Values

[3-(2,3-EPOXYPROPOXY)PROPYL]TRIMETHOXYSILANE - CAS: 2530-83-8

Target: Fresh Water - Value: 0.45 mg/l

Target: Marine water - Value: 0.045 mg/l

Target: Soil - Value: 0.063 mg/kg

Target: Sewage treatment plant - Value: 8.2 mg/l

Target: Marine water sediments - Value: 0.16 mg/kg

Target: Freshwater sediments - Value: 1.6 mg/kg

#### Appropriate engineering controls:

None

#### Individual protection measures

Eye protection:

Safety goggles (EN 166)

Face protection shield. (EN 166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable gloves type: NF EN374

Butyl rubber (isobutylene-isoprene copolymer)

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Properties	Value	Method:	Notes
Physical state:	Liquid	--	--
Colour:		--	--
Odour:	N.A.	--	--
Odour threshold:	N.A.	--	--
pH:	N.A.	--	--
Melting point / freezing point:	Not Relevant	--	--
Initial boiling point and boiling range:	262 C	--	--
Flash Point (F):	251.6 F	--	--
Flash point (C):	122 C	--	--
Evaporation rate:	N.A.	--	--
Solid/gas flammability:	N.A.	--	liquid
Upper/lower flammability or explosive limits:	0.7-13.6%	--	--
Vapour pressure:	<0.1 hPa, 20 C	--	--
Vapour density:	N.A.	--	--
Relative density:	1.07	--	--
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient (n-octanol/water):	N.A.	--	--
Auto-ignition temperature:	400 C	--	--
Decomposition	N.A.	--	--

## Safety Data Sheet

### SOCOGEL B0102 PART C

temperature:			
Viscosity:	N.A.	--	--
Explosive properties:	N.A.	--	--
Oxidizing properties:	N.A.	--	--

#### 9.2. Other information

Properties	Value	Method:	Notes
Miscibility:	N.A.	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--
Substance Groups relevant properties	N.A.	--	--

## 10. STABILITY AND REACTIVITY

### Reactivity

Stable under normal conditions

### Chemical stability

Stable under normal conditions

### Possibility of hazardous reactions

None

### Conditions to avoid

Stable under normal conditions.

### Incompatible materials

Acids.

Bases.

Water/humidity.

### Hazardous decomposition products

None.

## 11. TOXICOLOGICAL INFORMATION

### Information on toxicological effects

Toxicological information of the product:

N.A.

### Toxicological information of the main substances found in the product:

[3-(2,3-EPOXYPROPOXY)PROPYL]TRIMETHOXYSILANE - CAS: 2530-83-8

Acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat = 5.3 mg/l - Duration: 4h

Test: LD50 - Route: Oral - Species: Rat (Male, female) = 8025 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit (male) = 4248 mg/kg

STOT-repeated exposure:

Test: NOAEL - Route: Oral = 500 mg/kg

Test: NOAEL - Route: Oral = 225 mg/m<sup>3</sup>

Test: NOAEL - Route: Oral - Species: Rat (Male, female)  $\geq$  1000 mg/kg - Duration: 90 days

Test: NOAEC - Route: Inhalation (dust, mist) - Species: Rat (male) = 119 mg/m<sup>3</sup> - Duration: 28 days

### Substance(s) listed on the NTP report on Carcinogens:

None.

### Substance(s) listed on the IARC Monographs:

[3-(2,3-EPOXYPROPOXY)PROPYL]TRIMETHOXYSILANE - Group 1.

## Safety Data Sheet

### SOCOGEL B0102 PART C

**Substance(s) listed as OSHA Carcinogen(s):**

None.

**Substance(s) listed as NIOSH Carcinogen(s):**

None.

---

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

Adopt good working practices, so that the product is not released into the environment.

[3-(2,3-EPOXYPROPOXY)PROPYL]TRIMETHOXYSILANE - CAS: 2530-83-8

## a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 55 mg/l - Duration h: 96 - Notes: Cyprinus carpio

Endpoint: EC50 - Species: Daphnia = 324 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae = 350 mg/l - Duration h: 96 - Notes:

Pseudokirchneriella subcapitata, OECD 201

Endpoint: EC50 - Species: activated sludge &gt; 100 mg/l - Duration h: 3 - Notes: OECD 209

Endpoint: LC50 - Species: Daphnia = 324 mg/l - Duration h: 48 - Notes: Simocephalus vetulus

Endpoint: NOEC - Species: Daphnia = 250 mg/l - Duration h: 48 - Notes: Simocephalus vetulus

## b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Algae = 130 mg/l - Duration h: 96 - Notes: OECD 201

Endpoint: NOEC - Species: Daphnia = 100 mg/l - Duration h: 504 - Notes: OECD 211

Endpoint: EC50 - Species: activated sludge &gt; 100 mg/l - Duration h: 3 - Notes: OECD 209

## c) Bacteria toxicity:

Endpoint: NOEC - Species: bacteria &gt; 100 mg/l - Duration h: 3

**Persistence and degradability**

[3-(2,3-EPOXYPROPOXY)PROPYL]TRIMETHOXYSILANE - CAS: 2530-83-8

Biodegradability: Non-readily biodegradable - Duration: 28 days - %: 37

**Bioaccumulative potential**

[3-(2,3-EPOXYPROPOXY)PROPYL]TRIMETHOXYSILANE - CAS: 2530-83-8

Log Kow 0.5 - Notes: 20°C

**Mobility in soil**

[3-(2,3-EPOXYPROPOXY)PROPYL]TRIMETHOXYSILANE - CAS: 2530-83-8

Low adsorption

**Other adverse effects**

No harmful effects expected.

---

## 13. DISPOSAL CONSIDERATIONS

**Waste treatment and disposal methods**

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

---

## 14. TRANSPORT INFORMATION

## UN number

Not classified as dangerous in the meaning of transport regulations.

## UN proper shipping name

N.A.

## Transport hazard class(es)

N.A.

## Safety Data Sheet

### SOCOGEL B0102 PART C

Packing group  
N.A.

Environmental hazards  
ADR-Environmental Pollutant: No  
IMDG-Marine pollutant: No

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)  
N.A.

Special precautions  
N.A.

---

## 15. REGULATORY INFORMATION

### USA - Federal regulations

TSCA - Toxic Substances Control Act

TSCA inventory: all the components are listed on the TSCA inventory or are not required to be listed on the TSCA.

TSCA sections for substances listed in section 3:

[3-(2,3-EPOXYPROPOXY)PROPYL]TRIMETHOXYSILANE is listed in TSCA Section 8d HSDR, Section 8b.

SARA - Superfund Amendments and Reauthorization Act

Section 302 Extremely Hazardous Substances: no substances listed.

Section 304 Hazardous substances: no substances listed.

Section 313 Toxic chemical list: no substances listed.

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

No substances listed.

CAA - Clean Air Act

CAA listed substances:

None.

CWA - Clean Water Act

CWA listed substances:

None.

### USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

None.

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

No substances listed.

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

No substances listed.

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

No substances listed.

The following substance(s) in this product has/have an identification by CAS number either in countries not affected by the REACH regulation or in regulations not yet updated to reflect the new naming convention for hydrocarbon solvents:

## Safety Data Sheet

### SOCOGEL B0102 PART C

#### 16. OTHER INFORMATION

Full text of phrases referred to in Section 3:  
H318 Causes serious eye damage.

Safety Data Sheet dated 1/21/2022, version 4  
Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Safety Data Sheet cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
HMIS:	Hazardous Materials Identification System
IARC:	International Agency for Research on Cancer
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NFPA:	National Fire Protection Association
NIOSH:	National Institute for Occupational Safety and Health
NTP:	National Toxicology Program
OSHA:	Occupational Safety and Health Administration
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average