

Safety Data Sheet

SPC-801FPM

Master item code: 3763000

Safety Data Sheet dated 11/1/2019, version 1

1. IDENTIFICATION

Product identifier

Mixture identification:
Trade name: SPC-801FPM
Other means of identification:
MSDS code: P54032

Recommended use of the chemical and restrictions on use

Recommended use:
Cleaner
Solvent
Industrial uses
Professional uses
Restrictions on use:
No uses advised against are identified.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Manufacturers:

Sea to Sky Innovations Limited - Unit 204, 6741 Cariboo Road, Burnaby V3N 4A3, British Columbia, Canada / Email: csr-sts@socomore.com / Phone: +1 604 420 7707 / Fax: +1 604 420 7701

Distributors:

Sea to Sky Innovations Limited - Unit 204, 6741 Cariboo Road, Burnaby V3N 4A3, British Columbia, Canada / Email: csr-sts@socomore.com / Phone: +1 604 420 7707 / Fax: +1 604 420 7701

Dysol Inc. - 791 Westport Parkway - Fort Worth, TX 76177 / Phone: 1-817-335-1826 / csr-na@socomore.com/ Fax Number: 817-335-2405

Competent person responsible for the safety data sheet:

techdirsocomore@socomore.com

Emergency phone number:

CHEMTEL: I+1-813-248-0585 (International); 1-800-255-3924 (USA); CANUTEC: 1-613-996-6666 (CANADA)

2. HAZARD(S) IDENTIFICATION

Classification of the chemical

The product is not classified as dangerous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).

Label elements

The product is not classified as dangerous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).

Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

None

Safety Data Sheet

SPC-801FPM

Hazards not otherwise classified identified during the classification process:

None

Ingredient(s) with unknown acute toxicity:

None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances


N.A.

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

>= 3% - < 5% BENZYL ALCOHOL

Index number: 603-057-00-5, CAS: 100-51-6, EC: 202-859-9

 A.1/4/Oral Acute Tox. 4 H302

 A.1/4/Inhal Acute Tox. 4 H332

 A.3/2A Eye Irrit. 2A H319

4. FIRST-AID MEASURES

Description of necessary measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not induce vomiting. Obtain a medical examination.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed

Treatment:

No particular treatment.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products:

None

Explosive properties: N.A.

Oxidizing properties: N.A.

Special protective equipment and precautions for fire-fighters

Safety Data Sheet

SPC-801FPM

Use suitable breathing apparatus .
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Wear personal protection equipment.
Remove persons to safety.
See protective measures under point 7 and 8.

Methods and materials for containment and cleaning up

Wash with plenty of water.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.
Do not use on extensive surface areas in premises where there are occupants.
See also section 8 for recommended protective equipment.
Advice on general occupational hygiene:
Do not eat or drink while working.

Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.
Incompatible materials:
None in particular.
Instructions as regards storage premises:
Adequately ventilated premises.
Storage temperature:
Store at ambient temperature.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

No occupational exposure limit available

DNEL Exposure Limit Values

BENZYL ALCOHOL - CAS: 100-51-6

Worker Professional: 40 mg/kg bw/day - Consumer: 28.5 - Exposure: Human Dermal - Frequency: Short Term, systemic effects

Worker Professional: 110 mg/m³ - Consumer: 27 mg/kg bw/day - Exposure: Human Inhalation - Frequency: Short Term, systemic effects

Worker Professional: 8 mg/kg bw/day - Consumer: 5.7 - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 22 mg/m³ - Consumer: 5.4 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 20 mg/kg bw/day - Exposure: Human Oral - Frequency: Short Term, systemic effects

PNEC Exposure Limit Values

BENZYL ALCOHOL - CAS: 100-51-6

Target: Fresh Water - Value: 1 mg/l

Target: Marine water - Value: 0.1 mg/l

Target: PNEC01 - Value: 2.3 mg/l

Target: Soil (agricultural) - Value: 0.456 mg/kg

Target: Freshwater sediments - Value: 5.27 mg/kg

Target: Marine water sediments - Value: 0.527 mg/kg

Target: Microorganisms in sewage treatments - Value: 39 mg/l

Appropriate engineering controls:

Safety Data Sheet

SPC-801FPM

None

Individual protection measures

Eye protection:

Safety goggles (EN 166)

Face protection shield. (EN 166)

Use closed fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Use respiratory protection where ventilation is insufficient or exposure is prolonged such as

Mask with filter "A1" brown color(NF EN 14387)

Thermal Hazards:

None

9. PHYSICAL AND CHEMICAL PROPERTIES

Properties	Value	Method:	Notes
Appearance and colour:	Clear Colourless liquid	--	--
Odour:	N.A.	--	--
Odour threshold:	N.A.	--	--
pH:	Not Relevant	--	--
Melting point / freezing point:	Not Relevant	--	--
Initial boiling point and boiling range:	170 degC	--	water based
Flash Point (degF):	>176 deg F	--	--
Flash point (degC):	>80degC	--	--
Evaporation rate:	<1.0	--	--
Solid/gas flammability:	N.A.	--	--
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	N.A.	--	--
Vapour density:	<1.0	--	--
Relative density:	1.005	--	--
Solubility in water:	Partially	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient (n-octanol/water):	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	<100 cPs	--	--
Explosive properties:	N.A.	--	--
Oxidizing properties:	N.A.	--	--

9.2. Other information

Properties	Value	Method:	Notes
Miscibility:	N.A.	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--
Substance Groups	N.A.	--	--

Safety Data Sheet

SPC-801FPM

relevant properties			
---------------------	--	--	--

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Stable under normal conditions

Possibility of hazardous reactions

None

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Toxicological information of the product:

N.A.

Toxicological information of the main substances found in the product:

BENZYL ALCOHOL - CAS: 100-51-6

a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat > 4178 mg/m³ - Duration: 4h

Test: LD50 - Route: Oral - Species: Rat = 1620 MGKGBW DAY

Test: LOAEL

- Route: Oral - Species: Mouse = 750 mg/kg - Duration: 8 days

g) reproductive toxicity:

Test: NOAEL - Route: Oral - Species: Mouse = 550 MGKGBW DAY - Source: 6-15 days

i) STOT-repeated exposure:

Test: NOAEL - Route: Oral - Species: Rat = 400 MGKGBW DAY

Test: NOAEL - Route: Oral - Species: Mouse = 200 MGKGBW DAY

Test: NOAEL - Route: Inhalation - Species: Rat = 1072 mg/m³

BENZYL ALCOHOL - CAS: 100-51-6

LD50 (RABBIT) SKIN SINGLE DOSE: 2000 MG/KG

Substance(s) listed on the NTP report on Carcinogens:

None.

Substance(s) listed on the IARC Monographs:

None.

Substance(s) listed as OSHA Carcinogen(s):

None.

Substance(s) listed as NIOSH Carcinogen(s):

None.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

BENZYL ALCOHOL - CAS: 100-51-6

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 460 mg/l - Duration h: 96 - Notes: Pimephales promelas, fresh water, static system

Safety Data Sheet

SPC-801FPM

- Endpoint: EC50 - Species: Daphnia = 230 mg/l - Duration h: 48
- b) Aquatic chronic toxicity:
Endpoint: NOEC - Species: Daphnia = 51 mg/l - Duration h: 504
- d) Terrestrial toxicity:
Endpoint: IC50 - Species: Microorganisms = 390 mg/kg - Duration h: 24 - Notes: ISO 8192; Nitrosomas
- e) Plant toxicity:
Endpoint: NOEC - Species: Algae = 310 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata
Endpoint: EC50 - Species: Algae = 770 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata

Persistence and degradability

BENZYL ALCOHOL - CAS: 100-51-6
Biodegradability: Biodegradation in water - Test: MITI modif(I) - Duration: 14 days - %: 92-96 - Notes: OECD 301C

Bioaccumulative potential

BENZYL ALCOHOL - CAS: 100-51-6
BCF 1.37 l/kg
Log Kow 1.05 - Notes: 20°C

Mobility in soil

BENZYL ALCOHOL - CAS: 100-51-6
Log Koc 15.7
Volatility (H: Henry's Law Constant) 0.0879 Pa.m³/mol

Other adverse effects

No harmful effects expected.

13. DISPOSAL CONSIDERATIONS

Disposal methods:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Please consult Technical Data Sheet for details.

14. TRANSPORT INFORMATION

UN number

Not classified as dangerous in the meaning of transport regulations.

UN proper shipping name

N.A.

Transport hazard class(es)

N.A.

Packing group

N.A.

Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

N.A.

The product is transported in conditions that comply with exemption criteria for ADR transport.

Special precautions

N.A.

15. REGULATORY INFORMATION

USA - Federal regulations

Safety Data Sheet

SPC-801FPM

TSCA - Toxic Substances Control Act
TSCA inventory: all the components are listed on the TSCA inventory or are not required to be listed on the TSCA.
TSCA sections for substances listed in section 3:
BENZYL ALCOHOL is listed in TSCA Section 8b.

SARA - Superfund Amendments and Reauthorization Act
Section 302 Extremely Hazardous Substances: no substances listed.
Section 304 Hazardous substances: no substances listed.
Section 313 Toxic chemical list: no substances listed.

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act
No substances listed.

CAA - Clean Air Act
CAA listed substances:
BENZYL ALCOHOL is listed in CAA Section 111, Section 112(b) - HON.

CWA - Clean Water Act
CWA listed substances:
None.

USA - State specific regulations

California Proposition 65
Substance(s) listed under California Proposition 65:
None.

Massachusetts Right to know
Substance(s) listed under Massachusetts Right to know:
BENZYL ALCOHOL.

New Jersey Right to know
Substance(s) listed under New Jersey Right to know:
No substances listed.

Pennsylvania Right to know
Substance(s) listed under Pennsylvania Right to know:
BENZYL ALCOHOL.

The following substance(s) in this product has/have an identification by CAS number either in countries not affected by the REACH regulation or in regulations not yet updated to reflect the new naming convention for hydrocarbon solvents:

16. OTHER INFORMATION

Full text of phrases referred to in Section 3:
H302 Harmful if swallowed.
H332 Harmful if inhaled.
H319 Causes serious eye irritation.

Safety Data Sheet dated 11/1/2019, version 1

Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Safety Data Sheet cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE: Acute Toxicity Estimate
ATEmix: Acute toxicity Estimate (Mixtures)

Safety Data Sheet

SPC-801FPM

CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
HMIS:	Hazardous Materials Identification System
IARC:	International Agency for Research on Cancer
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NFPA:	National Fire Protection Association
NIOSH:	National Institute for Occupational Safety and Health
NTP:	National Toxicology Program
OSHA:	Occupational Safety and Health Administration
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average