

Approvals and conformities

LOCKHEED MARTIN

B6274-1 (meets)

DS-800 Solvent – a cost effective general degreasing solvent especially good at removing hydrocarbon soils such as oils, greases, tars and cutting oils as well as common shop contaminants. **DS-800** evaporates rapidly at room temperature leaving a perfectly clean surface ready for painting, coating, bonding, sealing or final assembly.

- Excellent cleaning effectiveness
- Fast evaporating
- Leaves no residue
- Very low toxicity
- Virtually odorless
- Biodegradable
- Safe to use on a wide variety of surfaces
- Non-corrosive
- Not regulated as Hazardous Material for Ground transportation
- No Ozone Depleting Substances (ODS) Hazardous Air Pollutants (HAP)
- Aerospace NESHAP compliant

Packaging sizes :

- Part 800.1 / 55-gal drum
- Part 800.2 / 5-gal jerrican
- Part 800.3 / 4 x 1-gal case
- Part 800.4 / 24 x 1-pint case

DS-800 is a product from the DYSOL range of solvents and is also available in a variety of pre-saturated wipe products.

USES

DS-800 is an excellent general purpose cleaner for use in aerospace, automotive and equipment maintenance applications. The high purity and dielectric strength of **DS-800** makes it the perfect solution for cleaning electrical equipment. It is also an excellent cold dip for cleaning small parts.

TECHNICAL CHARACTERISTICS

Flash point (ISO 13736) 104°F / 40°C

DS-800_EN Date : 12-10-2016 Written and checked by : CL/GLG

Boiling point	(initial) 311°F / 155°C
Specific gravity	(at 68°F-20°C) 0.75
Vapour pressure	(at 68°F-20°C) 1.7 mm Hg
Vapour density	>2.8
Density (Lb/gallon)	(at 68°F-20°C) 6.25
Surface tension	23.5 (dynes/cm)

PRECAUTIONS FOR USE AND STORAGE

For more information regarding the danger of the product, please consult the product safety data sheet according to local regulation.

For professional use only.

This technical data sheet replaces and cancels the previous one.

The above details have been compiled to the best of our knowledge. They have, however, an indicative value only and we therefore make no warranties and assume no liability in connection with any use of this information, particularly if a third party's rights are affected by the use of our products. The above information has been compiled based upon tests carried out by SOCOMORE. All data is subject to change as Socomore deems appropriate. The data given is not intended to substitute for any testing you must conduct in order to determine the suitability of the product for your particular purposes. Please check your local legislation applicable to the use of this product. Should you need any further information please contact us.