




Betriebsanleitung
Operating Instructions
Instructions de service
Istruzioni d'uso
Handleiding
Instrucciones para el manejo
Manual de instruções
Naudojimosi instrukcija
Kasutusjuhend
Lietošanas instrukcija
Driftsinstruks
Driftsinstruktioner
Käyttöohje
Driftsvejledning
Instrukcja obsługi



Kezelési útmutató
Návod k obsluze
Navodilo za uporabo
Návod na obsluhu
Upute za rad
Manual de operatii
Treoracha Oibriúcháin
Οδηγίες χρήσης
El Kitab
Инструкции за експлоатация
Инструкция по эксплуатации
取扱説明書
사용설명서
使用说明书


Picchio 2200







2006/42/EG











 	 		 MAX. VACUUM	 mbar
 AIR	 	  	 MAX.	 m³/h $L_{pA} = 76 \text{ dB(A)} - 50\text{Hz}$ $L_{pA} = 79 \text{ dB(A)} - 60\text{Hz}$ $K_{pA} = 3 \text{ dB(A)}$
	DIN EN ISO 3744			

 			 69 kg 152 lbs
			




$A > 100\text{mm}$ $A > 4"$	 $> 5^{\circ}\text{C}/41^{\circ}\text{F}$ $< 45^{\circ}\text{C}/113^{\circ}\text{F}$	 max. 90%	 max. 800m 
			








F1 (standard) No.: 909507	F2 (standard) No.: 909510
D1 D2	Satz / Kit Pos.: 20, 24, 62, 75, 76, 85, 104, 125, 126, 127, 146, 288 No.: 549000 21100





Gebr. Becker GmbH
Hölker Feld 29-31
D-42279 Wuppertal
info@becker-international.com

