

# Specifications



## Eaton 266858

Z-TS25/3. Tariff switch, 25A, 3 p, 16-25 A

### General specifications

PRODUCT NAME	Eaton Distribution parts
CATALOG NUMBER	266858
EAN	4015082668587
PRODUCT LENGTH/DEPTH	80 mm
PRODUCT HEIGHT	75 mm
PRODUCT WIDTH	54 mm
PRODUCT WEIGHT	0.366 kg
COMPLIANCES	RoHS conform

## Product specifications

<b>ACTUATOR TYPE</b>	Rocker lever
<b>SWITCH OFF TECHNIQUE</b>	Magnetic
<b>ADJUSTMENT RANGE SHORT-TERM DELAYED SHORT-CIRCUIT RELEASE - MIN</b>	16 A
<b>ADJUSTMENT RANGE UNDELAYED SHORT- CIRCUIT RELEASE - MAX</b>	25 A
<b>ADJUSTMENT RANGE UNDELAYED SHORT- CIRCUIT RELEASE - MIN</b>	16 A
<b>OVERLOAD RELEASE CURRENT SETTING - MAX</b>	25 A
<b>OVERLOAD RELEASE CURRENT SETTING - MIN</b>	16 A
<b>RATED OPERATING POWER AT AC-3, 230 V</b>	0 kW
<b>RATED OPERATING POWER AT AC-3, 400 V</b>	0 kW
<b>RATED OPERATING VOLTAGE (UE) - MAX</b>	400 V
<b>RATED OPERATING VOLTAGE (UE) - MIN</b>	400 V
<b>RATED SHORT-CIRCUIT BREAKING CAPACITY AT 400 V AC</b>	0 kA
<b>RATED UNINTERRUPTED CURRENT (IU)</b>	0 A
<b>FITTED WITH:</b>	Thermal protection
<b>DEGREE OF PROTECTION</b>	IP20
<b>DEVICE CONSTRUCTION</b>	Complete device in housing
<b>ELECTRICAL CONNECTION TYPE OF MAIN CIRCUIT</b>	Screw connection
<b>NUMBER OF POLES</b>	Three-pole
<b>POWER LOSS</b>	11.3 W

## Resources

### DECLARATIONS OF CONFORMITY

[eaton-distribution-parts-declaration-of-conformity-eu250067en.pdf](#)

### DRAWINGS

[eaton-dimensions-mas-ts.jpg](#)

[eaton-3d-drawing-ausloese-ts.jpg](#)

### INSTALLATION INSTRUCTIONS

[IL019182ZU](#)

### MCAD MODEL

[eaton-adjustable-non-selective-universal-mcb-3d-models-z-ts-3p.stp](#)

[eaton-adjustable-non-selective-universal-mcb-drawings-z-ts-3p.dwg](#)

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

