

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support

LOCKOUT TAGOUT KIT

USER MANUAL

MODEL: BD-G01

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

LOCKOUT TAGOUT KIT

MODEL:BD-G01



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTIONS

WARNING:

Read this material before using this product. Failure to do so can result in serious injury.

Assembly precautions

1. Assemble only according to these instructions. Improper assembly can create hazards.
2. Wear safety goggles and duty work gloves during assembly.
3. Keep the assembly area clean and well-lit.
4. Keep bystanders out of the area during assembly.
5. Do not assemble when tired or when under the influence of alcohol, drugs or medication.
6. The product capabilities apply to properly and completely assembled products only.
7. Assemble on a flat, level, hard and smooth surface capable of safely supporting the Lockout Tagout Kit.
8. For additional information regarding the parts listed in the following pages, please refer to the Assembly Diagram of this manual. Unwrap and separate all parts in a clean work area.

Use precautions

1. DO NOT SIT OR STAND ON THIS ITEM.
2. This product is not a toy. Do not allow children to play with or near this item.
3. Do not exceed capacities.
4. Use only on a flat, level, hard and smooth surface capable of safely supporting a fully loaded Lockout Tagout Kit.
5. Use as intended only.
6. Inspect before every use; do not use if parts are loose or damaged.

SAVE THIS MANUAL

PRODUCT PARAMETER

Model	BD-G01
Number Of Sets	10
Product Size	250*110*63 mm

PARTS LIST

Name	Code	qty
Safety padlock	G01 (2keys per lock)	10

INSTRUCTIONS

SAFETY PADLOCK

Suitable for use in closed space, such as: chemical, Military, oil extraction and power industry



Steel shackle

With rewritable safety warning signs (can customize luminous PVC material, language, logo, department and so on)



Can print key number



Normal color: ●RED, ●YLW, ●BLU, ●GRN, ●ORG,

●PRP, ●BLK, ●WHT,

Other colors can be custom made.

Durable non-conductive PA lock body, withstand temperature from -20℃ to 150℃, resistance of UV rays.



Copper cylinder



Zinc alloy cylinder

- Normal version, old version padlock (copper/ zinc alloy lock cylinder)
Key retention-the key cannot be pulled out in the open state, ensuring that the padlock will not be left behind
- New padlock (zinc alloy lock cylinder)

Self-rebound self-reset -lock shackle with self-elastic function
When the padlock is opened, the key is automatically reset to the initial position and the key can be removed.



BD-G01: red

(Unit: mm)

Manufacturer: Shanghaimuxinmuyeyouxiangongsi

Address: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Imported to AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD
NSW 2122 Australia

Imported to USA: Sanven Technology Ltd.

Suite 250,9166 Anaheim Place, Rancho Cucamonga, CA 91730



SHUNSHUN GmbH

Römeräcker 9 Z2021,76351

Linkenheim-Hochstetten, Germany

euvertreter@gmail.com

+49 1727041930



Pooledas Group Ltd

Unit 5 Albert Edward House, The

Pavilions Preston, United Kingdom

pooledas123@gmail.com

Tel: 01772418127

Made in China



Technical Support and E-Warranty Certificate
www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Teknisk Support och e-garanticertifikat

www.vevor.com/support

LOCKOUT TAGOUT KIT

Användarmanual _

MODELL: BD-G01

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

LOCKOUT TAGOUT KIT

MODELL: BD-G01



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTIONS

VARNING:

Läs detta material innan du använder denna produkt. Underlåtenhet att göra det kan resultera i allvarliga skador.

Försiktighetsåtgärder vid montering

1. Montera endast enligt dessa instruktioner. Felaktig montering kan skapa faror.
2. Använd skyddsglasögon och arbetshandskar vid montering.
3. Håll monteringsområdet rent och väl upplyst.
4. Håll åskådare borta från området under monteringen.
5. Sätt dig inte ihop när du är trött eller påverkad av alkohol, droger eller mediciner.
6. Produkttegenskaperna gäller endast för korrekt och färdigmonterade produkter.
7. Montera på en plan, jämn, hård och slät yta som säkert kan stödja Lockout Tagout Kit .
8. För ytterligare information om delarna som listas på följande sidor, se monteringsdiagrammet i denna manual. Packa upp och separera alla delar på ett rent arbetsområde.

Använd försiktighetsåtgärder

1. SIT ELLER STÅ INTE PÅ DETTA FÖREMÅL.
2. Denna produkt är inte en leksak. Låt inte barn leka med eller nära detta föremål.
3. Överskrid inte kapaciteten.
4. Använd endast på en plan, jämn, hård och slät yta som säkert kan bära upp ett fullt laddat Lockout Tagout Kit .
5. Använd endast som avsett.
6. Inspektera före varje användning; Använd inte om delar är lösa eller skadade.

SPARA DENNA MANUAL

PRODUCT PARAMETER

Modell	BD-G01
Antal O f S ets	10
Produktstorlek _ _	25 0* 11 0* 63 mm

PARTS LIST

namn	Koda	antal
Säkerhetshänglås	G01 (2 nycklar per lås)	10

INSTRUCTIONS

SÄKERHETSHÄNGLÅS

Suitable for use in closed space, such as: chemical, Military, oil extraction and power industry



Steel shackle

With rewritable safety warning signs
(can customize luminous PVC material,
language, logo, department and so on)



Can print key number



Normal color: ●RED, ●YLW, ●BLU, ●GRN, ●ORG,
●PRP, ●BLK, ●WHT,

Other colors can be custom made.

Durable non-conductive PA lock body,
withstand temperature from -20℃ to
150℃, resistance of UV rays.




Copper cylinder



Zinc alloy cylinder

- Normal version, old version padlock
(copper/ zinc alloy lock cylinder)
Key retention-the key cannot be pulled out in the open
state, ensuring that the padlock will not be left behind
- New padlock (zinc alloy lock cylinder)

Self-rebound self-reset -lock shackle with self-elastic function
When the padlock is opened, the key is automatically
reset to the initial position and the key can be removed.



Tillverkare: Shanghaimuxinmuyeyouxiangongsi

Adress: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Importerad till AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD
NSW 2122 Australien

Importerad till USA: Sanven Technology Ltd.

Suite 250 , 9166 Anaheim Place, Rancho Cucamonga, CA 91730



SHUNSHUN GmbH
Römeräcker 9 Z2021,76351
Linkenheim-Hochstetten, Germany
euvertreter@gmail.com
+49 1727041930



Pooledas Group Ltd
Unit 5 Albert Edward House, The
Pavilions Preston, United Kingdom
pooledas123@gmail.com
Tel: 01772418127

Tillverkad i Kina



Teknisk Support och e-garanticertifikat
www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Techniczny Certyfikat wsparcia i e-gwarancji

www.vevor.com/support

ZESTAW DO BLOKOWANIA TAGÓW

INSTRUKCJA obsługi

MODEL: BD-G01

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

LOCKOUT TAGOUT KIT

MODEL: BD-G01



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTIONS

OSTRZEŻENIE:

Przeczytaj ten materiał przed użyciem tego produktu. Niezastosowanie się do tego może spowodować poważne obrażenia.

Środki ostrożności podczas montażu

1. Montaż wyłącznie zgodnie z niniejszą instrukcją. Nieprawidłowy montaż może stworzyć zagrożenie.
2. Podczas montażu należy nosić okulary ochronne i rękawice robocze.
3. Utrzymuj miejsce zbiórki w czystości i dobrze oświetlone.
4. Podczas montażu trzymaj osoby postronne z dala od obszaru.
5. Nie należy montować, gdy jest się zmęczonym lub pod wpływem alkoholu, narkotyków lub leków.
6. Możliwości produktu dotyczą wyłącznie produktów prawidłowo i całkowicie zmontowanych.
7. Zmontuj na płaskiej, poziomej, twardej i gładkiej powierzchni, która może bezpiecznie utrzymać zestaw Lockout Tagout .
8. Dodatkowe informacje dotyczące części wymienionych na kolejnych stronach można znaleźć w schemacie montażu w niniejszej instrukcji. Rozpakuj i oddziel wszystkie części w czystym miejscu pracy.

Stosuj środki ostrożności

1. NIE SIEDŹ ANI NIE STAJ NA TYM PRZEDMIOCIE.
2. Ten produkt nie jest zabawką. Nie pozwalaj dzieciom bawić się tym przedmiotem lub w jego pobliżu.
3. Nie przekraczaj pojemności.
4. Używaj wyłącznie na płaskiej, równej, twardej i gładkiej powierzchni, która może bezpiecznie utrzymać w pełni obciążony zestaw blokujący .
5. Używaj wyłącznie zgodnie z przeznaczeniem.
6. Sprawdź przed każdym użyciem; nie używać, jeśli części są luźne lub uszkodzone.

ZACHOWAJ TĘ INSTRUKCJĘ

PRODUCT PARAMETER

Model	BD-G01
Liczba zestawów _ _ _	10
Rozmiar produktu _	25 0* 11 0* 63 mm

PARTS LIST

Nazwa	Kod	ilość
Kłódka bezpieczeństwa	G01 (2 klucze na	10

INSTRUCTIONS

Kłódka bezpieczeństwa

Suitable for use in closed space, such as: chemical, Military, oil extraction and power industry



Steel shackle

With rewritable safety warning signs (can customize luminous PVC material, language, logo, department and so on)



Can print key number



Normal color: ●RED, ●YLW, ●BLU, ●GRN, ●ORG,

●PRP, ●BLK, ●WHT,

Other colors can be custom made.

Durable non-conductive PA lock body, withstand temperature from -20°C to 150°C, resistance of UV rays.




Copper cylinder



Zinc alloy cylinder

- Normal version, old version padlock (copper/ zinc alloy lock cylinder)
Key retention-the key cannot be pulled out in the open state, ensuring that the padlock will not be left behind
- New padlock (zinc alloy lock cylinder)

Self-rebound self-reset -lock shackle with self-elastic function
When the padlock is opened, the key is automatically reset to the initial position and the key can be removed.



Producent: Shanghaimuxinmuyeyouxiangongsi

Adres: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Szanghaj

Import do AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW
2122 Australia

Import do USA: Sanven Technology Ltd.

Apartament 250 , 9166 Anaheim Place, Rancho Cucamonga, Kalifornia
91730



SHUNSHUN GmbH
Römeräcker 9 Z2021,76351
Linkenheim-Hochstetten, Germany
euvertreter@gmail.com
+49 1727041930



Pooledas Group Ltd
Unit 5 Albert Edward House, The
Pavilions Preston, United Kingdom
pooledas123@gmail.com
Tel: 01772418127

Wyprodukowano w Chinach



Techniczny Certyfikat wsparcia i e-gwarancji
www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Support- und E-Garantie-zertifikat

www.vevor.com/support

LOCKOUT-TAGOUT-KIT

Benutzerhandbuch _

MODELL: BD-G01

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

LOCKOUT TAGOUT KIT

MODELL: BD-G01



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTIONS

WARNUNG:

Lesen Sie dieses Material, bevor Sie dieses Produkt verwenden. Andernfalls kann es zu schweren Verletzungen kommen.

Vorsichtsmaßnahmen bei der Montage

1. Montieren Sie es nur gemäß dieser Anleitung. Durch unsachgemäße Montage können Gefahren entstehen.
2. Tragen Sie bei der Montage eine Schutzbrille und Arbeitshandschuhe.
3. Halten Sie den Montagebereich sauber und gut beleuchtet.
4. Halten Sie Unbeteiligte während der Montage vom Bereich fern.
5. Nicht aufbauen, wenn Sie müde sind oder unter dem Einfluss von Alkohol, Drogen oder Medikamenten stehen.
6. Die Produkteigenschaften gelten nur für ordnungsgemäß und vollständig montierte Produkte.
7. Lockout-Tagout-Kit sicher tragen kann .
8. Weitere Informationen zu den auf den folgenden Seiten aufgeführten Teilen finden Sie im Montagediagramm dieser Anleitung. Packen Sie alle Teile aus und trennen Sie sie an einem sauberen Arbeitsplatz.

Treffen Sie Vorsichtsmaßnahmen

1. SITZEN ODER STEHEN SIE NICHT AUF DIESEM ARTIKEL.
2. Dieses Produkt ist kein Spielzeug. Erlauben Sie Kindern nicht, mit oder in der Nähe dieses Artikels zu spielen.
3. Überschreiten Sie nicht die Kapazitäten.
4. Lockout-Tagout-Kit sicher tragen kann .
5. Nur bestimmungsgemäß verwenden.
6. Vor jedem Gebrauch prüfen; Nicht verwenden, wenn Teile lose oder beschädigt sind.

Bewahren Sie dieses Handbuch auf

PRODUCT PARAMETER

Modell	BD-G01
Anzahl der Sätze _ _	10
Produktgröße _ _	25 0* 11 0* 63 mm

PARTS LIST

Name	Code	Meng
Sicherheitsvorhängeschloss	G01 (2 Schlüssel pro	10

INSTRUCTIONS

SICHERHEITS-VORHÄNGESCHLOSS

Suitable for use in closed space, such as: chemical, Military, oil extraction and power industry



Steel shackle

With rewritable safety warning signs (can customize luminous PVC material, language, logo, department and so on)



Can print key number



Normal color: ●RED, ●YLW, ●BLU, ●GRN, ●ORG,

●PRP, ●BLK, ●WHT,

Other colors can be custom made.

Durable non-conductive PA lock body, withstand temperature from -20°C to 150°C, resistance of UV rays.



Copper cylinder



Zinc alloy cylinder

- Normal version, old version padlock (copper/ zinc alloy lock cylinder)
Key retention-the key cannot be pulled out in the open state, ensuring that the padlock will not be left behind
- New padlock (zinc alloy lock cylinder)

Self-rebound self-reset -lock shackle with self-elastic function
When the padlock is opened, the key is automatically reset to the initial position and the key can be removed.



PD C01: red

(Einheit: mm)

Hersteller: Shanghaimuxinmuyeyouxiangongsi

Adresse: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Importiert nach AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD
NSW 2122 Australien

Importiert in die USA: Sanven Technology Ltd.
Suite 250 , 9166 Anaheim Place, Rancho Cucamonga, CA 91730



SHUNSHUN GmbH
Römeräcker 9 Z2021,76351
Linkenheim-Hochstetten,Germany
euvertreter@gmail.com
+49 1727041930



Pooledas Group Ltd
Unit 5 Albert Edward House, The
Pavilions Preston, United Kingdom
pooledas123@gmail.com
Tel: 01772418127

In China hergestellt



Technisch Support- und E-Garantiezerifikat
www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technique Assistance et certificat de garantie électronique

www.vevor.com/support

KIT DE VERROUILLAGE ET D'ÉTIQUETAGE de L'UTILISATEUR MODÈLE: BD-G01

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

LOCKOUT TAGOUT KIT

MODÈLE : BD-G01



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTIONS

AVERTISSEMENT:

Lisez ce document avant d'utiliser ce produit. Ne pas le faire peut entraîner des blessures graves.

Précautions de montage

1. Assemblez uniquement selon ces instructions. Un assemblage incorrect peut créer des dangers.
2. Portez des lunettes de sécurité et des gants de travail pendant l'assemblage.
3. Gardez la zone de rassemblement propre et bien éclairée.
4. Gardez les spectateurs hors de la zone pendant l' assemblage.
5. Ne vous rassemblez pas lorsque vous êtes fatigué ou sous l' influence de l' alcool, de drogues ou de médicaments.
6. Les capacités du produit s'appliquent uniquement aux produits correctement et complètement assemblés.
7. Assemblez-le sur une surface plane, de niveau, dure et lisse, capable de supporter en toute sécurité le kit de consignation et d'étiquetage .
8. Pour plus d'informations concernant les pièces répertoriées dans les pages suivantes, veuillez vous référer au schéma d'assemblage de ce manuel. Déballiez et séparez toutes les pièces dans une zone de travail propre.

Utiliser des précautions

1. NE PAS ÊTRE ASSIS OU DEBOUT SUR CET ARTICLE.
2. Ce produit n'est pas un jouet. Ne laissez pas les enfants jouer avec ou à proximité de cet article.
3. Ne dépassez pas les capacités.
4. kit de verrouillage et d'étiquetage entièrement chargé .

5. Utiliser uniquement comme prévu.
6. Inspectez avant chaque utilisation ; ne pas utiliser si les pièces sont desserrées ou endommagées.

CONSERVEZ CE MANUEL

PRODUCT PARAMETER

Modèle	BD-G01
Nombre d' ensembles _ _	dix
Taille du produit	25 0* 11 0 * 63mm

PARTS LIST

Nom	Code	quant
Cadenas de sécurité	G01 (2 clés par serrure)	dix

INSTRUCTIONS

CADENAS DE SÉCURITÉ

Suitable for use in closed space, such as: chemical, Military, oil extraction and power industry



Steel shackle

With rewritable safety warning signs (can customize luminous PVC material, language, logo, department and so on)



Can print key number



Normal color: ●RED, ●YLW, ●BLU, ●GRN, ●ORG,

●PRP, ●BLK, ●WHT,

Other colors can be custom made.

Durable non-conductive PA lock body, withstand temperature from -20℃ to 150℃, resistance of UV rays.



Copper cylinder



Zinc alloy cylinder

- Normal version, old version padlock (copper/ zinc alloy lock cylinder)
Key retention-the key cannot be pulled out in the open state, ensuring that the padlock will not be left behind
- New padlock (zinc alloy lock cylinder)

Self-rebound self-reset -lock shackle with self-elastic function
When the padlock is opened, the key is automatically reset to the initial position and the key can be removed.



Fabricant : Shanghai muxinmuyeyouxiangongsi

Adresse : Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Importé en Australie : SIHAO PTY LTD. 1 ROKEVA STREETASTWOOD
NSW 2122 Australie

Importé aux États-Unis : Sanven Technology Ltd.

Suite 250 , 9166 Anaheim Place, Rancho Cucamonga, CA 91730



SHUNSHUN GmbH
Römeräcker 9 Z2021,76351
Linkenheim-Hochstetten, Germany
euvertreter@gmail.com
+49 1727041930



Pooledas Group Ltd
Unit 5 Albert Edward House, The
Pavilions Preston, United Kingdom
pooledas123@gmail.com
Tel: 01772418127

Fabriqué en Chine



Technique Assistance et certificat de garantie électronique
www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Ondersteuning en e-garantiecertificaat

www.vevor.com/support

LOCKOUT TAGOUT-SET

Handleiding _

MODEL: BD-G01

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR[®]

TOUGH TOOLS, HALF PRICE

LOCKOUT TAGOUT KIT

MODEL: BD-G01



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTIONS

WAARSCHUWING:

Lees dit materiaal voordat u dit product gebruikt. Als u dit niet doet, kan dit leiden tot ernstig letsel.

Voorzorgsmaatregelen voor montage

1. Monteer uitsluitend volgens deze instructies. Onjuiste montage kan gevaren veroorzaken.
2. Draag tijdens de montage een veiligheidsbril en werkhandschoenen.
3. Houd de verzamelplaats schoon en goed verlicht.
4. Houd omstanders tijdens de montage uit de buurt.
5. Niet monteren als u moe bent of onder invloed bent van alcohol, drugs of medicijnen.
6. De productmogelijkheden zijn alleen van toepassing op correct en volledig gemonteerde producten.
7. Lockout Tagout Kit veilig kan ondersteunen .
8. Voor aanvullende informatie over de onderdelen die op de volgende pagina's worden vermeld, verwijzen wij u naar het montageschema van deze handleiding. Pak alle onderdelen uit en scheid ze van elkaar op een schone werkplek.

Gebruik voorzorgsmaatregelen

1. ZIT OF STA NIET OP DIT ITEM.
2. Dit product is geen speelgoed. Laat kinderen niet met of in de buurt van dit artikel spelen.
3. Overschrijd de capaciteiten niet.
4. Lockout Tagout Kit veilig kan ondersteunen .
5. Alleen gebruiken zoals bedoeld.
6. Inspecteer vóór elk gebruik; niet gebruiken als onderdelen los of beschadigd zijn.

BEWAAR DEZE HANDLEIDING

PRODUCT PARAMETER

Model	BD-G01
Aantal sets _ _ _	10
Product grootte _	25 0* 11 0* 63 mm

PARTS LIST

Naam	Code	aanta
Veiligheidshangslot	G01 (2 sleutels per slot)	10

INSTRUCTIONS

VEILIGHEIDSHANGSLOT

Suitable for use in closed space, such as: chemical, Military, oil extraction and power industry



Steel shackle

With rewritable safety warning signs (can customize luminous PVC material, language, logo, department and so on)



Can print key number



Normal color: ●RED, ●YLW, ●BLU, ●GRN, ●ORG,

●PRP, ●BLK, ●WHT,

Other colors can be custom made.

Durable non-conductive PA lock body, withstand temperature from -20℃ to 150℃, resistance of UV rays.



Copper cylinder



Zinc alloy cylinder

- Normal version, old version padlock (copper/ zinc alloy lock cylinder)
Key retention-the key cannot be pulled out in the open state, ensuring that the padlock will not be left behind
- New padlock (zinc alloy lock cylinder)

Self-rebound self-reset -lock shackle with self-elastic function
When the padlock is opened, the key is automatically reset to the initial position and the key can be removed.



BD-G01: red

(Eenheid: mm)

Fabrikant: Shanghaimuxinmuyeyouxiangongsi

Adres: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Geïmporteerd naar AUS: SIHAO PTY LTD. 1 ROKEVA
STREETEASTWOOD NSW 2122 Australië

Geïmporteerd naar de VS: Sanven Technology Ltd.
Suite 250 , 9166 Anaheim Place, Rancho Cucamonga, CA 91730



SHUNSHUN GmbH
Römeräcker 9 Z2021,76351
Linkenheim-Hochstetten, Germany
euvertreter@gmail.com
+49 1727041930



Pooledas Group Ltd
Unit 5 Albert Edward House, The
Pavilions Preston, United Kingdom
pooledas123@gmail.com
Tel: 01772418127

Gemaakt in China



Technisch Ondersteuning en e-garantiecertificaat
www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Técnico Certificado de soporte y garantía electrónica

www.vevor.com/support

KIT DE BLOQUEO Y ETIQUETADO

MANUAL DE usuario

MODELO: BD-G01

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

LOCKOUT TAGOUT KIT

MODELO: BD-G01



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTIONS

ADVERTENCIA:

Lea este material antes de usar este producto. De lo contrario, se pueden producir lesiones graves.

Precauciones de montaje

1. Ensamble únicamente de acuerdo con estas instrucciones. Un montaje inadecuado puede crear peligros.
2. Utilice gafas de seguridad y guantes de trabajo durante el montaje.
3. Mantenga el área de reunión limpia y bien iluminada.
4. Mantenga a los transeúntes fuera del área durante el montaje.
5. No se reúna cuando esté cansado o bajo la influencia de alcohol, drogas o medicamentos.
6. Las capacidades del producto se aplican únicamente a productos ensamblados de manera adecuada y completa.
7. Ensamble sobre una superficie plana, nivelada, dura y lisa capaz de soportar de manera segura el kit de bloqueo y etiquetado .
8. Para obtener información adicional sobre las piezas enumeradas en las siguientes páginas, consulte el diagrama de montaje de este manual. Desenvuelva y separe todas las piezas en un área de trabajo limpia.

Use precauciones

1. NO SE SIENTE NI SE PARE SOBRE ESTE ARTÍCULO.
2. Este producto no es un juguete. No permita que los niños jueguen con este artículo o cerca de él.
3. No exceda las capacidades.
4. Úselo únicamente sobre una superficie plana, nivelada, dura y lisa capaz de soportar de manera segura un kit de bloqueo y etiquetado completamente cargado .
5. Úselo únicamente según lo previsto.
6. Inspeccionar antes de cada uso; no lo utilice si las piezas están sueltas o dañadas.

GUARDE ESTE MANUAL

PRODUCT PARAMETER

Modelo	BD-G01
Número de conjuntos _ _	10
Tamaño del producto	25 0* 11 0* 63 mm

PARTS LIST

Nombre	Código	canti
Candado de seguridad	G01 (2 llaves por	10

INSTRUCTIONS

CANDADO DE SEGURIDAD

Suitable for use in closed space, such as: chemical, Military, oil extraction and power industry



Steel shackle

With rewritable safety warning signs
(can customize luminous PVC material,
language, logo, department and so on)



Can print key number



Normal color: ●RED, ●YLW, ●BLU, ●GRN, ●ORG,

●PRP, ●BLK, ●WHT,

Other colors can be custom made.

Durable non-conductive PA lock body,
withstand temperature from -20℃ to
150℃, resistance of UV rays.



Copper cylinder



Zinc alloy cylinder

- Normal version, old version padlock
(copper/ zinc alloy lock cylinder)
Key retention-the key cannot be pulled out in the open
state, ensuring that the padlock will not be left behind
- New padlock (zinc alloy lock cylinder)

Self-rebound self-reset -lock shackle with self-elastic function
When the padlock is opened, the key is automatically
reset to the initial position and the key can be removed.



Fabricante: Shanghaimuxinmuyeyouxiangongsi

Dirección: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Importado a AUS: SIHAO PTY LTD. 1 ROKEVA STREET ASTWOOD
NSW 2122 Australia

Importado a EE. UU.: Sanven Technology Ltd.

Suite 250 , 9166 Anaheim Place, Rancho Cucamonga, CA 91730



SHUNSHUN GmbH
Römeräcker 9 Z2021,76351
Linkenheim-Hochstetten, Germany
euvertreter@gmail.com
+49 1727041930



Pooledas Group Ltd
Unit 5 Albert Edward House, The
Pavilions Preston, United Kingdom
pooledas123@gmail.com
Tel: 01772418127

Hecho en china



Técnico Certificado de soporte y garantía electrónica
www.vevor.com/support

VEVOR®

TOUGH TOOLS, HALF PRICE

Tecnico Supporto e certificato di garanzia elettronica

www.vevor.com/support

KIT DI TAGOUT DI BLOCCO

MANUALE D' uso

MODELLO: BD-G01

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

LOCKOUT TAGOUT KIT

MODELLO: BD-G01



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTIONS

AVVERTIMENTO:

Leggere questo materiale prima di utilizzare questo prodotto. In caso contrario si potrebbero causare lesioni gravi.

Precauzioni per il montaggio

1. Assemblare solo secondo queste istruzioni. Un montaggio improprio può creare pericoli.
2. Indossare occhiali di sicurezza e guanti da lavoro durante il montaggio.
3. Mantenere l'area di assemblaggio pulita e ben illuminata.
4. Tenere gli astanti lontani dall'area durante il montaggio.
5. Non montare in caso di stanchezza o sotto l'effetto di alcol, droghe o farmaci.
6. Le funzionalità del prodotto si applicano solo ai prodotti correttamente e completamente assemblati.
7. Montare su una superficie piana, livellata, dura e liscia in grado di sostenere in modo sicuro il kit di lockout tagout .
8. Per ulteriori informazioni riguardanti le parti elencate nelle pagine seguenti, fare riferimento allo Schema di Montaggio di questo manuale. Scartare e separare tutte le parti in un'area di lavoro pulita.

Usare precauzioni

1. NON SEDERSI O STARE IN PIEDI SU QUESTO ARTICOLO.
2. Questo prodotto non è un giocattolo. Non permettere ai bambini di giocare con o vicino a questo oggetto.
3. Non superare le capacità.
4. Utilizzare solo su una superficie piana, livellata, dura e liscia in grado di supportare in sicurezza un kit di lockout tagout completamente caricato .
5. Utilizzare solo come previsto.
6. Ispezionare prima di ogni utilizzo; non utilizzare se le parti sono allentate o danneggiate.

CONSERVA QUESTO MANUALE

PRODUCT PARAMETER

Modello	BD-G01
Numero di set __	10
Taglia del prodotto	25 0* 11 0* 63 millimetri

PARTS LIST

Nome	Codice	quant
Lucchetto di sicurezza	G01 (2chiavi per	10

INSTRUCTIONS

LUCCHETTO DI SICUREZZA

Suitable for use in closed space, such as: chemical, Military, oil extraction and power industry



Steel shackle

With rewritable safety warning signs
(can customize luminous PVC material,
language, logo, department and so on)



Can print key number



Normal color: ●RED, ●YLW, ●BLU, ●GRN, ●ORG,
●PRP, ●BLK, ●WHT,

Other colors can be custom made.

Durable non-conductive PA lock body,
withstand temperature from -20℃ to
150℃, resistance of UV rays.



Copper cylinder



Zinc alloy cylinder

- Normal version, old version padlock
(copper/ zinc alloy lock cylinder)
Key retention-the key cannot be pulled out in the open
state, ensuring that the padlock will not be left behind
- New padlock (zinc alloy lock cylinder)

Self-rebound self-reset -lock shackle with self-elastic function
When the padlock is opened, the key is automatically
reset to the initial position and the key can be removed.



Produttore: Shanghaimuxinmuyeyouxiangongsi

Indirizzo: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
 Shanghai

Importato in AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD
 NSW 2122 Australia

Importato negli Stati Uniti: Sanven Technology Ltd.

Suite 250 , 9166 Anaheim Place, Rancho Cucamonga, CA 91730



SHUNSHUN GmbH
Römeräcker 9 Z2021,76351
Linkenheim-Hochstetten, Germany
euvertreter@gmail.com
+49 1727041930



Pooledas Group Ltd
Unit 5 Albert Edward House, The
Pavilions Preston, United Kingdom
pooledas123@gmail.com
Tel: 01772418127

Made in China



Tecnico Supporto e certificato di garanzia elettronica
www.vevor.com/support