

## **ELECTRIC AND GAS OVENS:**

This appliance complies with the eco-design requirements of Regulation (EU) No. 65/2014, which supplements Directive 2010/30/EU, and Regulation (EU) No. 66/2014, which supplements Directive 2009/125/EC, in accordance with EN 60350-1, EN 15181 and EN 50564

- Where possible, avoid pre-heating the oven and always try to fill it. Only open the oven door as far as necessary because heat is lost each time it is opened. A great deal of energy can be saved by turning off the oven 5 to 10 minutes before the end of the planned cooking time and using the heat that the oven continues to generate.
- The automatic programs are based on standard food products.
- Keep the seals clean and in good condition to avoid wasting energy.

  If your electricity contract has higher and lower rates depending on the time of day, the "delayed cooking" program will make it easier to save by moving the start of the program to a time when the rate is lower.
- ! This product meets the requirements of the new European Directive on the limitation of energy consumption in standby mode.

This product complies with Commission Delegated Regulation (EU) No. 65/2014		
Brand	Kaiser	
Model	EH 6355 RotEm	
EEI [%] Energy Efficiency Index - Main oven 1)	102,5	
EEI [%] Energy Efficiency Index - Secondary oven 1)		
ENERGY EFFICIENCY CLASS - Main oven 2)	A	
ENERGY EFFICIENCY CLASS - Secondary oven 2)		
CURRENT CONSUMPTION IN CONVENTIONAL MODE [kWh/Cycle] - Main oven 3)	0,9	
CURRENT CONSUMPTION IN CONVENTIONAL MODE [kWh/Cycle] - Secondary oven 3)		
CURRENT CONSUMPTION IN FORCED VENTILATION MODE [kWh/Cycle] - Main oven 3)	0,81	
CURRENT CONSUMPTION IN FORCED VENTILATION MODE [kWh/Cycle] - Secondary oven 3)		
CURRENT CONSUMPTION IN CONVENTIONAL MODE [MJ/Cycle] - Main oven 3)		
CURRENT CONSUMPTION IN CONVENTIONAL MODE [MJ/Cycle] - Secondary oven 3)		
CURRENT CONSUMPTION IN FORCED VENTILATION MODE [MJ/Cycle] - Main oven 3)		
CURRENT CONSUMPTION IN FORCED VENTILATION MODE [MJ/Cycle] - Secondary oven 3)		
NUMBER OF CAVITIES	1	
HEAT SOURCE - Main oven	electric	
HEAT SOURCE - Secondary oven		
USABLE VOLUME [L] - Main oven	67 L	
USABLE VOLUME [L] - Secondary oven		

- <sup>1)</sup> Energy Efficiency Index calculated according to the volume and energy consumption of each cavity.
- From A+++ (low consumption) to D (high consumption).
- a) Based on the results of standard tests that simulate the thermal properties of foods. Consumption depends on the mode of use

Product information complies with Commission Delegated Regulation (EU) No. 66/2014			
	Symbol	Value	Unit
Identification of the model	EH 6355 Ü[ Œm		
Type of oven	Electric oven		
Mass of the appliance	M	39.0	kg
Number of cavities		1	
Source of heat per cavity (electricity or gas)	electricity		
Volume per cavity - Main cavity	IN	67	I
Volume per cavity - Secondary cavity	IN	Х	I
Energy consumption (electricity) required to heat a standardized load in a cavity of an electrically heated oven during a cycle in conventional mode per cavity (final electricity) - Main cavity	EC electric cavity	0.9	kWh/cycle
Energy consumption (electricity) required to heat a standardized load in a cavity of an electrically heated oven during a cycle in conventional mode per cavity (final electricity) - Secondary cavity	EC electric cavity	X.XX	kWh/cycl
Energy consumption (electricity) required to heat a standardized load in a cavity of an electrically heated oven during a cycle in forced ventilation mode per cavity (final electricity) - Main cavity	EC electric cavity	0.81	kWh/cycl
Energy consumption (electricity) required to heat a standardized load in a cavity of an electrically heated oven during a cycle in forced ventilation mode per cavity (final electricity) - Secondary cavity	EC electric cavity	X.XX	kWh/cycl
Energy consumption required to heat a standardized load in a cavity of a gas heated oven during a cycle in conventional mode per cavity (final gas) - Main cavity	EC gas cavity	X.XX	MJ/cycle
Energy consumption required to heat a standardized load in a cavity of a gas heated oven during a cycle in conventional mode per cavity (final gas) - Main cavity	EC gas cavity	X.XX	kWh/cycle
Energy consumption required to heat a standardized load in a cavity of a gas heated oven during a cycle in conventional mode per cavity (final gas) - Secondary cavity	EC gas cavity	X.XX	MJ/cycle
Energy consumption required to heat a standardized load in a cavity of a gas heated oven during a cycle in conventional mode per cavity (final gas) - Secondary cavity	EC gas cavity	X.XX	kWh/cycle
Energy consumption required to heat a standardized load in a cavity of a gas heated oven during a cycle in forced ventilation mode per cavity (final gas) - Main cavity	EC gas cavity	X.XX	MJ/cycle
Energy consumption required to heat a standardized load in a cavity of a gas heated oven during a cycle in forced ventilation mode per cavity (final gas) - Main cavity	EC gas cavity	X.XX	kWh/cycle
Energy consumption required to heat a standardized load in a cavity of a gas heated oven during a cycle in forced ventilation mode per cavity (final gas) - Secondary cavity	EC gas cavity	X.XX	MJ/cycle
Energy consumption required to heat a standardized load in a cavity of a gas heated oven during a cycle in forced ventilation mode per cavity (final gas) - Secondary cavity	EC gas cavity	X.XX	kWh/cycle
Energy Efficiency Index per cavity - Main cavity	EEI cavity	102.5	
Energy Efficiency Index per cavity - Secondary cavity	EEI cavity	X.X	
1 kWh/cycle = 3.6 MJ/cycle			•