









### **BI-MATERIAL**







### K FLEX











7





## **BLOW**







SOFT



Certificates available on request.














## SOFT DOOR BUFFERS



































= on request














































































# SYMBOLS AND FINISHES LEGEND

### **SYMBOLS**



= SHELF SAFELY LOCKED DURING TRANSPORTATION AND AT HOME.



= ANTI-TURNOVER LOCKING SYSTEM



= NORMS / PATENTS



= PHILLIPS / POZIDRIV



= WITH BUFFER



= PART NO.



= BLADE SLOT



= WITH MAGNET



= PCS. PER PACKAGE



= COMBI SLOT



= NEWTON



= CAPACITY LOADING



= HEXALOBULAR SOCKET

= HEXAGONAL SOCKET



= FRICTION



= WOOD / GLASS THICKNESS



= COUNTERSUNK HEAD



= AUTOMATIC



= HOLE DIAMETER



= PAN HEAD



= DROP DOWN



= DIAMETER



= FLANGE HEAD



= FLAT HEAD



= STANDARD HINGE



= HEIGHT

= LENGTH



= TRILOBULAR SCREW



= KIMANA HINGE



= RIGHT VERSION



= SELF-TAPPING SCREW



= FLAP HINGE



 $= \mathsf{LEFT} \; \mathsf{VERSION}$ 



= EURO THREAD



 $= {\sf WITH} \; {\sf SPRING}$ 



= SETTING CODE



= METRIC THREAD



= WITHOUT SPRING



= PCS. PER PAD



= PRE-INSERTED SCREW



= REVERSED SPRING



= CUT ON REQUEST



= PRE-INSERTED SCREW AND SPREADING BUSH



= WITH FLANGE



= SELF ADHESIVE

NOTE: Printing errors and omissions may exist despite our best efforts to ensure accurancy. We reserve the right to alter specifications without notice.

### **MATERIALS**



$$\left(ST\right) = Steel$$

HSS = High Speed Steel

$$\left(\mathsf{BR}\right) = \mathsf{Brass}$$

ABS = Acrylonitrile
Butadiene
Styrene



Nickel-platedZinc Alloy

STzk = Zinc-plated Steel

 $\left( AL \right) = Aluminium$ 

(WD) = Wood

EVA = Ethylene Vinyl Acetate



+ (EP) = other engineering plastic available on request



+ (SR) = other soft rubber available on request

EPc = Clear Engineering Plastic

SRn = Natural Soft Rubber

EPg = Grey Engineering Plastic



(EPa) = Anthracite Engineering Plastic






## **FINISHES**



= OTHER FINISHES AVAILABLE ON REQUEST

DADT NO	FINICHEC	DADT NO	FINICHES	DART NO	FINICHEC
PART NO.	FINISHES	PART NO.	FINISHES	PART NO.	FINISHES
00	Insignificant finish	IF	Grey 7	XE	Inox
AA	Natural	IJ	Light Grey	YA	Nickel-plated
AB	White	IL	Grey 20	YC	Matt Nickel-plated
AE	White 9010	IN	Grey met. 26	YD	Satin-finished Nickel-plated
EA	Black	JG	Aluminium 5	YQ	Black Nickel
EC	Matt Black	JL	Aluminium PE 11	Z9	Black Zinc
EE	Anthracite	JM	Aluminium RAL 9006	ZN	Zinc-plated
EW	Grey 9007	КВ	Bright Chrome	ZQ	Bright Gold
FU	Gunmetal	KC	Matt Chrome	ZZ	Clear/Transparent
FV	Gunmetal V52	LD	Brown 8019		
GR	Zamak Raw	RO	Red		
НА	Brass-Plated	UT	T-Met 9007		
НН	Tropicalized	UZ	T-Met		
HL	Raw Brass	WA	Bronzed		
НХ	Graphite	WI	Burnished		
IA	Grey	XD	Satin-finished Steel		





www.italianaferramenta.com