



Parametry podstawowe

Typ produktu lub komponentu	Mini kanał elektroinstalacyjny
Zastosowanie urządzenia	Rozprowadzenie kabli
Kolor	Biały RAL 9010
Ilość sztuk w zestawie	64 m

Parametry uzupełniające

Materiał kanału elektroinstalacyjnego	Plastikowy
Podział na przedziały	1 przedział
Wymiary kanału elektroinstalacyjnego	25 x 25 mm
Sposób mocowania	Kabel zasilający : Mocowany na wkręty Kabel niskiego napięcia : taśma samoprzylepna Nacięty otwór mocujący with distance of 230 mm between centers
Materiał	Polichlorek winylu (PCW)
Długość	2000 mm
Wysokość	25 mm
Szerokość	25 mm

Środowisko pracy

Stopień ochrony IP	IP40
Stopień ochrony IK	IK07
Temperatura otoczenia dla pracy urządzenia	-5...60 °C
Zagadnienia środowiskowe i zdrowotne	Bezkadmowy Bezołowiowy
Normy	EN 50085-1 : 2005 EN 50085-2-1 : 2006

Oferta zrównoważonego rozwoju

Status oferty zrównoważonego rozwoju	Produkt ekologiczny Green Premium
RoHS (kod daty: RRTT)	Zgodny - od 1139 - Schneider Electric declaration of conformity  Schneider Electric declaration of conformity
REACH	Referencja nie zawiera SVHC powyżej wartości progowej Referencja nie zawiera SVHC powyżej wartości progowej
Profil ekologiczny produktu	Dostępny  Profil środowiskowy produktu
Instrukcje dotyczące zakończenia okresu eksploatacji produktu	Bez potrzeby specjalnych działań recyklingowych

Warunki gwarancji

Okres	18 miesięcy
-------	-------------

Choice guide

Mini-and cable distribution trunking

Ultra mini-trunking							
							
Size	Ref. No	Internal corner Ref. No.	External corner Ref. No.	Bend 90° Ref. No.	T-piece Ref. No.	Joint cover piece Ref. No.	Stop end Ref. No.
12x7 Self-adhesive	ETK12407						
12x12	ETK12312						
12x12 Self-adhesive	ETK12912						
16x16	ETK16316	ETK16320 ETK16320D*	ETK16330 ETK16330D*	ETK16340 ETK16340D*	ETK16350 ETK16350D*	ETK16370 ETK16370D*	ETK16361 ETK16361D*
16x16 Self-adhesive	ETK16916 ETK16416*						
20x10	ETK20310						
20x10 Self-adhesive	ETK20910						
25x16	ETK25316	ETK25320 ETK25320D*	ETK25330 ETK25330D*	ETK25341 ETK16341D*	ETK25350 ETK25350D*	ETK25370 ETK25370D*	ETK25361 ETK25361D*
25x16 Self-adhesive	ETK25916 ETK25416*						
25x25	ETK25325						
25x25 Self-adhesive	ETK25925 ETK25425*						
25x40	ETK25340						
30x15	ETK30315						
30x30	ETK30330						
40x16	ETK40316	ETK40320 ETK40320D*	ETK40330 ETK40330D*	ETK40341 ETK40341D*	ETK40350 ETK40350D*	ETK40370 ETK40370D*	ETK40361 ETK40631D*
40x25	ETK40325						
40x25 Self-adhesive	ETK41925						
40x40	ETK40340						
40x60	ETK40360						
60x25	ETK60325	ETK60320 ETK60320D*	ETK60330 ETK60330D*	ETK60341 ETK40341D*	ETK60350 ETK60350D*	ETK60370 ETK60370D*	ETK60361 ETK60361D*
60x40	ETK60340						
60x60	ETK60360						
80x60	ETK80360						
80x80	ETK80380						
120x60	ETK12360						

* DIY range

Range

Mini-and cable distribution trunking

Mini-trunking Ultra for cable distribution

	Type	Colour	Dimensions A/B/C (mm)		Qty per package	EAN code	Ref. No.
	Mini-trunking						
	One-compartment mini-trunking made up by a base profile with pre-punched mounting holes on every 23 rd cm and a snap-fit front cover. Suitable for power and low voltage cables. Supplied in 2 m lengths. Material: PVC.						
 P141261	Mini-trunking 12x12	White RAL 9010	12/12/2000		224 m	8698150123124	ETK12312
	Mini-trunking 16x16	White RAL 9010	16/16/2000		132 m	8698150163168	ETK16316
	Mini-trunking 20x10	White RAL 9010	20/10/2000		144 m	8698150203109	ETK20310
	Mini-trunking 25x16	White RAL 9010	25/16/2000		104 m	8698150253166	ETK25316
 P141265	Mini-trunking 25x25	White RAL 9010	25/25/2000		64 m	8698150253258	ETK25325
	Mini-trunking 25x40	White RAL 9010	25/40/2000		60 m	8698150253401	ETK25340
	Mini-trunking 30x15	White RAL 9010	30/15/2000		78 m	8698150303151	ETK30315
	Mini-trunking 30x30	White RAL 9010	30/30/2000		88 m	8698150303304	ETK30330
	Mini-trunking 40x16	White RAL 9010	40/16/2000		84 m	8698150403165	ETK40316
	Mini-trunking 40x25	White RAL 9010	40/25/2000		60 m	8698150403257	ETK40325
	Mini-trunking in plastic bag						
	One-compartment mini-trunking made up by a base profile with pre-punched mounting holes on every 23 rd cm and a snap-fit front cover. Suitable for power and low voltage cables. Supplied in 2 or 3 m lengths. Packed in a plastic bag. Material: PVC.						
 P141261	Mini-trunking 16x16	White RAL 9010	16/16/2000		60 m	3606480507410	ETK16616
			16/16/3000		90 m	3606480507427	ETK16520
 P141265	Mini-trunking 25x16	White RAL 9010	25/16/2000		60 m	3606480507458	ETK25616
			25/16/3000		90 m	3606480507465	ETK25516
	Mini-trunking 25x25	White RAL 9010	25/25/2000		30 m	3606480507557	ETK25625
			25/25/3000		45 m	3606480507564	ETK25525
	Mini-trunking 40x25	White RAL 9010	40/25/2000		30 m	3606480507595	ETK40625
			40/25/3000		45 m	3606480507601	ETK40525
	Mini-trunking, self-adhesive						
	One-compartment mini-trunking made up by a base profile with pre-punched mounting holes on every 23 rd cm and a snap-fit front cover. Supplied with self-adhesive fixing tape. Suitable for power and low voltage cables. Supplied in 2 m lengths. Material: PVC.						
 P141260	Mini-trunking 12x7 self-adhesive	White RAL 9010	12/7/2000		154 m	3606480631115	ETK12407
	Mini-trunking 12x12 self-adhesive	White RAL 9010	12/12/2000		196 m	8698150129126	ETK12912
	Mini-trunking 16x16 self-adhesive	White RAL 9010	16/16/2000		156 m	8698150169160	ETK16916
 P141264	Mini-trunking 20x10 self-adhesive	White RAL 9010	20/10/2000		144 m	8698150209101	ETK20910
	Mini-trunking 25x16 self-adhesive	White RAL 9010	25/16/2000		84 m	8698150259168	ETK25916
	Mini-trunking 25x25 self-adhesive	White RAL 9010	25/25/2000		64 m	8698150259250	ETK25925
	Mini-trunking 40x25 self-adhesive	White RAL 9010	40/25/2000		60 m	8690495072396	ETK41925
	Mini-trunking, self-adhesive, with label, for DIY						
	One-compartment mini-trunking with label, made up by a base profile with pre-punched mounting holes on every 23 rd cm and a snap-fit front cover. Supplied with self-adhesive fixing tape. Suitable for power and low voltage cables. Supplied in 2 m lengths. Material: PVC.						
 P141260	Mini-trunking 12x12 self-adhesive, DIY	White RAL 9010	12/12/2000		88 m	3606480660023	ETK12812
	Mini-trunking 16x16 self-adhesive, DIY	White RAL 9010	16/16/2000		156 m	3606480572586	ETK16416
 P141264	Mini-trunking 25x16 self-adhesive, DIY	White RAL 9010	25/16/2000		84 m	3606480572593	ETK25416
	Mini-trunking 25x25 self-adhesive, DIY	White RAL 9010	25/25/2000		64 m	3606480572609	ETK25425