

## EU DECLARATION OF CONFORMITY

For the following equipment:

Part No.:	GPVP-25-X (X = 12, 24)
Batch No.:	GLP19xxxxxxxxxxxxxx

Is herewith confirmed to comply with the requirements set out in the Council Directive, the following standards were applied:

**ROHS Directives 2011/65/EU, 2015/863/EU, 2017/2102/EU**

**Low Voltage Directive 2014/35/UE:**

Standard	Description
EN 61347-1:2015	Lamp controlgear - General and safety requirements.
EN 61347-2-13:2014 + A1:2017	Lamp controlgear - Particular requirements for d.c. or a.c. supplied electronic controlgear for LED modules

**Electromagnetic Compatibility Directive 2014/30/UE:**

Standard	Description
EN55015:2013 + A1:2015	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
EN61000-3-2:2014	Electromagnetic compatibility (EMC). Limits. Limits for harmonic current emissions (equipment input current $\leq 16$ A per phase)
EN61000-3-3:2013	Electromagnetic compatibility (EMC). Limits. Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current $\leq 16$ A per phase and not subject to conditional connection
EN61547:2009	Equipment for general lighting purposes. EMC immunity requirements

*Power supply is considered as component of final equipment not indented to apply by end-user. Power supply meets safety and EMC standards however the final equipment with power supply must be re-quality to comply with EMC and LVD Directives.*