



## PRODUCT DATA SHEET

Code	Shoe height, mm	Commercial item code	Color
M(b)/2C0826(yel)/3-2	90 ± 5	AirFlex Breath 826	

Upper	Breathable waterproof <b>microfiber</b> durable <b>rubberized</b> material. Reflective inserts
Lacing	Black-yellow <b>laces</b>
Lining	Jacquard <b>Mesh</b> Yellow
Tongue	<b>Cordura®</b> textile, <b>microfiber</b>
Insole	<b>MaxFlex</b> kevlar midsole
Insock	<b>Antistatic</b> anatomically-shaped
Toe cap	<b>fiberCap</b> for less weight with perfect protection, 200J
Outsole	<b>PU-TPU</b> Antistatic, oil-resistant, slipresistant; The new modern Grip control: flex-zones, small triangles

Sizes	37-47
Half pair weight, g (42 Size)	590 ± 6%

Logo	TALAN
------	-------

Protection levels	S3 SRC
EC Standards	EN ISO 20345:2011
Manufacturer's notes languages	it, fr, en, de, es, nl, it, sv, sl, hu, tr, pl, pt, el, cs



Cordura



Toe Cover



## EU TYPE-EXAMINATION CERTIFICATE MODULE B N° F-281-06280-23

### FABBRICANTE MANUFACTURER

Azienda Company TALAN

### MANDATARIO AUTHORISED REPRESENTATIVE

Azienda Company TALAN GmbH  
Paese Country GERMANY

Articolo Item	M(bl)/2C0826(yel)/3-2
Marchio Brand	TALAN
Descrizione Description	Calzatura di sicurezza Safety footwear
Taglie Size	35-47
Categoria Category	II
Norme armonizzate applicate (in tutto o in parte) Harmonised standards applied (or parts thereof)	EN ISO 20345:2011
Livelli di prestazione e/o classe di protezione Protection class and/or performance levels	S3 SRC
Altre specifiche tecniche applicate Technical specifications applied	EN 12568:2010



NERO/GIALLO  
BLACK/YELLOW



GIALLO  
YELLOW

CERTIFICATO DI ESAME UE DEL TIPO MODULO B N° F-281-06280-23 del 05/05/2023 – Pratica: 23-1143.1 – M4b/rev.1


**CIMAC**  
CERTIFICATIONS

A.N.C.I. Servizi s.r.l. a socio unico  
CF e PIVA 07199040150  
REG. Imprese n° 229059  
Trib. Di Milano - REA n° 1147818  
Sede legale:  
Via Alberto Riva Villasanta, 3 - 20145 Milano

Sede Operativa:  
Organismo notificato n. 0465  
Via Aguzzafame 60/b  
27029 Vigevano (PV) - Italy  
+39 0381 84722  
info@cimac.it - www.cimac.it

# SHOE TECHNICAL DATA SHEET



Code	Shoe height, mm	Commercial item code	Color
M(bl)/2C0826(yel)/3-2	90 ± 5	AirFlex Breath 826	

Upper	Breathable waterproof <b>microfiber</b> durable <b>rubberized</b> material. Reflective inserts
Lacing	Black-yellow <b>laces</b>
Lining	Breathable <b>Mesh</b> Yellow
Tongue	<b>Cordura®</b> textile, <b>microfiber</b>
Insole	<b>MaxFlex</b> kevlar midsole
Insock	<b>Antistatic</b> anatomically-shaped
Toe cap	<b>fiberCap</b> for less weight with perfect protection, 200J
Outsole	<b>PU-TPU</b> Antistatic, oil-resistant, slipresistant The new modern Grip control: flex-zones, small triangles

Sizes	36-48
Half pair weight, g (42 Size)	590 ± 5%

Logo	<b>TALAN</b>
------	--------------

Protection levelsn	<b>S3 SRC</b>
EC Standards	<b>EN ISO 20345:2011</b>

Manufacturer's notes languages	it, fr, en, de, es, nl, lt, sv, sl, hu, tr, pl, pt, el, cs
-----------------------------------	--

**DEKLARACJA ZGODNOŚCI EU**  
**Rozporządzenie 2016/425 UE**

Producent:  
**Talan**

Oświadczam na swoją wyłączną odpowiedzialność, że  
**Obuwie ochronne M(bl)/2C0826(yel)/3-2**



przeszedł procedurę oceny zgodności badania typu UE  
(Moduł B)  
w jednostce notyfikowanej A.N.C.I. SERVIZI SRL, z siedzibą w CIMAC, via Aguzzafame  
60 / B, 27029 Vigevano (PV), Italy, N ° 0465),  
która wydała Certyfikat Badania Typu UE o numerze F-281-06280-23 dnia  
05.05.2023

i jest zgodny z normą EN ISO 20345:2011

Podpisano dla i w imieniu Talan

