



CorePro Plastic LEDbulbs



CorePro LEDbulb ND 8-60W A60 E27 827

The CorePro LED bulb is the perfect bulb for your basic lighting needs. It provides beautiful light and dependable performance you expect from LED at an affordable price. CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings of 80% and provides excellent quality of light. By offering a lifetime of 15,000 hours it reduces maintenance costs.

Product data

| General Information | |
|---------------------------------------|--------------------|
| Cap-Base | E27 [E27] |
| Nominal lifetime | 15,000 hour(s) |
| Switching Cycle | 50,000 |
| Lighting Technology | LED |
| Flux measurement reference | Sphere |
| CE mark | Yes |
| EU RoHS compliant | Yes |
| | |
| Light Technical | |
| Color Code | 827 [CCT of 2700K] |
| Beam Angle (Nom) | 180 degree(s) |
| Luminous Flux | 806 lm |
| Color Designation | Warm White (WW) |
| Correlated Color Temperature (Nom) | 2700 K |
| Luminous Efficacy (rated) (Nom) | 100 lm/W |
| Color Consistency | <6 |
| Color rendering index (CRI) | 80 |
| LLMF At End Of Nominal Lifetime (Nom) | 70 % |
| | |

| Flickering value (PstLM) | 1 | |
|--|-----------------|--|
| Stroboscopic effect value (SVM) | 0.4 | |
| Photobiological safety according to EN 62471 RG1 | | |
| | | |
| Operating and Electrical | | |
| Line Frequency | 50 to 60 Hz | |
| Input Frequency | 50 to 60 Hz | |
| Power Consumption | 8 W | |
| Lamp Current (Nom) | 46 mA | |
| Wattage Equivalent | 60 W | |
| Starting Time (Nom) | 0.5 s | |
| Warm-up time to 60% light | 0.5 s | |
| Power Factor (Fraction) | 0.54 | |
| Voltage (Nom) | 220-240 V | |
| | | |
| Temperature | | |
| Ambient temperature range | -20 °C to 45 °C | |
| T-Case Maximum (Nom) | 75 °C | |
| | | |


Datasheet, 2023, November 8 data subject to change

CorePro Plastic LEDbulbs

| Controls and Dimming | |
|-------------------------------|--------------|
| | |
| Dimmable | No |
| | |
| Mechanical and Housing | |
| Bulb Finish | Frosted |
| Bulb Material | Plastic |
| Bulb Shape | A60 [A 60mm] |
| | |
| Approval and Application | |
| Energy Efficiency Class | F |
| Energy Consumption kWh/1000 h | 8 kWh |
| EPREL Registration Number | 397611 |
| EyeComfort | Yes |
| | |


| Product Data | |
|---------------------------------|----------------------------------|
| Order product name | CorePro LEDbulb ND 8-60W A60 E27 |
| | 827 |
| Full product name | CorePro LEDbulb ND 8-60W A60 E27 |
| | 827 |
| Full product code | 872016916897800 |
| Order code | 929002306208 |
| Material Nr. (12NC) | 929002306208 |
| Numerator - Quantity Per Pack | 1 |
| EAN/UPC - Product/Case | 8720169168978 |
| Numerator - Packs per outer box | 10 |
| EAN/UPC - Case | 8720169168985 |


Dimensional drawing



| Product | D | С |
|--------------------------------------|-------|--------|
| CorePro LEDbulb ND 8-60W A60 E27 827 | 60 mm | 108 mm |

Photometric data






Spectral Power Distribution Colour - CorePro LEDbulb ND 8-60W A60 E27 827

General uniform lighting - CorePro LEDbulb ND 8-60W A60 E27 827


CorePro Plastic LEDbulbs


Photometric data



Light Distribution Diagram - CorePro LEDbulb ND 8-60W A60 E27 827

Lifetime





Lumen Maintenance Diagram - CorePro LEDbulb ND 8-60W A60 E27 827

Life Expectancy Diagram - CorePro LEDbulb ND 8-60W A60 E27 827



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.