

E-ASX 130 UNIVERSAL

GHOST

Unisex met. anthrazit / light
grey - glossy&matt



This e-MTB was born for the mountains: The powerful Bosch Performance Line CX motor will get you up in a flash while the 130 mm of suspension travel brings you gently back down. Equipped with a SRAM drive train and Suntour suspension, this e-mountain bike makes even demanding riders happy. The new Bosch Smart System also allows you to perfectly customise your riding experience by connecting the motor, battery and display all with just one app. It's a great choice for ambitious beginners, advanced riders or trail veterans!

€ 4999



Specification

Frame and more

Framesize	Convection	S
Max loadable weight (KG)		120 kg
Front Fork Type		Suspension
Suspension Type		Fully
Travel Front		130 mm
Travel Rear		130 mm
Front Fork Description		Suntour, XCR34 Air Boost LOR DS 130 mm
Frame Description		E-ASX AL, Aluminium, Unisex
Shock Description		Suntour, Raidon R 130 mm

E-bike components

Battery Capacity	625 Wh
Battery Location	Downtube
Motor Torque [nm]	85 Nm
Motor Location	Center
Battery Description	Bosch, Power Tube 625 Wh
Charger Description	Bosch, Charger 4 Ah
Display Description	Bosch, LED Remote
Motor Description	Bosch, Performance Line CX

Bike Geometry

Bottom bracket drop [mm]	-30 mm
Chain stay length [mm]	460 mm
Head tube angle	65.5 degrees
Head tube length [mm]	110 mm
Reach [mm]	436 mm
Stack [mm]	611 mm
Stand over height [mm]	738 mm
Seat tube angle	76 degrees
Seat tube length [mm]	390 mm
Top tube length [mm]	588 mm
Wheelbase [mm]	1216 mm

Brake system

Brake Rear Mount	Post Mount
Brake Front Description	Shimano, BR-MT420 203 mm Disc
Brake Rear Description	Shimano, BR-MT420 203 mm Disc
BrakeLever Description	Shimano, BL-M4100
Brake Rotor Description	Shimano, SM-RT30/RT-EM300 203 mm

Drivetrain

Cassette Teeth	11
Crankset Teeth	34
Number Of Gears	12
Pedal Inclusive	Yes
Cassette Description	Sram, PG-1210
Chain Description	Sram, SX Eagle
Crankset Description	E Thirteen, e*spec Plus
Deraillieur Hanger Description	Sram, UDH
Deraillieur Rear Description	Sram, SX Eagle 12-S
Gear Description	Sram, Deraillieur
Pedal Description	VP, VPE-527
Shifter Right Description	Sram, SX Eagle Single Click

Handlebar and Saddle

Handlebar Rise	15
Handlebar Width	760 mm
Stem Length	45 mm
Handgrip Description	WTB, Wafel
Handlebar Description	Ghost, Ground Fiftyone Dia. 31.8 mm

Headset Description
Saddle Description
Seatpost Description
Stem Description

Acros, AZX-205
Selle Royal, Vivo
Ghost, Non Suspension, SP DC1, Dia. 31.6 mm
Ghost, Ground Fiftyone Dia. 31.8 mm

Wheels and wheel components

Hub Front Description
Hub Rear Description
Rim Description
Rim Rear Description
Spoke Description
Tyre Description
Tyre Rear Description
Wheelsize Description

Shimano, HB-MT400-B 15x110 mm
Shimano, FH-MT400-B 12x148 mm
WTB, ST i30
WTB, ST i30
DT Swiss, FACTORY 2.0
Schwalbe, Nobby Nic Performance 2.4
Schwalbe, Nobby Nic Performance 2.6
29, 27.5