

Eaton 107068

Catalog Number: 107068

Eaton xEffect SASY 60i Enclosures Switch- & Controlgear Enclosure. End shroud, for 3p, flat rail support

General specifications



Product Name	Catalog Number
Eaton xEffect SASY 60i busbar support	107068
EAN	Product Length/Depth
9010238237070	25 mm
Product Height	Product Width
31 mm	166 mm
Product Weight	Compliances
0.019 kg	UL CSA09 (refer to approbation report)
	IEC 60439-1
	UL508A
	CE marking
	CSA-C22.2 No. 14
	RoHS conform
Certifications	Model Code
CSA (Class No. 3211-37)	ES-BBS-3/FL
CSA (File No. 236217)	
UL (Category Control Number NMTR, NMTR7)	
North America (UL listed, CSA certified)	
UL (File No. E300273)	

Specyfikacje produktu

Voltage rating (UL CSA 13)

Max. 600 V AC

Temperature resistance

Up to 120 °C

Type

60 mm system

System for flat busbar

Accessory/spare part type

Contact protection end piece

Accessory

Spare part

Used with

BBS-3/FL

BBS-3/FL-NA

Feeder circuits

System for flat busbar

60 mm system

Creepage resistance

CTI 200

Color

Light gray (RAL 7035)

Features

Halogen free

Self-extinguishing acc. UL 94

Functions

End shroud

Busbar support

Current limiting circuit breaker, refer to approbation report

Accessory

Suitable for

For covering the busbars

Material

Thermoplast, silicon free, chlorine free

Degree of protection

Feeder circuits

Do pobrania

Certyfikaty

[eaton-xeffect-sasy-60i-declaration-of-conformity.pdf](#)

DWG

[eaton-control-panels-xeffect-sasy-cover-dimensions.eps](#)

[eaton-control-panels-xeffect-sasy-cover-3d-drawing.eps](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. Wszelkie
prawa zastrzeżone.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia