

VESTEL

ELECTRIC VEHICLE CHARGER

EVC02 SERIES



Drive Green!





Wall Mounted

EVC02-XX



- Wall Mounted
- CE Marking
- Smart Application
- Smart Home Integrated



Build




Main Unit

- Full Aluminium Housing
- IP54 Rating
- IEC 61851 Safety Class I
- IEC 62196 Electric Vehicle Socket
- Standart White Colour

Outdoor Stand

- Rectangular Extrusion Metal Sheet
- Galvanized Coating
- Anti-Corrosion Painting



Free Standing



Single Outdoor




Double Outdoor



OPTIONAL FEATURES	Option	Type
	Wi-Fi	802.11n 1x1
	GSM	2G (GPRS)
	RFID Reader	ISO14443A/B & ISO-15693
	NFC Module	ISO / IEC18092 - ISO / IEC21481
	Network Protocol	OCPP 1.6 (with GSM)
	Smart Application	Android & IOS (with connectivity)
	Colour	White - Blue - Orange

Technical Information



		EVC02-3	EVC02-7	EVC02-11	EVC02-22
PRODUCT SPECIFICATIONS	Power	3.7 kW	7.4 kW	11 kW	22 kW
	Voltage	230V AC, 1-Phase	230V AC, 1-Phase	400V AC, 3-Phase	400V AC, 3-Phase
	Current	1 x 16A	1 x 32A	3 x 16A	3 x 32A
	Socket Type	TYPE 2 EU	TYPE 2 EU	TYPE 2 EU	TYPE 2 EU
	Dimension ~ (HxWxD) mm	647x180x184	647x180x184	647x180x184	647x180x184
	Weight	10.7Kg	10.7 Kg	11.2 Kg	11.2 Kg
	IP Rating	IP54	IP54	IP54	IP54
	IK Rating	IK10	IK10	IK10	IK10

		EVC02-3	EVC02-7	EVC02-11	EVC02-22
PRODUCT SPECIFICATIONS	Operating Conditions	Temperature	-30 °C ↔ +50 °C		
		Humidity	5% ↔ 95% (Relative Humidity, without dewdrops)		
		Altitude	0 ↔ 2000 m		
	Storage Conditions	Temperature	-40 °C ↔ +80 °C		
		Humidity	5% ↔ 95% (Relative Humidity, without dewdrops)		
		Altitude	0 ↔ 5000 m		

VESTEL

Vestel Trade Co.

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye

Phone: 90 - 236 233 25 82 **Fax:** 90 - 236 233 25 84

vesteltrade@vestel.com.tr

www.vestelinternational.com