OWNER'S MANUAL - PRODUCT FICHE					
RELATED OWNER'S MANUAL CODE: 16122700A18349					
Trade Mark	Rotenso	Rotenso			
Indoor Model	M26Xi R15	M35Xi R15			
Outdoor Model	M26Xo R15	M35Xo R15			
Sound Power Level at Standard Rating Conditions(Indoor/Outdoor)[dB(A)]	59/60	59/60			
Refrigerant Type	R32	R32			
GWP	675	675			
Charge amount (g)	900	900			
CO2 equivalent (tonnes)	0.607	0.607			
SEER	9.3	9.2			
Energy efficiency Class in cooling	A+++	A+++			
Annual Electricity Consumption in Cooling[kWh/y] [1]	98	133			
Design Load in cooling Mode (Pdesign)[kW]	2.6	3.5			
SCOP (average heating season)	5.3	5.3			
Energy efficiency class in heating (average season)	A+++	A+++			
Annual electricity consumption in heating (average season)[kWh/y][2]	620	620			
Warmer heating season	Y	Y			
Colder heating season					
Design load in heating mode (Pdesign)[kW]	2.2	2.2			
Declared capacity at reference design condition (heating average season)[kW]	1.949	1.949			
Back up heating capacity at reference design condition (heating average season)[kW]	0.251	0.251			
Refrigerant leakage contributes to climate change. global warming than a refrigerant with higher GWF GWP equal to 675. This means that if 1kg of this is warming would be 675 times higher than 1kg of Cr yourself or disassemble the product yourself and a Contains fluourinated greenhouse gases. Importer: THERMOSILESIA, ul. Szyb Walenty 16, 41-700 Ruda Śląska, Manufacturer: ROTENSO, ul. Szyb Walenty 16, 41-700 Ruda Śląska, P [1] [2] Energy consumption "XYZ" kWh per year, based on standard depend on how the appliance is used and where it is located.	Refrigerant with lower global warming po P, if leaked to the atmosphere. This applian refrigerant fluid would be leaked to the atm O2, over a period of 100 years. Never try to always ask a professional Poland roland rd test results. Actual energy consumption will	tential (GWP) would contribute less to nce contains a refrigerant fluid with a mosphere, the impact on global to interfere with the refrigerant circuit			

	KARTA PRODUKTU	
KOD KARTY PRODUKTU: 16122700A18349		
Znak towarowy	Rotenso	Rotenso
Jednostka wewnętrzna	M26Xi R15	M35Xi R15
lednostka zewnętrzna	M26Xo R15	M35Xo R15
Poziom mocy akustycznej (jednostka wewnętrzna/jednostka zewnętrzna [dB(A)]	59/60	59/60
Rodzaj czynnika chłodniczego	R32	R32
GWP	675	675
ość czynnika chłodnczego (g)	900	900
kwiwalent CO2 (tCO2eq)	0.607	0.607
EER	9.3	9.2
lasa efektywności - chłodzenie	A+++	A+++
oczne zużycie energii elektrycznej - funkcja chłodzenia [kWh/y] [1]	98	133
Obciążenie chłodnicze [kW]	2.6	3.5
СОР	5.3	5.3
lasa efektywności - grzanie	A+++	A+++
oczne zużycie energii elektrycznej - funkcja grzania [kWh/y] [2]	620	620
ezon grzewczy cieplejszy	Υ	Y
ezon grzewczy chłodniejszy		
Dbciążenie grzewcze [kW]	2.2	2.2
Deklarowana wydajność w warunkach ogrzewania średni sezon) [kW]	1.949	1.949
Zapas mocy w warunkach ogrzewania średni sezon) [kW]	0.251	0.251
Wycieki czynników chłodniczych przyczyniają się do zmia współczynniku ocieplenia globalnego (GWP) ma mniejsz zawiera płyn chłodniczy o współczynniku GWP wynosz chłodniczego do atmosfery, jego wpływ na globalne ocie samodzielnie manipulować przy obiegu czynnika lub den Zawiera fluorowane gazy cieplarniane. Importer: THERMOSILESIA, ul. Szyb Walenty 16, 41-700 Ruda Śląska, Manufacturer: ROTENSO, ul. Szyb Walenty 16, 41-700 Ruda Śląska, Po [1] [2] Zużycie energii "XYZ" kWh na rok, oparte na standardowych w użytkowania urządzenia i jego umiejscowienia.	ny klimatu. W przypadku przedostania się do zy wpływ na globalne ocieplenie niż czynnik o zącym [ 675]. Powyższe oznacza, iż w przyp plenie byłby [ 675] razy większy niż wpływ 1 nontować urządzeń, należy zawsze zwrócić się Poland pland pland	atmosfery czynnika chłodniczego o niższym o wyższym współczynniku GWP. Urządzenie oadku przedostanie się 1 kg takiego płynu k gCO2 w okresie 100 lat. Nigdy nie należy o pomoc do specjalisty.

OWNER'S MANUAL - PRODUCT FICHE						
RELATED OWNER'S MANUAL CODE:CS012UI-OP(D)						
Trade Mark		Rotenso				
Model: Indoor		M26Xi R15	M35Xi R15			
Model: Outdoor		M26Xo R15	M35Xo R15			
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	59/60	59/60			
Refrigerant type		R32	R32			
GWP <sup>[1]</sup>		675	675			
Charge amount <sup>[1]</sup>	[g]	900	900			
CO2 equivalent [1]	[tonnes]	0.607	0.607			
SEER	[W/W]	9.3	9.2			
Energy efficiency class in cooling		A+++	A+++			
Annual electricity consumption in cooling <sup>[2]</sup>	[kWh/a]	98	133			
Design load in cooling mode (Pdesign)	[kW]	2.6	3.5			
SCOP (average heating season)	[W/W]	5.3	5.3			
Energy efficiency class in heating (average season)		A+++	A+++			
Annual electricity consumption in heating (average season) <sup>[2]</sup>	[kWh/a]	620	620			
Design load in heating mode (Pdesign)	[kW]	2.2	2.2			
Declared capacity at reference design condition (Average)	[kW]	1.949	1.949			
Back up heating capacity at reference design condition (Average)	[kW]	0.251	0.251			
SCOP (Warmer)	[W/W]	6.0	6.0			
Energy efficiency class in heating (Warmer)		A+++	A+++			
Annual electricity consumption in heating (Warmer) <sup>[2]</sup>	[kWh/a]	702	702			
Design load in heating mode (Pdesign) (Warmer)	[kW]	3.0	3.0			
Declared capacity at reference design condition (Warmer)	[kW]	3.000	3.000			
Back up heating capacity at reference design condition (Warmer)	[kW]	0.000	0.000			
SCOP (Colder)	[W/W]	4.1	4.1			
Energy efficiency class in heating (Colder)		A+	A+			
Annual electricity consumption in heating (Colder) <sup>[2]</sup>	[kWh/a]	1639	1639			
Design load in heating mode (Pdesign) (Colder)	[kW]	3.2	3.2			
Declared capacity at reference design condition (Colder)	[kW]	1.838	1.838			
Back up heating capacity at reference design condition (Colder)	[kW]	1.362	1.362			
[1] Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [675]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [675] times higher than 1kg of CO2, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional						
Contains fluourinated greenhouse gases.						
Importer: THERMOSILESIA, ul. Szyb Walenty 16, 41-700 Ruda Śląska, Poland						
Manufacturer: ROTENSO, ul. Szyb Walenty 16, 41-700 Ruda Śląska, Poland						
[2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.						

Note: Please check the model information above according to the model name on the nameplate.