

Eaton 266140

Catalog Number: 266140

Eaton Moeller® series LSM, krańcowy łącznik bezpieczeństwa, LS(M)-..., Popychacz kopułkowy, Moduł podstawowy, możliwość rozbudowy, 1 NO, 1 NC, EN 50047 typ B, Styk migowy – tak, Żółty, Metal, Zacisk Cage Clamp, -25 - +70 °C



Zdjęcie jest reprezentatywne

General specifications

Nazwa produktu

Eaton Moeller® series LSM Safety
position switch

Numer katalogowy

266140

EAN

4015082661403

Długość/głębokość produktu

33.5 mm

Wysokość produktu

76.5 mm

Szerokość produktu

31 mm

Masa produktu

0.147 kg

Zgodność/zgodności

Uzyskano oznaczenie CE

Certyfikat(y)

UL 508
EN 60947-5
IEC 60947-5
CSA Std. C22.2 nr 14
CSA Class No.: 3211-03
CSA File No.: 012528
CSA-C22.2 No. 14
IEC/EN 60947-5
UL Category Control No.: NKCR
IEC/EN 60947
UL

Kod modelu

LSM-11S

CE
CSA

UL File No. E29184

Do pobrania

Control travel diagram

[eaton-position-switches-diagram-ls-contact-travel-diagram-014.eps](#)

131U148

Deklaracje zgodności

[DA-DC-00004133.pdf](#)

[DA-DC-00004160.pdf](#)

DWG

131X107

[eaton-position-switches-plunger-ls-dimensions-002.eps](#)

[eaton-position-switches-plunger-ls-dimensions-004.eps](#)

131X117

DWG

116C064

[eaton-position-switches-plunger-ls-3d-drawing.eps](#)

131I160

eCAD model

[ETN.266140.edz](#)

[ETN.LSM-11S](#)

Informacje handlowe

[eaton-safety-switches-rs-titan-flyer-fl053001en-en-us.pdf](#)

Instrukcje montażu

[IL053001ZU](#)

mCAD model

[eaton-cadenas-side_view-lsm_side.pra](#)

[eaton-cadenas-front_view-lsm_front.pra](#)

[DA-CD-lsm](#)

[DA-CS-lsm](#)

[eaton-cadenas-path-ls-lsm.3db](#)

Schematy połączeń

[eaton-position-switches-contact-ls-wiring-diagram.eps](#)

131S001



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2025 Eaton. Wszelkie
prawa zastrzeżone.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia